CATALOGUE

LED LIGHTING | Q1-2024

SAMSUNG LED Illuminated



V-TAC

Meaningful Innovation.

MOVING TOWARDS SUSTAINABILITY.



WELCOME TO V-TAC

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide.

While building a vast portfolio in LED lighting over the past years, we were also able to build expertise in innovation and expand our R&D team to offer a diversified catalogue with over 5000+ products to our clients and partners all over the UK and Europe.

Utilizing our brand value and manufacturing technologies, we have been expanding our product categories beyond lighting, with one mission to improve the lives of humanity worldwide.

Now, we are moving towards promoting sustainable practices that will help citizens and businesses lower their carbon footprint, and become a global leader in providing energy efficient systems — including solar panels, inverters, battery packs, and power stations.

V-TAC Lighting

V-TAC Digital

V-TAC Audio

V-TAC Solar

V-TAC Electrical

V-TAC Smart

V-TAC Energy

Many divisions, one mission.

2009

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide

2011

Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria

2013

Started building our distribution network in the UK from our office in Southall, London.

2015

Launched our in-house product testing lab in Sofia, Bulgaria.

2016

Achieved $100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting.

2017

In-brand partnership with Samsung. Launched the V-TAC Pro series.

2018

- Partnership with Tuya and launched new Smart Series
- Unveiled the new V-TAC Showroom in Slough, UK

2019

Opened new office in Poland.

2020

- New website launch
- Opened new office in Ireland.

2021

Centralized warehouse in Bulgaria extended to 42000+ sq mts.

2022

Progressed into the green energy era with our new Renewables range

Collaboration for Impact.

In-Brand Partnership

Driven by our mission to continuously improve the quality and efficiency of our products, V-TAC developed PRO-Series LED in partnership with Samsung.

V-TAC's flagship product range, the PRO-Series features LEDs from Samsung and 5 Year warranties.

PRO SERIES

SAMSUNG LED Illuminated

05 YEARS WARRANTY

Meaningful Innovation.

Innovation has been our core from the beginning. But we aren’t just innovators. We are problem solvers. We innovate to make positive impact. Not just for our customers, but for the human race.

Driven by our passion to provide the most efficient products and solutions, we are fully committed to building a brighter yet sustainable future.

In 2020, we finished the upgrade and expansion of our Warehouse in Bulgaria with the Warehouse Management System (WMS) which allowed us to accommodate more stock, thereby enabling us to maintain fulfillment of orders despite logistic challenges due to Brexit and the global pandemic. Along with this development, both the PRO Series & Evolution Series have been growing and will continue to improve in the years ahead to offer the best lighting solutions in residential, commercial, and industrial projects.

V-TAC



V-TAC

11
EVERGREEN
EVERGREEN
EVERGREEN

LED SOLAR LIGHTING

TABLE OF CONTENT

V-TAC has an extensive range of LED solar lights. These lights are designed to be energy-efficient and eco-friendly, making them a popular choice for various outdoor lighting applications.

13

LED SOLAR FLOODLIGHT

17

LED SOLAR STREETLIGHT



21

LED SOLAR **TRI-PROOF** LIGHT

21

LED SOLAR BULB WITH SENSOR

21

LED CEILING LIGHT

NEW

22

LED SOLAR WALL LIGHTS

34

LED SOLAR **GARDEN** LIGHTS

38

LED SOLAR STRING LIGHT

NEW

38

LED SOLAR **STRIP** KIT

39

LED SOLAR EGG LIGHT

39

LED SOLAR FLAME LIGHT

39

LED SOLAR FLAME LIGHT

LED LIGHTING PRO SERIES

TABLE OF CONTENT

The PRO-Series is a substantial range of products, constructed with all new Samsung chips. This series is the ideal product range for professional use.

V-TAC Meaningful Innovation.

SAMSUNG LED Illuminated

40 **LED** FLOODLIGHTS

76 **LED** STREET LIGHTS

88 **LED** HIGHBAY LIGHTS

96 **LED** PANELS

100 **LED** TUBES & **FIXTURES**



120 **LED** LINEAR LIGHTS

132 **LED TRACKLIGHTS**

136 **LED** DOME & DOWN LIGHTS

150 **EMERGENCY** EXIT LIGHTS

152 **LED** STRIP LIGHTS

154 **LED** SPOTLIGHTS

160 **LED** BULBS

LED LIGHTING ESSENTIAL SERIES

TABLE OF CONTENT

V-TAC's wide range of essential LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

174

LED BULBS

214

LED SPOTLIGHTS & **FITTINGS**

250

LED FLOODLIGHTS

258

LED PANELS

280

LED TUBES AND **BATTEN** FITTINGS

286

LED WP BATTEN **FITTINGS**

290

LED HIGHBAY LIGHTS

NEW

294

LED STREET LIGHTS

296

LED STRIP LIGHTS

NEW

335

FABRIC BELT SERIES

NEW

340

LED MAGNETIC TRACKLIGHTS

348

LED TRACK **LIGHT** S

LED LIGHTING ESSENTIAL SERIES

TABLE OF CONTENT

V-TAC's wide range of essential LED products, for diverse applications. Our products have been tested and approved by top EU labs ensuring high quality LED's.

352 **COB** DOWNLIGHTS

358 **LED** DOME LIGHTS

368 **LED** WALL LIGHTS

408 **LED** EMERGENCY LIGHTS

412 **MOTION** SENSORS

420 **OUTDOOR** LIGHTS & FITTINGS

442 **DECORATIVE** LIGHTS

496 **LED** TABLE & FLOOR LAMPS

516 **DECORATIVE** PENDANTS

540 **LED** DISPLAY SCREEN

SMART DIGITAL AND ELECTRICAL

TABLE OF CONTENT

V-TAC introduces its all-new extensive range of smart products. Smart cameras that are fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. Self-powered wireless switches that function using an RF receiver, making their use a hassle free experience.

546 **SMART CAMERAS**

550 **SMART SWITCHES**

552 **SOCKETS** AND ADAPTERS

DECORATIVE CEILING FANS

586 **WIRELESS SPEAKERS**

NEW 590 **POWER** BANKS

NEW 595 **LED** RING LIGHT



596 **INSECT** KILLER & ROBOT VACUUM CLEANER

LED SMART HOME AND LIGHTING

TABLE OF CONTENT

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.

599

LED SMART BULB

601

LED SMART **SPOTLIGHT**

601

SMART LED DOME LIGHT

602

LED SMART **PANEL**

602

LED SMART **STRIPLIGHT** KITS

NEW

603

LED SMART FLOODLIGHTS

NEW

603

LED SMART **GARDEN** LIGHTS

NEW

604

LED SMART **AMBIANCE** LAMPS

NEW

605

LED SMART **MAGNETIC** TRACK LIGHTS

608

SMART HOME

612

SMART TOWER FAN

613

LASER ROBOT **VACUUM** CLEANER

V-TAC

Meaningful Innovation.

LED Solar Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Key Feature

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED FLOODLIGHT WITH SOLAR PANEL

Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium

3 METER WIRE

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7822 - 4000K DAY WHITE 7821 - 6400K WHITE	VT-40W-B	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7824 - 4000K DAY WHITE 7823 - 6400K WHITE	VT-80W-B	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7826 - 4000K DAY WHITE 7825 - 6400K WHITE	VT-120W-B	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7828 - 4000K DAY WHITE 7827 - 6400K WHITE	VT-180W-B	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7830 - 4000K DAY WHITE 7829 - 6400K WHITE	VT-240W-B	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

NEW LED FLOODLIGHT WITH SOLAR PANEL

Charging Time: 4-6 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: Aluminium

3 METER WIRE

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7840 - 4000K DAY WHITE 7839 - 6400K WHITE	VT-40W-W	6W Solar Panel	400	3.2V-5000mAh	190x55x170	10
7842 - 4000K DAY WHITE 7841 - 6400K WHITE	VT-80W-W	10W Solar Panel	800	3.2V-6000mAh	190x55x170	10
7844 - 4000K DAY WHITE 7843 - 6400K WHITE	VT-120W-W	15W Solar Panel	1200	3.2V-12000mAh	235x55x180	6
7846 - 4000K DAY WHITE 7845 - 6400K WHITE	VT-180W-W	20W Solar Panel	1800	3.2V-16000mAh	290x55x235	5
7848 - 4000K DAY WHITE 7847 - 6400K WHITE	VT-240W-W	30W Solar Panel	2600	3.2V-20000mAh	365x55x260	4

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

NEW LED FLOODLIGHT-CUBE WITH SOLAR PANEL-SENSOR

- Sensing Range: <6 Meters
- Charging Time: 4-6 hr
- Working Time: Max.60 hr
- IP Rating: IP65
- Body Type: ABS+PC

PIR MOTION SENSOR | 5 METER WIRE | IP65 RATING | REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10314 - 4000K DAY WHITE 10313 - 6400K WHITE	VT-411	4.5W Solar Panel	1500	3.7V-3600mAh	152.7x32.3x143.8	12
10310 - 4000K DAY WHITE 10311 - 6400K WHITE	VT-432	12.5W Solar Panel	4800	6.4V-6000mAh	197.2x49x190.9	8

NEW LED FLOODLIGHT WITH SOLAR PANEL

- Charging Time: 4-6 hr
- Working Time: 8-12 hr
- IP Rating: IP65

IP65 RATING | REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6973 - 3000K WARM WHITE 6965 - 4000K DAY WHITE 6964 - 6400K WHITE	VT-55050	6W Solar Panel	400	3.2V-5000mAh	175x50x210	12
6974 - 3000K WARM WHITE 6967 - 4000K DAY WHITE 6966 - 6400K WHITE	VT-55100	12W Solar Panel	1200	3.2V-10000mAh	215x50x260	7
6975 - 3000K WARM WHITE 6969 - 4000K DAY WHITE 6968 - 6400K WHITE	VT-55200	16W Solar Panel	1600	3.2V-15000mAh	215x50x260	7
6976 - 3000K WARM WHITE 6971 - 4000K DAY WHITE 6970 - 6400K WHITE	VT-55300	20W Solar Panel	2400	3.2V-20000mAh	255x50x310	4

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

LED FLOODLIGHT WITH SOLAR PANEL

Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium

IP65 RATING

ULTRAVIOLET PROTECTION

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8573 - 4000K DAY WHITE 94006 - 6000K WHITE	VT-25W	12W Solar Panel	550	3.2V-5000mAh	205x50x170	8
8574 - 4000K DAY WHITE 94008 - 6000K WHITE	VT-40W	16W Solar Panel	1050	3.2V-10000mAh	247x65x210	6
8575 - 4000K DAY WHITE 94010 - 6000K WHITE	VT-60W	20W Solar Panel	1650	6.4V-10000mAh	270x70x238	5
8576 - 4000K DAY WHITE 94012 - 6000K WHITE	VT-100W	35W Solar Panel	2450	6.4V-15000mAh	325x85x280	2
8577 - 4000K DAY WHITE 94026 - 6000K WHITE	VT-200W	40W Solar Panel	3100	6.4V-20000mAh	353x90x304	2
8578 - 4000K DAY WHITE 94027 - 6000K WHITE	VT-300W	50W Solar Panel	4200	6.4V-25000mAh	437x90x356	2

NEW LED FLOODLIGHT WITH SOLAR PANEL

Charging Time: 4 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: Aluminium

IP65 RATING

ULTRAVIOLET PROTECTION

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23018 - 4000K DAY WHITE 10405 - 6400K WHITE	VT-25W-W	12W Solar Panel	550	3.2V-5000mAh	206x54x148	8
10406 - 4000K DAY WHITE 10407 - 6400K WHITE	VT-40W-W	16W Solar Panel	1050	3.2V-10000mAh	255x68x190	6
10408 - 4000K DAY WHITE 10409 - 6400K WHITE	VT-60W-W	20W Solar Panel	1650	3.2V-20000mAh	284x76x223	5
10410 - 4000K DAY WHITE 23019 - 6400K WHITE	VT-100W-W	35W Solar Panel	2450	3.2V-30000mAh	335x86x250	2
10413 - 4000K DAY WHITE 10414 - 6400K WHITE	VT-200W-W	40W Solar Panel	3100	3.2V-40000mAh	360x90x290	2
10415 - 4000K DAY WHITE 10416 - 6400K WHITE	VT-300W-W	50W Solar Panel	4200	3.2V-50000mAh	445x110x380	2

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

LED PIR SENSOR SOLAR FLOODLIGHT

- Detecting Angle: 180°
- Sensing Range: 2-6M
- Charging Time: 6-7 hr
- Working Time: 2-36 hr
- IP Rating: IP65
- Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8547 - 4000K DAY WHITE	VT-777-5	5w	500	3.7V-3000mAh	217.4x149.3x33.7	18

LED PIR SENSOR SOLAR FLOODLIGHT

- Detecting Angle: 180°
- Sensing Range: 2-6M
- Charging Time: 6-7 hr
- Working Time: 2-36 hr
- IP Rating: IP65
- Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8550 - 4000K DAY WHITE	VT-787-10	10w	1100	3.7V-3000mAh	300x215x35	8

LED FLOODLIGHTS WITH USB PORT

- Detecting Angle: 120°
- Sensing Range: ≤8Mtr
- Charging Time: 6-7 hr
- Working Time: Max 24 hr
- IP Rating: IP65
- Body Type: Aluminium

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8674 - 4000K DAY WHITE	VT-788-10	10w	1100	3.7V-7200mAh	232x166x33	10

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

LED SOLAR FLOODLIGHT

Detecting Angle: 120°
Charging Time: 4-8 hr
Working Time: 4 hr
IP Rating: IP44
Body Type: Aluminum

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
9747 - 6500K WHITE	VT-4110-S	10w	600lm	3.7V-2000mAh	175x43x266	8

LED SOLAR STREETLIGHT

Detecting Angle: 120°
Sensing Range: 3-8M
Charging Time: 6-7 hr
Working Time: 2-36 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8549 - 4000K DAY WHITE 8548 - 6000K WHITE	VT-ST15	10w	1600	7.4V-10800mAh	413x232x58	10

LED STREETLIGHT WITH SOLAR PANEL

Charging Time: 4-6 hr
Working Time: 12-15hr
IP Rating: IP65
Body Type: Aluminium

IP65 RATING

ULTRAVIOLET PROTECTION

SKU	Model	Watts	Lumens	Battery	Box Qty
5502 - 4000K DAY WHITE	VT-ST200	50W Solar Panel	4000	6.4V-27500mAh	1

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

LED SOLAR STREETLIGHT

ACCESSORIES INCLUDED

METAL PROTRUDING POLE

BRACKET

MOUNTING ARM (FOR WALL MOUNT)

Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65

IP65 RATING

05 YEAR WARRANTY

SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Battery	Box Qty
7837- 4000K DAY WHITE 20341- 6400K WHITE	VT-ST303	30W	3000	6.4V-30000mAh	1

NEW LED SOLAR STREETLIGHT

Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65

bridgelux. CHIP

IP65 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10224 - 4000K DAY WHITE 10225 - 6500K WHITE	VT-15111ST	10W	2500	3.2V-30000mAh	200x530	1
10226 - 4000K DAY WHITE 10227 - 6500K WHITE	VT-15200ST	20W	3000	3.2V-50000mAh	200x530	1
10228 - 4000K DAY WHITE 10229 - 6500K WHITE	VT-15300ST	30W	3500	3.2V-75000mAh	200x530	1

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

LED INTEGRATED SOLAR PANEL STREET LIGHT

Charging Time: 4-6 Hours

Working Time: 8-10 hours in always mode, 12 hours in induction mode

IP Rating: IP65

Body Type: Aluminum

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6755 - 4000K DAY WHITE 6756 - 6400K WHITE	VT-20201ST	20W	Always Mode-1400 Sensor Mode-2300	3.2V-30000mAh	680x320x50	3
6757 - 4000K DAY WHITE 6758 - 6400K WHITE	VT-30301ST	30W	Always Mode-2000 Sensor Mode-3500	3.2V-40000mAh	900x320x50	2
6759 - 4000K DAY WHITE 6760 - 6400K WHITE	VT-40401ST	40W	Always Mode-2200 Sensor Mode-4300	3.2V-60000mAh	1000x320x50	2

LED SOLAR GARDEN LIGHT SENSOR



FUTURISTIC DESIGN

- REMOTE CONTROL
- RADAR SENSOR
- TIMER FUNCTION

Detecting Angle: 120°

Sensing Range: <6M

Charging Time: 6-8 hr

Working Time: 10-12 hr

IP Rating: IP65

Body Type: ABS

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5150 - 4000K DAY WHITE 5151 - 6500K WHITE	VT-45W	7.5w	1000	3.2V-15000mAh	420x123	5
5152 - 4000K DAY WHITE 5153 - 6500K WHITE	VT-65W	10w	1500	3.2V-25000mAh	520x137	4
11258	Pole for Solar Garden Light				3 meter (1000x3pcs)	2

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

LED SOLAR GARDEN LIGHT SENSOR

IP65 RATING

PIR MOTION SENSOR

- Detecting Angle: 120°
- Sensing Range: <8Mtr
- Charging Time: 8 hr
- Working Time: Constant Lighting Mode: 3 nights+ Sensor Mode: 5 nights+
- IP Rating: IP65
- Body Type: Aluminium+ABS

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5505 - 4000K DAY WHITE 5506 - 6400K WHITE	VT-130W	20w	2000	6.4V-6000mAh	601.1x200x292.8	1

LED SOLAR STREETLIGHT HIGH LUMEN

3 Types of installation

① Straight pole installation

② Curved pole installation

③ Wall mounted

Including Accessories

- Detecting Angle: 120°
- Sensing Range: 8-12m
- Charging Time: 8-10hr
- Working Time: Min 36 hr and Max 120 hr
- IP Rating: IP65
- Body Type: ABS+PC and Aluminium

03 YEAR WARRANTY

120 LUMEN/W

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
5503 - 4000K DAY WHITE 5504 - 6000K WHITE	VT-ST42	40W	4800	12.8V-6000mAh	289.7x73.6x706.1	4

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

LED SOLAR TRI-PROOF LIGHT WITH SENSOR

Charging Time: 4-6 hr

Working Time: 8-10 hr

IP Rating: IP65

Body Type: PC

IP65 RATING

COLOR CHANGING WITH REMOTE

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6500 - 3IN1	VT-120018	18w	1000	3.7V-18,000mAh	1185x80x65	10

LED SOLAR BULB WITH SENSOR

Charging Time: 8 hr

Working Time: 6 hr

IP Rating: IP20

Body Type: Plastic

IP20 RATING

BATTERY RECHARGEABLE

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2857 - 3IN1	VT-2417	7w	500	3.7V-2200mAh	72x158	40

LED CEILING LIGHT

Charging Time: 4-6 hr

Working Time: 8 hr

IP Rating: IP65

Body Type: PC

IP65 RATING

IK08 RATING

COLOR CHANGING WITH REMOTE

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7613 - 3IN1	VT-8415	15w	900	3.2V-10000mAh	Ø320x100	8

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

NEW LED SOLAR WALL LIGHT-8IN1-SENSOR

INTEGRATED WALL MOUNT

SPLIT WALL MOUNT

PORTABLE

STANDABLE

HANGING IN TWO-DIRECTIONS


MAGNETIC ADSORPTIVE


STICK-ON

POLE MOUNTED

IP65 RATING

PIR MOTION SENSOR

Battery: 3.7V-4000mah
Sensing Range: <8 Meters
Charging Time: 5-6 hr
Working Time: Min 20 - Max 60 hr
IP Rating: IP65
Body Type: ABS+PC

SKU	Model	Watts	Lumens	Unit Color	Box Qty
6844 - 3000K WARM WHITE 6849 - 4000K DAY WHITE 6850 - 6000K WHITE	VT-11108	8W	950	Black	12

NEW LED SOLAR YARD LIGHT-KEEPER-SENSOR

IP65 RATING

PIR MOTION SENSOR

Battery: 3.2V--6000mAh
Sensing Range: <8 Meters
Charging Time: 5 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10315 - 6000K+4000K WHITE+DAY WHITE	VT-414-B	15W	2000	Black	294x236x77	6
10316 - 6000K+4000K WHITE+DAY WHITE	VT-414-W	15W	2000	White	294x236x77	6

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED SOLAR WALL LIGHT-BRICK-SENSOR

Battery: 3.7V-1200mAh

Sensing Range: <6 Meters

Charging Time: 5 hr

Working Time: Up to 80 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10305 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-B	3W	350	Black	137.6x90.4x35.4	24
10306 - 4000K+3000K DAY WHITE+WARM WHITE	VT-403-W	3W	350	White	137.6x90.4x35.4	24

NEW LED SOLAR WALL LIGHT-BRICK-SENSOR

Battery: 3.7V-3000mAh

Sensing Range: <6 Meters

Charging Time: 8-10 hr

Working Time: Mode A: 4 Nights +, Mode B: 2 Nights +

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10307 - 4000K DAY WHITE	VT-406-B	6W	900	Black	230x97x42.7	24
10308 - 4000K DAY WHITE	VT-406-W	6W	900	White	230x97x42.7	24

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

NEW LED SOLAR GARDEN PILLAR LIGHT-SENSOR

Battery: 3.7V-2600mAh

Sensing Range: 3-5 Meters

Charging Time: 4-6 hr

Working Time: Min 3 hr Max 12 hr

IP Rating: IP65

Body Type: AL+PC

IP65 RATING

MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6805 - 3000K WARM WHITE	VT-11022-B	2w	90	Black	140x140x163	20
6806 - 3000K WARM WHITE	VT-11022-W	2w	90	White	140x140x163	20

NEW LED SOLAR GARDEN WALL LIGHT-SENSOR

Battery: 3.7V-2200mAh

Detecting Angle: 50°

Sensing Range: 3-4 Meters

Charging Time: 11-13 hr

Working Time: 18-20 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23032 - 3000K WARM WHITE	VT-1193-B	0.5W	95	Black	126x83x252	10
23033 - 3000K WARM WHITE	VT-1193-G	0.5W	95	Dark Grey	126x83x252	10

LED SOLAR LIGHTS

SOLAR BOLLARD

- Battery: Lithium 3.7V/2600mAh
- Charging Time: 4-6 hr
- Working Time: 3-12 hr
- IP Rating: IP65
- Body Type: PC+AL

03 YEAR WARRANTY | IP65 RATING | SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
785 | 3000K WARM WHITE	VT-66	2W	280	Grey	140x140x500mm	10
21785 | 3000K WARM WHITE	VT-66-N	2W	280	Grey	140x140x500mm	10

SOLAR WALL LIGHTS

- Battery: Lithium 3.7V/2600mAh
- Charging Time: 4-6 hr
- Working Time: 3-12 hr
- IP Rating: IP65
- Body Type: PC+AL

03 YEAR WARRANTY | IP65 RATING | SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
784 | 3000K WARM WHITE	VT-77	2W	220	Grey	140x140x290mm	10
21784 | 3000K WARM WHITE	VT-77-N	2W	220	Grey	140x140x290mm	10

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

LED SOLAR WALL LIGHT

Detecting Angle: 120°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: Min 8 hr and Max 24 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8276 - 4000K DAY WHITE	VT-767-2-W	1.5w	220	White+Black	3.7V-1200mAh	144.5x96x79	20
8277 - 4000K DAY WHITE	VT-767-2-B	1.5w	220	Black	3.7V-1200mAh	144.5x96x79	20

LED SOLAR WALL LIGHT

Detecting Angle: 120°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: Min 5-8 hr and Max 24 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
7523 - DAY+WARM WHITE	VT-768-W	3w	400	White+Black	3.7V-2000mAh	140x212x109.2	12
7528 - DAY+WARM WHITE	VT-768-B	3w	400lm	Black	3.7V-2000mAh	140x212x109.2	50

LED SOLAR WALL LIGHT

Detecting Angle: 120°
Sensing Range: 2-6M
Charging Time: 6-7 hr
Working Time: 5 hr to 4 nights- 3 modes
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Battery	Size(mm)	Box Qty
8278 - 4000K DAY WHITE	VT-767-7-W	7w	800	White+Black	3.7V-4000mAh	270x221x109.2	20
8279 - 4000K DAY WHITE	VT-767-7-B	7w	800	Black	3.7V-4000mAh	270x221x109.2	20

03 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED SOLAR WALL LIGHT

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23012 - 3000K WARM WHITE	VT-1139-B	1W	70	3.7V-1200mAh	121x90x112.5	32

NEW LED SOLAR WALL LIGHT

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23013 - 3000K WARM WHITE	VT-1139-W	1W	70	3.7V-1200mAh	121x90x112.5	32

NEW LED SOLAR WALL LIGHT-SENSOR

Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10399 - 3000K WARM WHITE	VT-1145	1W	70	3.7V-1200mAh	121x90x112.5	32

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

03 YEAR WARRANTY

NEW LED SOLAR WALL LIGHT-SENSOR

Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23016 - 3000K WARM WHITE	VT-1147-RD	5.5W	220	3.7V-2000mAh	229x155x155	6

NEW LED SOLAR WALL LIGHT-SENSOR

Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10402 - 3000K WARM WHITE	VT-1147-SQ	5.5W	220	3.7V-2000mAh	224x130x155	6

NEW LED SOLAR WALL LIGHT-SENSOR

Detecting Angle: 90°-110°
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+Glass

IP54 RATING | PIR MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23017 - 3000K WARM WHITE	VT-1148	2.5W	100	3.7V-2000mAh	181x91x66	12

03 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED SOLAR WALL LIGHT

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10384 - 3000K WARM WHITE	VT-1138-B	1W	70	3.7V-1200mAh	121x90x121.5	32

NEW LED SOLAR WALL LIGHT

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10395 - 3000K WARM WHITE	VT-1138-W	1W	70	3.7V-1200mAh	121x90x121.5	32

NEW LED SOLAR WALL LIGHT-SENSOR

Detecting Angle: 360°

Sensing Range: 3-4 Meters

Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Aluminium+PC

IP54 RATING

PIR MOTION SENSOR

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23014 - 3000K WARM WHITE	VT-1140	1W	70	3.7V-1200mAh	121x90x121.5	32

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

03 YEAR WARRANTY

NEW LED SOLAR WALL LIGHT-DIAMOND

Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23004 - 6000K+4000K WHITE+DAY WHITE	VT-425	15W	1900	3.2V--6000mAh	257x288.5x206.5	4

NEW LED SOLAR PILLAR LIGHT-DIAMOND



Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23005 - 6000K+4000K WHITE+DAY WHITE	VT-426	15W	2200	3.2V--6000mAh	257x217	4

NEW LED SOLAR PATH LIGHT-DIAMOND

Sensing Range: <8 Meters
Charging Time: 7 hr
Working Time: Up to 80 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING | MOTION SENSOR | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23006 - 6000K+4000K WHITE+DAY WHITE	VT-413	15W	2200	3.2V--6000mAh	257x194.1	125

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED SOLAR WALL LIGHT-PANDA-SENSOR



Sensing Range: <6 Meters
Charging Time: 5 hr
Working Time: Min 35 hr
IP Rating: IP65
Body Type: ABS+PC

IP65 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10309 - 4000K DAY WHITE	VT-422	2W	200	3.7V-1200mAh	138.9x68.5x106.9	24

NEW LED SOLAR WALL LIGHT-SENSOR

Detecting Angle: 360°
Sensing Range: 3-4 Meters
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Polycrystalline Solar Panel

IP54 RATING

MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23010 - 3000K WARM WHITE	VT-1136	2.5W	150	3.7V-2000mAh	185x120x260	6

NEW LED SOLAR BOLLARD LIGHT-SENSOR

Detecting Angle: 360°
Sensing Range: 3-4 Meters
Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Polycrystalline Solar Panel

IP54 RATING

MOTION SENSOR

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23009 - 3000K WARM WHITE	VT-1134	2.5W	150	3.7V-2000mAh	120x120x800	6

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

03 YEAR WARRANTY

LED SOLAR WALL LIGHT-REMOTE CONTROL

Sensing Range: 3-5M
Charging Time: 4-6 hr
Working Time: Min 3 hr and Max 12 hr
IP Rating: IP44
Body Type: PC

IP44 RATING | REMOTE CONTROL | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)
93575 - 3IN1	VT-969	0.8w	60-75Lm	3.7V-1200mAh	160x230

LED SOLAR WALL LIGHT-REMOTE CONTROL

Sensing Range: 3-5M
Charging Time: 4-6 hr
Working Time: Min 3 hr and Max 12 hr
IP Rating: IP44
Body Type: PC

IP44 RATING | REMOTE CONTROL | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)
93578 - 3IN1	VT-972	0.8w	60-75Lm	3.7V-1200mAh	160x230

LED SOLAR WALL LAMP

Charging Time: 5-6 hr
Working Time: 10-12 hr
IP Rating: IP44
Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2889 - 3IN1	VT-982-S	2w	110	3.7V-2200mAh	20x15.5x25.5	6

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

LED SOLAR STAND LAMP

Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2890 - 3IN1	VT-983-S	2w	110	3.7V-2200mAh	15.5x15.5x27	6

LED SOLAR WALL LAMP



Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2892 - 3000K+6000K WARM WHITE+WHITE	VT-982	2w	110	3.7V-2200mAh	22x17.5x25	6

LED SOLAR STAND LAMP

Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2893 - 3000K+6000K WARM WHITE+WHITE	VT-983	2w	110	3.7V-2200mAh	17.5x17.5x27	6

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

LED SOLAR LAWN LAMP

Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2894 - 3000K+6000K WARM WHITE+WHITE	VT-984	2w	110	3.7V-2200mAh	21x19x33	4

LED SOLAR LAWN LAMP3

Charging Time: 5-6 hr

Working Time: 10-12 hr

IP Rating: IP44

Body Type: Aluminum Die-Casting

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
2891 - 3IN1	VT-984-S	2w	110	3.7V-2200mAh	21x19x33	4

LED SOLAR BOLLARD LIGHTS

Charging Time: 12-15 hr

Working Time: 12 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

AUTOMATIC SENSOR OFF ON ≤15Lux

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	VT-945	5w	400	3.7V-2000mAh	705.7x155	8

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED SOLAR BOLLARD LIGHT





Charging Time: 8-10 hr

Working Time: 6-8 hr

IP Rating: IP54

Body Type: Polycrystalline Solar Panel

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23011 - 3000K WARM WHITE	VT-1137	2W	120	3.7V-2000mAh	800x180x270	4

2IN1(SPIKE+STAND) GARDEN LIGHT

Charging Time: 4-5 hr

Working Time: 30-36 hr

IP Rating: IP65

Body Type: ABS+PC

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	VT-943	3w	260	3.7V-1000mAh	148x800	32

LED SOLAR GARDEN LIGHT - ADJUSTABLE

Charging Time: 4-5 hr

Working Time: 30-36 hr

IP Rating: IP65

Body Type: ABS+PC+Metal

IP65 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6670 - 3000K WARM WHITE 6669 - 4000K DAY WHITE	VT-948	8w	500	7.4V-2000mAh	264x1290.55	4

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

03 YEAR WARRANTY

NEW 2IN1(SPIKE+STAND) GARDEN LIGHT

Charging Time: 6-8 hr
Working Time: 10-12 hr
IP Rating: IP65
Body Type: ABS

IP65 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
10304 - 3IN1	VT-4102	3W	220	3.7V-2600mAh	155x720	10

NEW LED SOLAR SPIKE LIGHT

Charging Time: 8-10 hr
Working Time: 6-8 hr
IP Rating: IP54
Body Type: Aluminium+PC

IP54 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23015 - 3000K WARM WHITE	VT-1146	1.8w	90	3.7V-1800mAh	Ø155x200mm	24

LED SOLAR SPIKE LIGHT

Charging Time: 6-8 hr
Working Time: 10-12 hr
IP Rating: IP65
Body Type: ABS

IP65 RATING

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	VT-952	2w	40	3.7V-1200mAh	140x150x280	20

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

NEW LED SOLAR SPIKE LIGHT

Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: Polycrystalline Solar Panel

IP65 RATING

4 METER WIRE

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20488 - 3000K WARM WHITE	VT-11031	1.2Wx2	90x2	3.7V-4000mAh	60x75x250	20

NEW LED SOLAR SPIKE LIGHT

Charging Time: 4-6 hr

Working Time: 3-12 hr

IP Rating: IP65

Body Type: Polycrystalline Solar Panel

IP65 RATING

4 METER WIRE

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
20489 - 3000K WARM WHITE	VT-11032	1.2Wx3	50x3	3.7V-4000mAh	60x75x250	10

NEW LED SOLAR STRING LIGHT-REMOTE CONTROL

IP Rating: IP44

Body Type: PVC Wire, Plastic Bulb

G50x10 Bulbs

IP44 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
7804 - 3000K WARM WHITE	VT-70512	5W	300	3.7V-1200mAh	12 Meters	10

V-TAC Meaningful Innovation.

LED SOLAR LIGHTS

02 YEAR WARRANTY

LED SOLAR STRING LIGHT

Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

10 Bulbs

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8559 - 3000K WARM WHITE	VT-71010	10W	100	1pc AA Ni-MH 1.2V-300mAh	2 Meters	24

NEW LED SOLAR STRING LIGHT

IP Rating: IP44

ST64x15 Bulbs

IP44 RATING

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23034 - 3000K WARM WHITE	VT-715S	3W	50	3.7V-2400mAh	15 Meters	2

NEW LED SOLAR PANEL STRIP KIT-IP67-2IN1



IP67 RATING

REMOTE CONTROL

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
23044 - 3000K WARM WHITE 23045 - 4000K DAY WHITE 23046 - RGB	VT-2835 60	1.2W	120	3.7V-1500mAh	5 Meter Roll	20

02 YEAR WARRANTY

LED SOLAR LIGHTS

V-TAC Meaningful Innovation.

LED SOLAR EGG LIGHT

Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

RGB+WW

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8557 - RGB+WW	VT-7815	0.2W	4	1xAA BATTERY, 1.2V/500mAH NI-MH	D:188x395	4

LED SOLAR GROUND/HANGING LIGHT FLAME

Charging Time: 8-12 hr

Working Time: 6-8 hr

IP Rating: IP44

Body Type: PC

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8558 - 2200K WARM WHITE	VT-719	0.4W	5	3.7V/500mAH Lithium Battery,	100x100x650	12

LED SOLAR FLAME LIGHT

Charging Time: 8 hr

Working Time: 6 hr

IP Rating: IP44

Body Type: PP

4 PCS PACK

SKU	Model	Watts	Lumens	Battery	Size(mm)	Box Qty
8689 - 2200K WARM WHITE	VT-724	1w	10	1.2V 2/3AAA NI-MH	75×75x500	24

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Floodlights

V-TAC's LED floodlights are manufactured with industry-leading components to deliver exceptional performance, making them the perfect choice for efficient outdoor lighting. Each unit is designed and made of die-cast aluminium for extreme durability. With the IP65 rating, all the floodlights in this series are also water and dust proof.

This extensive range of floodlights is ready to impress in terms of efficiency brought on by the Samsung LEDs. The PIR series comes with an auto-cutoff function(Manual Override)

Key Features

- 10w to 1000w
- IP65 rating — high-quality components to ensure waterproof/airtight performance
- Modern and strong Die cast aluminium body with a minimalistic design, for high-end support and design
- Product category include high lumen, slimline, PIR series, rechargeable, work floodlight, and sports floodlights
- Select units include a 1 meter wire for easy and convenient installation

LED FLOODLIGHTS

NEW

IP65 RATING

05 YEAR WARRANTY

135 LUMEN/W

HIGH LUMEN SLIMLINE SERIES

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
8844 | 4000K DAY WHITE 8845 | 6500K WHITE	VT-4455	50W	5740	10 pcs		183.5x34x169mm
8846 | 4000K DAY WHITE 8847 | 6500K WHITE	VT-44101	100W	11480	4 pcs		253.5x40x242.5mm
8848 | 4000K DAY WHITE 8849 | 6500K WHITE	VT-44201	200W	22960	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED
illuminated

NEW

IP65 RATING

05 YEAR WARRANTY

135 LUMEN/W

1 METER WIRE

HIGH LUMEN SLIMLINE SERIES- 1M WIRE

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Diagram	Size
23196 | 3000K WARM WHITE 23197 | 4000K DAY WHITE 23198 | 6500K WHITE	VT-44033-1	30W	3450		164.5x34x153mm
23199 | 3000K WARM WHITE 23216 | 4000K DAY WHITE 23217 | 6500K WHITE	VT-4455-1	50W	5740		183.5x34x169mm
23200 | 3000K WARM WHITE 23218 | 4000K DAY WHITE 23219 | 6500K WHITE	VT-44101-1	100W	11480		242.5x40x253.5mm
23201 | 4000K DAY WHITE 23202 | 6500K WHITE	VT-44153-1	150W	17220		328.5x43x295mm
23220 | 4000K DAY WHITE 23221 | 6500K WHITE	VT-44201-1	200W	22960		402.5x44x349.5mm
10367 | 4000K DAY WHITE 23203 | 6500K WHITE	VT-44003-1	300W	34440		496x49x445mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

NEW

IP65 RATING

05 YEAR WARRANTY

LED FLOODLIGHTS BLACK BODY GREY GLASS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9898 | 3000K WARM WHITE 9899 | 4000K DAY WHITE 10010 | 6500K WHITE	VT-44010-B	10W	735	40 pcs		104x21x92mm
10014 | 3000K WARM WHITE 10015 | 4000K DAY WHITE 10016 | 6500K WHITE	VT-44020-B	20W	1620	20 pcs		126.5x28x114mm
10020 | 3000K WARM WHITE 10021 | 4000K DAY WHITE 10022 | 6500K WHITE	VT-44030-B	30W	2505	20 pcs		164x29x139mm
10026 | 6500K WHITE	VT-44050-B	50W	4270	20 pcs		183x29x169mm
10348 | 6500K WHITE	VT-44100	100W	8700	8 pcs		254x33x217mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

NEW

IP65 RATING

05 YEAR WARRANTY

LED FLOODLIGHTS WHITE BODY WHITE GLASS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10011 | 3000K WARM WHITE 10012 | 4000K DAY WHITE 10013 | 6500K WHITE	VT-44010-W	10W	735	40 pcs		104x21x92mm
10017 | 3000K WARM WHITE 10018 | 4000K DAY WHITE 10019 | 6500K WHITE	VT-44020-W	20W	1620	20 pcs		126.5x28x114mm
10023 | 3000K WARM WHITE 10024 | 4000K DAY WHITE 10025 | 6500K WHITE	VT-44030-W	30W	2505	20 pcs		164x29x139mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

NEW

HIGH POWER LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10027 | 4000K DAY WHITE 10028 | 6500K WHITE	VT-44200-B	200W	17540	4 pcs		405x36x326mm
10031 | 4000K DAY WHITE 10032 | 6500K WHITE	VT-44300-B	300W	26390	2 pcs		496x49x445mm

NEW

HIGH POWER LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- 115° Beam Angle
- CRI >70
- PF >0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10029 | 4000K DAY WHITE 10030 | 6500K WHITE	VT-44200-W	200W	17540	4 pcs		405x36x326mm
10033 | 4000K DAY WHITE 10034 | 6500K WHITE	VT-44300-W	300W	26390	2 pcs		496x49x445mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

EVOLUTION SERIES

IP65 RATING

05 YEAR WARRANTY

EFFICIENCY 180 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20450 | 6500K WHITE	VT-30185	30W	4720	10 pcs		165x204.5x46mm
20452 | 6500K WHITE	VT-50185	50W	7870	10 pcs		197.5x241.5x46mm
20455 | 4000K DAY WHITE 20456 | 6500K WHITE	VT-150185	150W	23600	2 pcs		318.5x390x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

EVOLUTION SERIES

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

NEW

IP65 RATING

02 YEAR WARRANTY

EFFICIENCY 185 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
9255 | 4000K DAY WHITE 9891 | 6500K WHITE	VT-4435	30W	5550	10 pcs		164.5x34x153mm
9892 | 4000K DAY WHITE 9893 | 6500K WHITE	VT-4456	50W	9250	10 pcs		183.5x34x169mm
9894 | 4000K DAY WHITE 9895 | 6500K WHITE	VT-44105	100W	18500	4 pcs		253.5x40x242.5mm
9896 | 4000K DAY WHITE 9897 | 6500K WHITE	VT-44205	200W	37000	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

HIGH LUMEN SLIMLINE PRO SERIES

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20402 | 4000K DAY WHITE 20403 | 6500K WHITE	VT-32	30W	4100	10 pcs		165x204.5x46mm
20405 | 6500K WHITE	VT-52	50W	6850	10 pcs		197.5x241.5x46mm
20409 | 6500K WHITE	VT-162	150W	20500	2 pcs		318.5x390x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

EVOLUTION SERIES

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

IP65 RATING

05 YEAR WARRANTY

EFFICIENCY 150 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- Aluminium body
- 100° beam angle
- 30,000 hr lifespan
- CRI: >70
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
5998 | 3000K WARM WHITE	VT-4961	50W	8000	10 pcs		241.5x197.5x46mm
5997 | 3000K WARM WHITE	VT-49161	100W	16000	4 pcs		299x247.5x49.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

EVOLUTION SERIES

NEW

IP65 RATING

02 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

HIGH LUMEN EVOLUTION SERIES

- IP65 Rating.
- SMD
- 2 Years Warranty
- AC:220-240V,50Hz
- Body Type: Aluminium
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- 0-100% in <1sec

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
10353 | 4000K DAY WHITE	VT-44031	30W	4800	10 pcs		164.5x34x153mm
10354 | 4000K DAY WHITE	VT-44051	50W	8000	10 pcs		183.5x34x169mm
10355 | 4000K DAY WHITE	VT-44106	100W	16000			253.5x40x242.5mm
10362 | 4000K DAY WHITE	VT-44160	150W	24000	4 pcs		328.5x43x295mm
10363 | 4000K DAY WHITE 10365 | 6500K WHITE	VT-44206	200W	32000	2 pcs		402.5x44x349.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT

IP65 RATING

05 YEAR WARRANTY

AUTOMATIC SENSOR
OFF
ON
≤15Lux

- **The floodlights work automatically, according to the level of surrounding light.**
- **The floodlight will automatically turn on at light levels below 140lux. At light levels above 140lux, the floodlight will turn off.**
- **There is no need to manually switch the light on or off.**
- **Floodlights with automatic light sensors do not react to motion.**

LED FLOODLIGHTS WITH LIGHT SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20169 | 3000K WARM WHITE 20170 | 4000K DAY WHITE 20171 | 6500K WHITE	VT-37	30W	3000	20 pcs		165x46x204.5mm
20172 | 3000K WARM WHITE 20173 | 4000K DAY WHITE 20174 | 6500K WHITE	VT-57	50W	5000	10 pcs		197.5x46x241.5mm
20175 | 3000K WARM WHITE 20176 | 4000K DAY WHITE 20177 | 6500K WHITE	VT-117	100W	10000	4 pcs		247.5x49.5x299mm
20178 | 3000K WARM WHITE 20179 | 4000K DAY WHITE 20180 | 6500K WHITE	VT-167	150W	15000	2 pcs		318.5x55x390mm
20181 | 3000K WARM WHITE 20182 | 4000K DAY WHITE 20183 | 6500K WHITE	VT-272	200W	20000	2 pcs		371x57x458.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHT

SAMSUNG LED illuminated

NEW

IP65 RATING

05 YEAR WARRANTY

AUTOMATIC SENSOR
OFF
ON
≤15Lux

LED FLOODLIGHTS WITH LIGHT SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Diagram	Size
23186 | 4000K DAY WHITE 23187 | 6500K WHITE	VT-44032PS	30W	3100		165x46x204.5mm
23188 | 4000K DAY WHITE 23189 | 6500K WHITE	VT-44052PS	50W	5200		197.5x46x241.5mm
23190 | 4000K DAY WHITE 23191 | 6500K WHITE	VT-44103PS	100W	11480		247.5x49.5x299mm
23192 | 4000K DAY WHITE 23193 | 6500K WHITE	VT-44153PS	150W	17220		318.5x55x390mm
23194 | 4000K DAY WHITE 23195 | 6500K WHITE	VT-44203PS	200W	22960		371x57x458.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHT

V-TAC Meaningful Innovation.

IP65 RATING

05 YEAR WARRANTY

DIY DO IT YOURSELF

- Instant start in 1 second
- Operation in outside temperatures (-20 to+40° C)
- Protection rating IP65
- Only connect with waterproof cable.

LED FLOODLIGHTS - DIRECT CONNECTION

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20304 | 3000K WARM WHITE 20305 | 4000K DAY WHITE 20306 | 6500K WHITE	VT-118	10W	735	20 pcs		133x55x88mm
20307 | 3000K WARM WHITE 20308 | 4000K DAY WHITE 20309 | 6500K WHITE	VT-128	20W	1510	20 pcs		157x56x101mm
20310 | 3000K WARM WHITE 20311 | 4000K DAY WHITE 20312 | 6500K WHITE	VT-138	30W	2340	10 pcs		177x56x117mm
20313 | 3000K WARM WHITE 20314 | 4000K DAY WHITE 20315 | 6500K WHITE	VT-158	50W	4000	10 pcs		195x57x152mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHT

SAMSUNG LED
illuminated

IP65 RATING

05 YEAR WARRANTY

DIY
DO IT YOURSELF

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20256 | 3000K WARM WHITE 20257 | 4000K DAY WHITE 20258 | 6500K WHITE	VT-118S-B	10W	735	20 pcs		133x60x113mm
20259 | 3000K WARM WHITE 20260 | 4000K DAY WHITE 20261 | 6500K WHITE	VT-128S-B	20W	1510	20 pcs		157x60x128mm
20262 | 3000K WARM WHITE 20263 | 4000K DAY WHITE 20264 | 6500K WHITE	VT-138S-B	30W	2340	10 pcs		177x60x143mm
20265 | 3000K WARM WHITE 20266 | 4000K DAY WHITE 20267 | 6500K WHITE	VT-158S-B	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

DIY DO IT YOURSELF

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.

LED FLOODLIGHTS - DIRECT CONNECTION WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20268 | 3000K WARM WHITE 20269 | 4000K DAY WHITE 20270 | 6500K WHITE	VT-118S-W	10W	735	20 pcs		133x60x113mm
20271 | 3000K WARM WHITE 20272 | 4000K DAY WHITE 20273 | 6500K WHITE	VT-128S-W	20W	1510	20 pcs		157x60x128mm
20274 | 3000K WARM WHITE 20275 | 4000K DAY WHITE 20276 | 6500K WHITE	VT-138S-W	30W	2340	10 pcs		177x60x143mm
20277 | 3000K WARM WHITE 20278 | 4000K DAY WHITE 20279 | 6500K WHITE	VT-158S-W	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED
illuminated

IP65 RATING

05 YEAR WARRANTY

PIR MOTION SENSOR

1 METER WIRE

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20280 | 3000K WARM WHITE 20281 | 4000K DAY WHITE 20282 | 6500K WHITE	VT-118S-1-B	10W	735	20 pcs		133x60x113mm
20283 | 3000K WARM WHITE 20284 | 4000K DAY WHITE 20285 | 6500K WHITE	VT-128S-1-B	20W	1510	20 pcs		157x60x128mm
20286 | 3000K WARM WHITE 20287 | 4000K DAY WHITE 20288 | 6500K WHITE	VT-138S-1-B	30W	2340	10 pcs		177x60x143mm
20289 | 3000K WARM WHITE 20290 | 4000K DAY WHITE 20291 | 6500K WHITE	VT-158S-1-B	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

PIR MOTION SENSOR

1 METER WIRE

- Instant start in 1second
- Operation in outside temperaturess (-20 to +40° C)
- Manual override function
- When the lock sensor function, avoid long time lighting in extreme weather.
- Extra-long 1 meter cable included for easy installation.

LED FLOODLIGHTS WITH PIR SENSOR

- Die cast Aluminium body
- 100° beam angle
- 25,000 hrs lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20292 | 3000K WARM WHITE 20293 | 4000K DAY WHITE 20294 | 6500K WHITE	VT-118S-1-W	10W	735	20 pcs		133x60x113mm
20295 | 3000K WARM WHITE 20296 | 4000K DAY WHITE 20297 | 6500K WHITE	VT-128S-1-W	20W	1510	20 pcs		157x60x128mm
20298 | 3000K WARM WHITE 20299 | 4000K DAY WHITE 20300 | 6500K WHITE	VT-138S-1-W	30W	2340	10 pcs		177x60x143mm
20301 | 3000K WARM WHITE 20302 | 4000K DAY WHITE 20303 | 6500K WHITE	VT-158S-1-W	50W	4000	10 pcs		195x60x178mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED
illuminated

IP65 RATING

05 YEAR WARRANTY

PIR MOTION SENSOR

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
433 | 3000K WARM WHITE 434 | 4000K DAY WHITE 435 | 6400K WHITE	VT-10-S-W	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm
448 | 3000K WARM WHITE 449 | 4000K DAY WHITE 450 | 6400K WHITE	VT-20-S-W	20W	1600	1 meter	20 pcs		153x55.46x177.75mm
457 | 3000K WARM WHITE 458 | 4000K DAY WHITE 459 | 6400K WHITE	VT-30-S-W	30W	2400	1 meter	20 pcs		178x57.16x197.75mm
466 | 3000K WARM WHITE 467 | 4000K DAY WHITE 468 | 6400K WHITE	VT-50-S-W	50W	4000	1 meter	10 pcs		223x57.06x234.3mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

IP65 RATING

05 YEAR WARRANTY

PIR MOTION SENSOR

Incorporating security features, V-TAC offers a new range of LED floodlights equipped with PIR sensors and Samsung LEDs for even better high-end performance. Can be used as a regular floodlight through the Auto Cut-off function(manual override). Widely used for security lighting in residential, commercial, and industrial areas.

LED FLOODLIGHTS WITH PIR SENSOR

- 30,000 hr lifespan
- 100° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- PF>0.7 for 10,20w; 0.9 for 30,50w
- On/Off cycle: >15000
- Instant start in <1sec
- Die-cast Aluminium Body
- Detection Angle:120°
- Detection distance:2-8m
- Time delay: MIN12+-3sec MAX6+-2min
- Installation height: 1.8-2.5m

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
436 | 3000K WARM WHITE 437 | 4000K DAY WHITE 438 | 6400K WHITE	VT-10-S-B	10W	800	1 meter	20 pcs		114.5x54.86x153.78mm
451 | 3000K WARM WHITE 452 | 4000K DAY WHITE 453 | 6400K WHITE	VT-20-S-B	20W	1600	1 meter	20 pcs		153x55.46x177.75mm
460 | 3000K WARM WHITE 461 | 4000K DAY WHITE 462 | 6400K WHITE	VT-30-S-B	30W	2400	1 meter	20 pcs		178x57.16x197.75mm
469 | 3000K WARM WHITE 470 | 4000K DAY WHITE 471 | 6400K WHITE	VT-50-S-B	50W	4000	1 meter	10 pcs		223x57.06x234.3mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

120 LUMEN/W

The V-TAC LED High Lumen Floodlights offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

HIGH LUMEN SLIMLINE WHITE BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
763 | 6400K WHITE	VT-56-W	50W	6000	30cm	8 pcs		223x188x28mm
21762 | 4000K DAY WHITE	VT-56-W-N	50W	5750	1 meter	8 pcs		223x188x28mm
768 | 4000K DAY WHITE	VT-106-W	100W	12000	1 meter	4 pcs		291x240x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
21768 | 4000K DAY WHITE	VT-106-W-N	100W	11500	1 meter	4 pcs		291x240x30mm
774 | 4000K DAY WHITE 775 | 6400K WHITE	VT-156-W	150W	18000	1 meter	2 pcs		404x322x52mm
787 | 4000K DAY WHITE 788 | 6400K WHITE	VT-206-W	200W	24000	1 meter	2 pcs		439x346x56mm
21787 | 4000K DAY WHITE	VT-206-W-N	200W	23000	1 meter	2 pcs		439x346x48mm
793 | 4000K DAY WHITE 794 | 6400K WHITE	VT-306-W	300W	36000	1 meter	2 pcs		529x415x55mm
21793 | 4000K DAY WHITE	VT-306-W-N	300W	34500	1 meter	2 pcs		529x415x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

120 LUMEN/W

The V-TAC LED High Lumen Floodlights offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

HIGH LUMEN SLIMLINE BLACK BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
760 | 4000K DAY WHITE	VT-56-B	50W	6000	30cm	8 pcs		223x188x28mm
21761 | 6500K WHITE	VT-56-B-N	50W	5750	1 meter	8 pcs		223x188x28mm
767 | 6400K WHITE	VT-106-B	100W	12000	1 meter	4 pcs		291x240x30mm
21767 | 6500K WHITE	VT-106-B-N	100W	11500	1 meter	4 pcs		291x240x30mm
772 | 4000K DAY WHITE	VT-156-B	150W	18000	1 meter	2 pcs		404x322x52mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
21772 | 4000K DAY WHITE 21773 | 6500K WHITE	VT-156-B-N	150W	17300	1 meter	2 pcs		404x322x48mm
778 | 4000K DAY WHITE 779 | 6400K WHITE	VT-206-B	200W	24000	1 meter	2 pcs		439x346x56mm
21779 | 6500K WHITE	VT-206-B-N	200W	23000	1 meter	2 pcs		439x346x48mm
791 | 4000K DAY WHITE	VT-306-B	300W	36000	1 meter	2 pcs		529x415x55mm
21792 | 6500K WHITE	VT-306-B-N	300W	34500	1 meter	2 pcs		529x415x55mm
964 | 4000K DAY WHITE 965 | 6400K WHITE	VT-405	400W	48000	1 meter	1 pcs		580x505x155mm
966 | 4000K DAY WHITE 967 | 6400K WHITE	VT-505	500W	60000	1 meter	1 pcs		580x505x155mm
969 | 6400K WHITE	VT-1055	1000W	120000	1 meter	1 pcs		709x709x155mm
21969 | 6500K WHITE	VT-1055-N	1000W	120000	1 meter	1 pcs		709x709x155mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

120 LUMEN/W

The V-TAC LED High Lumen Floodlights offers energy-efficient, high output illumination for a wide range of lighting applications. This series consumes around 80% less energy than traditional outdoor lighting thanks to pioneering optics research and the latest LED technology from Samsung.

HIGH LUMEN SLIMLINE GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
764 | 4000K DAY WHITE	VT-56-G	50W	6000	30cm	8 pcs		223x188x28mm
21764 | 4000K DAY WHITE 21765 | 6500K WHITE	VT-56-G-N	50W	5750	1 meter	8 pcs		223x188x28mm
771 | 6400K WHITE	VT-106-G	100W	12000	1 meter	4 pcs		291x240x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
21770 | 4000K DAY WHITE 21771 | 6500K WHITE	VT-106-G-N	100W	11500	1 meter	4 pcs		291x240x30mm
777 | 6400K WHITE	VT-156-G	150W	18000	1 meter	2 pcs		404x322x52mm
789 | 4000K DAY WHITE 790 | 6400K WHITE	VT-206-G	200W	24000	1 meter	2 pcs		439x346x56mm
21789 | 4000K DAY WHITE 21790 | 6500K WHITE	VT-206-G-N	200W	23000	1 meter	2 pcs		439x346x48mm
795 | 4000K DAY WHITE 796 | 6400K WHITE	VT-306-G	300W	36000	1 meter	2 pcs		529x415x55mm
21796 | 6500K WHITE	VT-306-G-N	300W	34500	1 meter	2 pcs		529x415x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a IP65-rated die-cast aluminium body for durability. Available in 10-300W in a clean, ivory white finish. Select models come with a one (1) meter wire.

SLIMLINE WHITE BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
427 | 3000K WARM WHITE	VT-10-W	10W	800	30cm	20 pcs		115x108x26mm
444 | 6400K WHITE	VT-20-W	20W	1600	30cm	20 pcs		153x132x27mm
21442 | 3000K WARM WHITE	VT-20-W-N	20W	1510	1 meter	20 pcs		153x132x27mm
403 | 3000K WARM WHITE	VT-30-W	30W	2400	30cm	10 pcs		178x152 x28mm
21404 | 4000K DAY WHITE	VT-30-W-N	30W	2340	1 meter	10 pcs		178x152x28mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
950 | 6400K WHITE	VT-30-1-W	30W	2400	30cm	10 pcs		178x152 x28mm
411 | 6400K WHITE	VT-50-W	50W	4000	30cm	8 pcs		223x188x28mm
21409 | 3000K WARM WHITE 21410 | 4000K DAY WHITE 21411 | 6500K WHITE	VT-50-W-N	50W	4000	30cm	8 pcs		223x188x28mm
952 | 6400K WHITE	VT-50-1-W	50W	4000	30cm	8 pcs		223x188x28mm
415 | 3000K WARM WHITE 416 | 4000K DAY WHITE 417 | 6400K WHITE	VT-100-W	100W	8000	1 meter	4 pcs		291x240x30mm
21415 | 3000K WARM WHITE 21416 | 4000K DAY WHITE 21417 | 6500K WHITE	VT-100-W-N	100W	8200	1 meter	4 pcs		291x240x30mm
478 | 3000K WARM WHITE 479 | 4000K DAY WHITE 480 | 6400K WHITE	VT-150-W	150W	12000	1 meter	2 pcs		404x322x52mm
421 | 6400K WHITE	VT-200-W	200W	16000	1 meter	2 pcs		439x346x56mm
21420 | 4000K DAY WHITE	VT-200-W-N	200W	16500	1 meter	2 pcs		439x346x48mm
486 | 4000K DAY WHITE 487 | 6400K WHITE	VT-300-W	300W	24000	1 meter	2 pcs		529x415x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a IP65-rated die-cast aluminium body for durability. Available in 10-300W in a classic, jet black finish. Select models come with a one (1) meter wire.

SLIMLINE BLACK BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
21406 | 3000K WARM WHITE 21407 | 4000K DAY WHITE	VT-50-B-N	50W	4000	1 meter	8 pcs		223x188x28mm
21947 | 6500K WHITE	VT-10-1-B-N	10W	735	1 meter	20 pcs		115x108x26mm
20012 | 4000K DAY WHITE 948 | 6400K WHITE	VT-20-1-B	20W	1600	1 meter	20 pcs		153x132x27mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
21948 | 6500K WHITE	VT-20-1-B-N	20W	1510	1 meter	20 pcs		153x132x27mm
20013 | 4000K DAY WHITE 949 | 6400K WHITE	VT-30-1-B	30W	2400	1 meter	10 pcs		178x152 x28mm
21949 | 6400K WHITE	VT-30-1-B-N	30W	2340	1 meter	10 pcs		178x152 x28mm
2120014 | 4000K DAY WHITE 21951 | 6500K WHITE	VT-50-1-B-N	50W	4000	1 meter	8 pcs		223x188x28mm
21412 | 3000K WARM WHITE 21413 | 4000K DAY WHITE 21414 | 6400K WHITE	VT-100-B-N	100W	8200	1 meter	4 pcs		291x240x30mm
21476 | 4000K DAY WHITE 21477 | 6500K WHITE	VT-150-B-N	150W	12000	1 meter	2 pcs		404x322x52mm
21419 | 6500K WHITE	VT-200-B-N	200W	16500	1 meter	2 pcs		439x346x48mm
21422 | 4000K DAY WHITE 21423 | 6500K WHITE	VT-300-B-N	300W	24800	1 meter	2 pcs		529x415x55mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

IP65 RATING

05 YEAR WARRANTY

V-TAC's PRO Series LED floodlights are equipped with Samsung LEDs for a well-diffused, high-performance outdoor lighting encased in a die-cast IP65 body for durability. Available in 10W to 300 watts, in a modern, neutral grey finish. Select models come with a one (1) meter wire.

SLIMLINE GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Die cast Aluminium body
- 100° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
430 | 3000K WARM WHITE 431 | 4000K DAY WHITE	VT-10-G	10W	800	30cm	20 pcs		115x108x26mm
445 | 3000K WARM WHITE 446 | 4000K DAY WHITE	VT-20-G	20W	1600	30cm	20 pcs		153x132x27mm
454 | 3000K WARM WHITE 455 | 4000K DAY WHITE 456 | 6400K WHITE	VT-30-G	30W	2400	30cm	10 pcs		178x152 x28mm
21464 | 4000K DAY WHITE	VT-50-G-N	50W	4000	1 meter	8 pcs		223x188x28mm
21473 | 4000K DAY WHITE	VT-100-G-N	100W	8200	1 meter	4 pcs		291x240x30mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

SOS FLASH

MICRO SOCKET

USB PORT

A strong, reliable, and portable lamp –– V-TAC's new compact and rechargeable LED floodlights can easily be recharged through the micro socket & USB port, making them perfect for home projects, garages, warehouses, car repair shops, parking lots, camping and more.

RECHARGEABLE FLOODLIGHTS

- LED provided by Samsung
- Saves 80% energy
- Function: 100%-50%-SOS
- 3.7V Li-Ion 3600mAh battery
- Rechargeable
- Contains no lead or mercury
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Plug	Box Qty	Diagram	Size
20038 | 4000K DAY WHITE 503 | 6400K WHITE	VT-10-R	10W	700	micro usb cable without SOS Flash	20 pcs		175x125mm
20037 | 4000K DAY WHITE 502 | 6400K WHITE	VT-11-R	10W	700	micro usb cable	20 pcs		175x125mm
20039 | 4000K DAY WHITE 504 | 6400K WHITE	VT-20-R	20W	1400	micro usb cable	20 pcs		175x125mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

WIDE VOLTAGE 100V-265V

IP65 RATING

1.5 METER WIRE

V-TAC's LED Work Light is designed for a wide voltage range: 100-265VAC and comes with a 1.5-meter wire.This floodlight is an ideal tool for construction sites, facade lighting, lobbies, garages, passages, parking lots and other locations.

GREY GLASS-YELLOW WORK FLOODLIGHTS

- AC:100-265V,50/60Hz
- 100° beam angle
- 30,000 hr lifespan
- CRI >80
- PF >0.9
- IP65 Rating
- Material: Die-cast Aluminium
- On/Off cycle: >15000
- 1.5 meter wire with BS plug

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
20121 | 6400K WHITE	VT-58	50W	5000	1.5 meter	10 pcs		197.5x65x245mm
2120122 | 6400K WHITE	VT-108-N	100W	9400	1.5 meter	4 pcs		247.5x65x305mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

IP65 RATING

3 METER WIRE

A powerful, slim-built floodlight with a heavy-duty H-stand for high quality outdoor lighting performance. The floodlight can be tilted/ rotated and comes with a three-meter wire for maximum portability. Perfect for industrial areas – construction sites, repair shops and garages, warehouses, etc.

SLIM FLOODLIGHTS H-STAND

- Input AC:220-240V,50Hz
- CRI >80
- PF >0.9
- 25,000 hr lifespan
- 100° Beam Angle
- Material: Die-cast Aluminium
- On/Off cycle: >15000
- H-stand with 3 meter wire (EU Plug)

SKU	Model	Watts	Lumens	Wire	Box Qty	Diagram	Size
20125 | 6400K WHITE	VT-109	100W	8000	3 meter - EU Plug	10 pcs		352x184x380mm
2120124 | 4000K DAY WHITE 2120125 | 6400K WHITE	VT-109-N	100W	8200	3 meter - EU Plug	10 pcs		352x184x380mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

120 LUMEN/W

MEAN WELL Your Reliable Power Partner

IK08 RATING

DIMMABLE

IP66 RATING

Our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency –– these floodlights are equipped with critically acclaimed LEDs provided by Samsung and excellent MEAN WELL drivers to ensure optimal energy saving and temperature dissipation.

SUPER PRO SERIES-500W

- 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9
- AC: 100-277V
- Material: Die-cast Aluminium
- 50,000 hr lifespan

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
496 | 4000K DAY WHITE	VT-503D	500W	60000	1 pcs		563.8x510x136.75mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

05 YEAR WARRANTY

120 LUMEN/W

MEAN WELL

IK08 RATING

DIMMABLE

IP66 RATING

Our heavy-duty IP66 LED Floodlights are perfect for industrial lighting. Never worry about efficiency –– these floodlights are equipped with critically acclaimed LEDs provided by Samsung and excellent MEAN WELL drivers to ensure optimal energy saving and temperature dissipation.

SUPER PRO SERIES-1000W

- 60° & 120° Beam Angle (Rotatable)
- CRI: >70
- PF: > 0.9
- AC: 100-277V
- Material: Die-cast Aluminium
- 50,000 hr lifespan

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
498 | 4000K DAY WHITE	VT-1003D	1000W	120000	1 pcs		965.8x510x136.25mm
499 | 4000K DAY WHITE	VT-1002D	1000W	120000	1 pcs		965.8x510x136.25mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

SAMSUNG LED illuminated

LED Streetlights

Light the path to a brighter future — V-TAC's LED street lights are equipped with premium-quality LEDs from Samsung and high performance drivers from DALI, Inventronics, and MEAN WELL to provide uniform brightness and illumination for highways, streets, tunnels, plazas, industrial facilities, car parks, etc. Includes Class I & Class II Type III-M lenses.

Key Features

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; long lifespan
- Weatherproof body rated IP65/66
- Optimally designed glass lenses to prevent eye strain
- Uniform light distribution maximizes efficiency
- Fully operational, even in extreme weather conditions
- DALI, Inventronics, MEAN WELL drivers
- Select models equipped with an automatic light sensor

LED STREETLIGHTS

05 YEAR WARRANTY

IP65 RATING

ADJUSTABLE ANGLE

AUTOMATIC SENSOR
OFF
ON ≤15LUX

IN-HOUSE TOOLING

LED STREETLIGHTS WITH LIGHT SENSOR

- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20430 | 4000K DAY WHITE	VT-39ST-S	30W	3000	pcs		416x138x99mm
20432 | 4000K DAY WHITE 20433 | 6500K WHITE	VT-59ST-S	50W	5000	pcs		470x149x99mm
20435 | 6500K WHITE	VT-139ST-S	100W	11000	pcs		567x179x99mm
20436 | 4000K DAY WHITE 20437 | 6500K WHITE	VT-169ST-S	150W	16500	pcs		628x203x99mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED STREETLIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

IP65 RATING

IN-HOUSE TOOLING

ADJUSTABLE ANGLE

LED STREETLIGHTS ADJUSTABLE

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20422 | 4000K DAY WHITE 20423 | 6500K WHITE	VT-39ST	30W	3000	pcs		416x138x99mm
20424 | 4000K DAY WHITE 20425 | 6500K WHITE	VT-59ST	50W	5000	pcs		470x149x99mm
2120424 | 4000K DAY WHITE 2120425 | 6500K WHITE	VT-59ST-N	50W	5740	pcs		470x149x99mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20438 | 4000K DAY WHITE	VT-79ST	70W	7500	pcs		470x149x99mm
2120438 | 4000K DAY WHITE 2120439 | 6500K WHITE	VT-79ST-n	70W	8040	pcs		470x149x99mm
20426 | 4000K DAY WHITE 20427 | 6500K WHITE	VT-139ST	100W	11000	pcs		567x179x99mm
2120426 | 4000K DAY WHITE 2120427 | 6500K WHITE	VT-139ST-N	100W	11480	pcs		567x179x99mm
20429 | 6500K WHITE	VT-169ST	150W	16500	pcs		628x203x99mm
2120428 | 4000K DAY WHITE 2120429 | 6500K WHITE	VT-169ST-N	150W	17220	pcs		628x203x99mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED GARDEN LIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

IP65 RATING

IK08 RATING

10 KV SURGE PROTECTION

inventronics DRIVER

130 LUMEN/W

The LED suspended Light offers high lumen lighting for outdoor applications. Equipped with high-quality LEDs from Samsung and drivers from Inventronics, these efficient, energy-saving garden lights are great alternatives to traditional lighting options.

CLASS I, TYPE III-M LENS GARDEN LIGHTS SUSPENDED

- AC:176-265V,50HZ
- Die-cast Aluminium/ADC12
- 30,000 hr lifespan
- Beam Angle:160x100°
- Instant start: 0-100% in <1sec
- On/off cycle: >20,000 times
- CRI: >70
- PF: > 0.9
- IK08 rating

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
545 | 4000K DAY WHITE	VT-115ST	100W	13000	1 pcs		520x348.8mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS

05 YEAR WARRANTY

IP65 RATING

IK08 RATING

10 KV SURGE PROTECTION

inventronics DRIVER

130 LUMEN/W

The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° –– Primarily designed for lighting highways, general parking areas, and other spaces where a widely-lit area is required. Available from 80W to 200W, select models available with DALI drivers.

LED STREETLIGHTS (TYPE III-M LENS)

- AC:175-265V,50HZ
- 30,000 hr lifespan
- 150 x 80° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
542 | 4000K DAY WHITE	VT-120ST	120W	15600	1 pcs		286x144x705mm
543 | 4000K DAY WHITE	VT-160ST	160W	20800	1 pcs		399x144x831mm
544 | 4000K DAY WHITE	VT-200ST	200W	26000	1 pcs		399x144x831mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED STREETLIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

IP65 RATING

IK08 RATING

140 LUMEN/W

inventronics DRIVER

With options ranging from 100W up to 200W, V-TAC's innovative selection of streetlights introduces the new dimmable series with Samsung LEDs and world-renowned Inventronics drivers. These Streetlights can be easily tailored for many night lighting needs of different areas and regions.

LED STREETLIGHTS (INVENTRONICS-DIMMABLE)

- AC:200-240V
- Die-cast Aluminium
- 30,000 hr lifespan
- CRI: >70
- PF: > 0.9
- 153x70° Beam Angle

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
884 | 5700K WHITE	VT-102ST	100W	14000	1 pcs		658x270x85mm
885 | 4000K DAY WHITE 886 | 5700K WHITE	VT-122ST	120W	16800	1 pcs		658x270x85mm
887 | 4000K DAY WHITE 888 | 5700K WHITE	VT-152ST	150W	21000	1 pcs		748x300x85mm
889 | 4000K DAY WHITE 890 | 5700K WHITE	VT-202ST	200W	28000	1 pcs		748x300x85mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS

Meaningful Innovation.

05 YEAR WARRANTY

IP65 RATING

IK08 RATING

10 KV SURGE PROTECTION

140 LUMEN/W

The Class I Type LED streetlight offers a high lumen output and superbly efficient performance , further improved with the industry-leading Inventronics driver. Primarily designed for lighting highways, general parking areas, and other spaces where a wide area lighting is required. Ranges 50W to 150W.

LED STREETLIGHTS (INVENTRONICS-DIMMABLE)

- AC: 90-305V,50Hz
- 30,000 hr lifespan
- 153x70° Beam Angle
- CRI: >70
- PF: > 0.9
- Die-cast Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
954 | 5700K WHITE	VT-103ST	100W	14000	2 pcs		270x83.6x656.4mm
955 | 5700K WHITE	VT-153ST	150W	21000	1 pcs		300x83.6x746.4mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED STREETLIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

IP65 RATING

IK08 RATING

120 LUMEN/W

The Slim Streetlight series from V-TAC offers a sleeker, leaner design without compromising the high lumen output that V-TAC streetlights are known for. Primarily designed for road lighting on highways, general parking areas, and other spaces where a wide-area lighting is required. Available in 30W to 150W.

LED SLIM STREETLIGHTS

- Input AC:120-240V,50/60Hz
- CRI >70
- PF >0.10
- 30,000 hr lifespan
- 110° Beam Angle
- Material: Aluminium

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21956 | 4000K DAY WHITE 21957 | 6500K WHITE	VT-34ST-N	30W	4050	4 pcs		374.8x134.9x62.9mm
959 | 6400K WHITE	VT-54ST	50W	6000	4 pcs		434.8x169.9x63mm
21958 | 4000K DAY WHITE 21959 | 6500K WHITE	VT-54ST-N	50W	6850	4 pcs		434.8x169.9x63mm
960 | 4000K DAY WHITE	VT-104ST	100W	12000	2 pcs		535x260x64mm
21960 | 4000K DAY WHITE 21961 | 6500K WHITE	VT-104ST-N	100W	13500	2 pcs		535x260x64mm
21962 | 4000K DAY WHITE 21963 | 6500K WHITE	VT-154ST-N	150W	20300	2 pcs		535x260x64mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS

Meaningful Innovation.

05 YEAR WARRANTY

IP65 RATING

IK07 RATING

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

LED STREETLIGHTS - GREY BODY

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Die cast Aluminium body
- 110° Beam Angle
- CRI >80
- PF>0.9
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
215251 | 4000K DAY WHITE 215261 | 6500K WHITE	VT-30ST-N-N	30W	3000	4 pcs		417.6x198.6x60mm
21528 | 6500K WHITE	VT-50ST-N	50W	4700	4 pcs		467.6x214.6x60mm
215271 | 4000K DAY WHITE	VT-50ST-N-N	50W	5000	4 pcs		467.6x214.6x60mm
21529 | 4000K DAY WHITE	VT-100ST-N	100W	9400	2 pcs		547.6x294.6x62.1mm
215291 | 4000K DAY WHITE 215301 | 6500K WHITE	VT-100ST-N-N	100W	10000	2 pcs		547.6x294.6x62.1mm
21531 | 4000K DAY WHITE	VT-150ST-N	150W	14100	2 pcs		594.1x299.6x67.5mm
215311 | 4000K DAY WHITE 215321 | 6500K WHITE	VT-150ST-N-N	150W	15000	2 pcs		594.1x299.6x67.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED STREETLIGHTS

SAMSUNG LED
illuminated

03 YEAR WARRANTY

IP65 RATING

Retaining the classic design of the V-TAC streetlight, the iron grey streetlight series boasts high-quality LEDs from Samsung with superb energy efficiency. Available in 30W to 120W, and impressive lumen output of up to 12000

LED STREETLIGHTS-GREY

- AC:200-240V
- Die-cast Aluminium
- Beam Angle: 110°
- CRI: >70
- PF: > 0.9
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21537 | 4000K DAY WHITE 21538 | 6400K WHITE	VT-31ST-N	30W	2350	4 pcs		302x130x66mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED STREETLIGHTS

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21539 | 4000K DAY WHITE 21540 | 6400K WHITE	VT-51ST-N	50W	4200	4 pcs		396x170x88mm

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21535 | 4000K DAY WHITE 21536 | 6400K WHITE	VT-101ST-N	100W	8400	2 pcs		460x220x88mm

SKU	Model	Size	Description
3624	VT-795	Ø60x325mm	Compatible with 100W,120W and 150W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.

SKU	Model	Size	Description
3668	VT-795-1	40x60mm	Compatible with 30W and 50W models, this adapter allows adjusting of the streetlight's mounting angle to perfectly suit your client's requirements.

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED Highbay Lights

Our world-class Highbay series includes models powered with drivers from market leaders MEAN WELL and Samsung - allowing us to provide extraordinary energy saving featuress.

Boasting staggering efficiency ratings of up to 180++ lumen/watt, and reliable drivers providing lifespans up to 50,000h, V-TAC's new generation of LED Highbays are the strongest and most efficient LED Highbays available in the market today. Available in 100W to 500W.

Key Features

- Professional upgraded drivers from MEAN WELL and Samsung
- Strong and durable die-cast aluminium body
- IP65 rating
- SMD LED
- Compatible with daylight sensors
- Up to 30,000 hr lifespan
- Available reflectors for a customized beam angle: aluminium & transparent pc

LED HIGHBAY LIGHTS

NEW

05 YEAR WARRANTY

IP65 RATING

140 LUMEN/W

1-10V DIMMABLE

LiFUD Driver

LED HIGHBAY WITH LIFUD DRIVER

- 140 lm/w
- 25,000 hr lifespan
- AC:175-265V,50/60Hz
- Black Body
- 5 Years Warranty
- Sphere 360° Beam Angle
- PF: >0.9
- CRI:>70
- Aluminium
- IP65
- SMD-Samsung Chip
- LIFUD Driver

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20480 | 4000K DAY WHITE 20481 | 6500K WHITE	VT-9-111	100W	14000	1 pcs		233x156mm
20482 | 4000K DAY WHITE 20483 | 6500K WHITE	VT-9-161	150W	21000	1 pcs		278x156mm
20484 | 4000K DAY WHITE 20485 | 6500K WHITE	VT-9-211	200W	28000	1 pcs		305x156mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED HIGHBAY LIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

IP65 RATING

IK08 RATING

1-10V DIMMABLE

SAMSUNG POWER SUPPLY



With our latest in-branding program with Samsung, these Highbays offer a high lumen output of up to 180 lm/w and boasts efficiency in every lumen with Samsung's cutting edge drivers. With strong, IP65-rated die-cast Aluminium enclosing and unparalleled lighting performance, these LED Highbays are sure to take the industrial lighting market by storm.

LED HIGHBAY LIGHTS

- 120 -180 lm/w
- 30,000 & 50,000 hr lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminium

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Size
583 | 4000K DAY WHITE	VT-9-105	100W	12000 (120 LUMEN/W)	90°	1 pcs	ø260x150mm
576 | 6400K WHITE	VT-9-108	100W	18000 (EFFICIENCY 180 LUMENS/W)	120°	1 pcs	ø260x150mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED HIGHBAY LIGHTS

05 YEAR WARRANTY

IP65 RATING

EFFICIENCY 180 LUMENS/W

1-10V DIMMABLE

MEAN WELL



Powerful performance with ultra-efficient energy management. With an astonishing efficiency rating of 180 lm/w matched with the highly acclaimed MEAN WELL driver and IP65 Aluminium body.

LED HIGHBAY (MEANWELL DRIVER)

- 180 lm/w
- 30,000 & 50,000 hr lifespan
- AC:220-240V,50Hz
- 120° Beam Angle
- PF: >0.9
- CRI:>80
- Die cast Aluminium

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Size
567 | 6400K WHITE	VT-9-102	100W	18000	120°	2 pcs	ø260x145mm
569 | 6400K WHITE	VT-9-120	120W	21600	120°	2 pcs	ø260x145mm

SKU	Description
571	Aluminium Reflector-120°

SKU	Description
574	PC Transparent Reflector-120°

SKU	Description
586	PC Dustproof Cover

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED HIGHBAY LIGHTS

SAMSUNG LED illuminated

LED HIGHBAYS

- 100° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:220-240V,50Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

05 YEAR WARRANTY | IP65 RATING | 120 LUMEN/W | 1-10V DIMMABLE

MEAN WELL Your Reliable Power Partner



SKU	Model	Watts	Lumens	Box Qty	Size
563 | 6400K WHITE	VT-9-101	100W	12000	4 pcs	ø280x165mm

LED HIGHBAYS

- 120° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:120-240V, 50/60Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

SAMSUNG POWER SUPPLY

05 YEAR WARRANTY | IP65 RATING | 120 LUMEN/W | 1-10V DIMMABLE



SKU	Model	Watts	Lumens	Box Qty	Size
20063 | 4000K DAY WHITE 20064 | 5000K WHITE	VT-9-114	100W	12000	1 pcs	ø260x140.5mm

NEW

LED HIGHBAYS

- 90° Beam Angle
- 25,000 hr lifespan
- On/Off Cycle >15000
- SMD-Samsung Chip
- AC:175-265V, 50/60Hz
- Aluminium Body Type:
- PF: >0.9
- CRI:>80

05 YEAR WARRANTY | IP65 RATING | 120 LUMEN/W | SAMSUNG POWER SUPPLY



SKU	Model	Watts	Lumens	Box Qty	Size
20477 | 6500K WHITE	VT-9-153	150W	16000	1 pcs	260x195mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED HIGHBAY LIGHTS

LED HIGHBAYS

- 120° Beam Angle
- 50,000 hr lifespan
- On/Off cycle: >25000
- Instant start: 0-100% in <1s
- AC:100-277V, 50/60Hz
- Die cast Aluminium
- PF: >0.9
- CRI:>80

05 YEAR WARRANTY | IP65 RATING | 120 LUMEN/W | 1-10V DIMMABLE



SKU	Model	Watts	Lumens	Box Qty	Size
509 | 4000K DAY WHITE	VT-9-500	500W	60000	1 pcs	ø360x306mm

LED HIGHBAYS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Die cast Aluminium body
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000

05 YEAR WARRANTY | IP65 RATING

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20319 | 4000K DAY WHITE 20320 | 6500K WHITE	VT-9-116S	100W	11500	4 pcs		250x97.2mm
2120319 | 4000K DAY WHITE	VT-9-116S-1	100W	16000	1 pcs		250x94mm
20322 | 6500K WHITE	VT-9-156S	150W	17300	4 pcs		295x97.7mm
2120321 | 4000K DAY WHITE	VT-9-156S-1	150W	24000	1 pcs		295x94mm
20324 | 6500K WHITE	VT-9-206S	200W	23000	4 pcs		320x98.2mm
2120323 | 4000K DAY WHITE	VT-9-206S-1	200W	32000	1 pcs		320x94mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED LINEAR LOW BAY LIGHTS

SAMSUNG LED illuminated

05 YEAR WARRANTY

IK07 RATING

IP54 RATING

Our series of LED LowBay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories. Lowbay lights have proven to be approximately 50% more efficient than perpendicular lighting layouts, also decreasing eye strain.Compared to its traditional counterparts, this range offers ample light options promising impressive energy-savings with efficiency ratings of up to 120 lm/W. Available in 100W to 200W.

LED LINEAR LOWBAY LIGHTS

- AC:220-240v,50HZ
- On/off: >20,000 times
- IP54 rating
- Lifespan - 30,000 hrs
- Aluminium body
- Heat and Shock Resistant.
- Ideal for workshops, supermarkets, warehouses, etc.
- PF: >0.9
- CRI:>80
- Beam Angle: 112°

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21891 | 4000K DAY WHITE 21892 | 6500K WHITE	VT-9-112-N	100W	9800	9 pcs		537x130x96mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED LINEAR LOW BAY LIGHTS

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21893 | 4000K DAY WHITE	VT-9-152-N	150W	14500	6 pcs		798x130x96mm

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
895 | 4000K DAY WHITE 896 | 6000K WHITE	VT-9-202	200W	24000	6 pcs		1059x130x96mm
21895 | 4000K DAY WHITE 21896 | 6500K WHITE	VT-9-202-N	200W	19500	6 pcs		1059x130x96mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED Panels

All models in the PRO Series LED panel series are made with high quality PMMA diffusers which provide a evenly distributed light and prevents the panels from turning yellow.

The panels' durability is evidenced by exteriors composed of an innovative combination of aluminium+PMMA+PP, and further energy savings thanks to the upgraded driver box and Samsung LEDs. Both frameless and big panels include a quick connector for easy installation.

Key Features

- Quick connector included
- Flicker-free; stable drivers eliminate flashes
- Better light quality, fewer false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- A variety of both square and round frameless mini panels to choose from.

LED PANELS

05 YEAR WARRANTY

PMMA DIFFUSER

FLICKER FREE

Quick CONNECTOR



Our LED panels are made with high-quality PMMA diffusers which prevents them from turning yellow over time and makes them emit strong and evenly distributed light. Also available in the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

LED PANELS 60X60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium + PMMA + PP
- CRI >80
- PF>0.9
- 50,000 hr lifespan
- On/Off Cycle >25000

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Size
21200471 | 4000K DAY WHITE	VT-629-N	26W	3480	110°	6 pcs	595x595x12.5mm
20047 | 4000K DAY WHITE 20048 | 6400K WHITE	VT-629	29W	3480	120°	6 pcs	595x595x13mm
2163300 | 4000K DAY WHITE 2163411 | 6400K WHITE	VT-645-N	40W	4950	110°	6 pcs	595x595x12.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED PANELS

SAMSUNG LED illuminated

05 YEAR WARRANTY

120 LUMEN/W

HIGH LUMEN LED PANELS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000



SKU	Model	Watts	Lumens	Box Qty	Size
20419 | 4000K DAY WHITE	VT-629-1	29W	3480	6 pcs	595x595x9mm

05 YEAR WARRANTY

UGR<19

PMMA DIFFUSER

UGR<19 LED PANELS-60X60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium + PMMA + PP
- 110° Beam Angle
- CRI >80
- PF>0.9
- 50,000 hr lifespan
- On/Off Cycle >25000



SKU	Model	Watts	Lumens	Box Qty	Size
20119 | 4000K DAY WHITE	VT-649	45W	3600	6 pcs	595x595x13.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED PANELS

05 YEAR WARRANTY

LED PANELS

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >15000



SKU	Model	Watts	Lumens	Box Qty	Size
20421 | 4000K DAY WHITE 20420 | 6400K WHITE	VT-645-1	45W	4830	6 pcs	595x595x9mm

05 YEAR WARRANTY

Quick CONNECTOR

120 LUMEN/W

HIGH LUMEN LED PANELS 120X60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium + PMMA + PP
- 110° Beam Angle
- CRI >80
- PF>0.9
- 50,000 hr lifespan
- On/Off Cycle >25000



SKU	Model	Watts	Lumens	Box Qty	Size
21748 | 4000K DAY WHITE 21749 | 6400K WHITE	VT-646-N	40W	5400	2 pcs	1195x595x12.5mm
749 | 6400K WHITE	VT-646	45W	5400	2 pcs	1195x595x12.5mm
217491 | 6500K WHITE	VT-646-1	45W	4950	2 pcs	1195x595x12.5mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED Tubes & Fixtures

V-TAC's extensive range of efficient tubes & fixtures boasts premium quality LEDs provided by Samsung, a staggering lifespan of up to 30,000 hr, and an unbreakable body built with the most durable materials, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include
1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
2) Batten Fittings with CCT-changing Switch
3) Linkable T5 Batten Fittings, and more.
4) Waterproof Fittings

Key Features

- LEDs provided by Samsung
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models

EVOLUTION SERIES

T8-NANO PLASTIC TUBES

V-TAC Meaningful Innovation.

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

Together with its impressive energy rating, our LED tubes offer a staggering 160 lumen per watt output and five years warranty —— making it one of the most superior in the competitive led market.

EVOLUTION TUBES SERIES

- Nano Plastic
- 25,000 hr lifespan
- CRI - >80
- Flicker Free
- PF - 0.5
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle:160 °

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
216474 | 3000K WARM WHITE 216475 | 4000K DAY WHITE 216476 | 6500K WHITE	VT-1607-N	7W	1000	25 pcs		28x600mm
216477 | 3000K WARM WHITE 216478 | 4000K DAY WHITE 216479 | 6500K WHITE	VT-1612-N	12W	1750	25 pcs		28x1200mm
6481 | 4000K DAY WHITE	VT-1615	15W	2400	25 pcs		27.9x1500mm
216480 | 3000K WARM WHITE 216481 | 4000K DAY WHITE 216482 | 6500K WHITE	VT-1615-N	15W	2150	25 pcs		28x1500mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED TUBES

SAMSUNG LED illuminated

05 YEAR WARRANTY

110-120 LUMEN/W

This modern range of high lumen LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures.This range offers strong and ample light with promising 120 lm/w options and impressive energy-saving features compared to its traditional counterparts.

G13-T8 - HIGH LUMEN NANO PLASTIC TUBES

- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- 15000 On/Off
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21798 | 3000K WARM WHITE 21686 | 4000K DAY WHITE 21687 | 6500K WHITE	VT-062-N	7.5W	850	25 pcs		600x28mm
673 | 6400K WHITE	VT-122	18W	2250	25 pcs		1200x27.9mm
21688 | 3000K WARM WHITE 21672 | 4000K DAY WHITE 21673 | 6500K WHITE	VT-122-N	16.5W	1850	25 pcs		1200x28mm
21799 | 3000K WARM WHITE 21674 | 4000K DAY WHITE 21675 | 6500K WHITE	VT-152-N	24W	3000	25 pcs		1500x28mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED TUBES

05 YEAR WARRANTY

This modern range of LED tubes with Samsung LEDs are the perfect retrofit for fluorescent fixtures. These sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

T8 PRO TUBES

- Nano Plastic Body
- 30,000 hr lifespan
- 160° Beam Angle
- 15000 On/Off
- AC:220-240V,50Hz
- CRI - >80
- >0.5 PF
- <0.5 s Instant start

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21650 | 3000K WARM WHITE 21651 | 4000K DAY WHITE 21652 | 6500K WHITE	VT-061-N	9W	850	25 pcs		600x28mm
21653 | 3000K WARM WHITE 21654 | 4000K DAY WHITE 21655 | 6500K WHITE	VT-121-N	18W	1850	25 pcs		1200x28mm
21656 | 3000K WARM WHITE 21657 | 4000K DAY WHITE 21658 | 6500K WHITE	VT-151-N	20W	2100	25 pcs		1500x28mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED BATTEN FITTINGS

EVOLUTION SERIES

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

SLIM FITTINGS-EVOLUTION SERIES-HIGH LUMEN

- IP20 Rating.
- SMD
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Plastic
- 120° Beam Angle
- CRI >80
- PF>0.7
- 25,000 hr lifespan
- On/Off Cycle >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20359 | 3000K WARM WHITE 20360 | 4000K DAY WHITE 20361 | 6500K WHITE	VT-8315-N	15W	2250	30 pcs		600x75x24mm
20362 | 3000K WARM WHITE 20363 | 4000K DAY WHITE 20364 | 6500K WHITE	VT-8330-N	30W	4650	30 pcs		1200x75x24mm
6494 | 4000K DAY WHITE	VT-8338	38W	6080	30 pcs		1500x74.1x24.4mm
20365 | 3000K WARM WHITE 20366 | 4000K DAY WHITE 20367 | 6500K WHITE	VT-8338-N	38W	5900	30 pcs		1500x75x24mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTINGS

05 YEAR WARRANTY

120 LUMEN/W

Quick CONNECTOR

The tried-and-true 10W to 60W range of efficient and powerful LED prismatic fittings from V-TAC. Some have a high lumen rating of 120 lm/w and are equipped with quick connectors to shorten set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use.

SLIM FITTINGS

- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- 15000 On/Off
- AC:220-240V,50Hz
- CRI: >80
- PF >0.5(10W, 20W) >0.9(40W, 50W,60W)
- Plastic Body
- <1s Instant start

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
661 | 6400K WHITE	VT-8-10	10W	1200	10 pcs		300x74.1x24.4mm
20344 | 3000K WARM WHITE 20345 | 4000K DAY WHITE 20346 | 6500K WHITE	VT-8-10-N	10W	1000	30 pcs		300x75x24mm
663 | 4000K DAY WHITE	VT-8-20	20W	2400	10 pcs		600x74.1x24.4mm
20347 | 3000K WARM WHITE 20348 | 4000K DAY WHITE 20349 | 6500K WHITE	VT-8-20-N	20W	2050	30 pcs		600x75x24mm
20350 | 3000K WARM WHITE 20351 | 4000K DAY WHITE 20352 | 6500K WHITE	VT-8-40-N	40W	4300	30 pcs		1200x75x24mm
20353 | 3000K WARM WHITE 20354 | 4000K DAY WHITE 20355 | 6500K WHITE	VT-8-50-N	50W	6000	30 pcs		1500x75x24mm
20356 | 3000K WARM WHITE 21670 | 4000K DAY WHITE 21671 | 6500K WHITE	VT-8-60-N	60W	7200	30 pcs		1800x24x75mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED BATTEN FITTINGS

SAMSUNG LED
illuminated

NEW

05 YEAR WARRANTY

IK08 RATING

135 LUMEN/W

3 VARIABLE CCT
VARIABLE WATTS

LED BATTEN FITTINGS

- 3 power levels selectable using DIP switch
- CCT change (3000K/4000K/6500K) via DIP switch

Standard Fittings

- SMD Samsung LED Chip
- 50,000-hour lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 135LM/W
- IK08
- PC+Iron
- PF>0.9
- CRI>80

MICROWAVE SENSOR

Microwave Sensor

- Microwave Sensor
- Detection Area: 50%/100%
- Stand-by Dimming level: 0%/20%
- Stand-by Period: 15 mins/+∞
- Hold Time: 5s/1 min/3 min/10 min
- Daylight Threshold: 30 Lux/Disable
- Detection Range: 12M (Max)
- Detection Angle: Side Wall <150°/Ceiling Mount 360°

EMERGENCY BATTERY BACKUP

Emergency Backup

- Battery Type: 6.4V, LiFePO4, 18730 2000mAh
- Battery Charge Voltage: DC:9V
- Battery Current: 30~400 mA
- Battery Discharge Voltage: DC 6.0~8.2V
- Battery Discharge Current: 350~700 mA
- Charging Time: > 12Hours
- Working Time: > 3Hours
- Test Function: Manual

Optional(Not included)
SKU:7814
REMOTE CONTROLLER
Compatible with
VT-4004S / VT-4004SE
VT-4005S / VT-4005SE
VT-4006S / VT-4006SE

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTINGS

NEW LED BATTEN FITTINGS - 4 FEET



SKU	Model	Watts	Lumens	Box Qty
7011 | 3IN1	VT-4004	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs
7012 | 3IN1	VT-4004S (Sensor)	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs
7013 | 3IN1	VT-4004E (Emergency Battery)	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs
7014 | 3IN1	VT-4004SE (Sensor+Emergency Battery)	20W 30W 40W	3000K - 2500 lm | 4000K - 2800 lm | 6500K - 2700 lm 3000K - 3600 lm | 4000K - 4200 lm | 6500K - 3750 lm 3000K - 4600 lm | 4000K - 5400 lm | 6500K - 4800 lm	6 pcs

NEW LED BATTEN FITTINGS - 5 FEET



SKU	Model	Watts	Lumens	Box Qty
7015 | 3IN1	VT-4005	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs
7016 | 3IN1	VT-4005S (Sensor)	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs
7017 | 3IN1	VT-4005E (Emergency Battery)	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs
7018 | 3IN1	VT-4005SE (Sensor+Emergency Battery)	30W 40W 50W	3000K - 3750 lm | 4000K - 4200 lm | 6500K - 4050 lm 3000K - 4800 lm | 4000K - 5600 lm | 6500K - 5000 lm 3000K - 5750 lm | 4000K - 6750 lm | 6500K - 6000 lm	6 pcs

NEW LED BATTEN FITTINGS - 6 FEET



SKU	Model	Watts	Lumens	Box Qty
7019 | 3IN1	VT-4006	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs
7020 | 3IN1	VT-4006S (Sensor)	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs
7021 | 3IN1	VT-4006E (Emergency Battery)	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs
7022 | 3IN1	VT-4006SE (Sensor+Emergency Battery)	40W 50W 60W	3000K - 5000 lm | 4000K - 5800 lm | 6500K - 5400 lm 3000K - 6000 lm | 4000K - 7000 lm | 6500K - 6250 lm 3000K - 6900 lm | 4000K - 8100 lm | 6500K - 7200 lm	6 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED BATTEN FITTINGS

SAMSUNG LED illuminated

05 YEAR WARRANTY

120 LUMEN/W

Quick CONNECTOR

V-TAC's all-new range of LED Batten Fittings designed with LED chips by Samsung.

LED BATTEN FITTINGS IP20

- SMD LED Chip
- 30,000 hr lifespan
- 120° Beam Angle
- AC:220-240V, 50Hz
- 120LM/W
- CRI >80
- PF >0.9 (Above 24W models)
- Built with safety belt for easy installation
- Instant start 0-100% in <1s
- On/Off Cycles >15000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20066 | 4000K DAY WHITE 20067 | 6400K WHITE	VT-8-24	24W	2880	12 pcs		1166x60mm
20070 | 4000K DAY WHITE	VT-8-28	28W	3360	10 pcs		1466x60mm
2120070 | 4000K DAY WHITE 2120071 | 6500K WHITE	VT-8-28-N	28W	3360	10 pcs		1466x60mm
20068 | 4000K DAY WHITE 20069 | 6400K WHITE	VT-8-44	40W	4800	12 pcs		1166x60mm
20072 | 4000K DAY WHITE 20073 | 6400K WHITE	VT-8-54	50W	6000	10 pcs		1466x60mm
2120073 | 6400K WHITE	VT-8-54-N	50W	6000	8 pcs		1466x60mm
20075 | 6400K WHITE	VT-8-64	60W	7200	8 pcs		1766x60mm
2120074 | 4000K DAY WHITE 2120075 | 6500K WHITE	VT-8-64-N	60W	7200	8 pcs		1766x60mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTINGS

05 YEAR WARRANTY

TP(a) RATED FLAME RESISTANT DIFFUSER

FLICKER FREE

COMPATIBLE EMERGENCY PACK
SENSOR COMPATIBLE

V-TAC's all-new range of LED Batten Fittings designed with LED chips by Samsung deliver high-performance light output. These fittings are built strong using iron and polycarbonate. In addition, the luminaires are also TP(a) rated to comply with fire safety standards. A microwave sensor especially designed for these LED Batten Fittings is also available.

LED BATTEN FITTINGS TP(A)

- Tp(A) Rated
- 30,000 hr lifespan
- CRI - >80
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Programmable DIP Switch Driver

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
757 | 4000K DAY WHITE	VT-8-80	80W	8600	10 pcs		1840x70x66mm

MICROWAVE SENSOR (OPTIONAL)

SKU
759

- Detection area: 4M (@3M MOUNTING HEIGHT)
- Detection angle: 150°(WALL) 360°(CEILING)
- Hold time: 5S / 30S / 90S / 3MIN / 30MIN
- Emergency Pack designed for V-TAC's range of Samsung Batten LED Tube

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED BATTEN FITTINGS

SAMSUNG LED illuminated

05 YEAR WARRANTY

3000K 4000K 6400K CCT EASY TOGGLE SWITCH

FLICKER FREE

BATTEN FITTINGS CCT

- PC+Aluminium+Steel
- 30,000 hr lifespan
- CRI - >80
- Flicker Free
- PF - 0.9
- On/Off Cycle - >20000 time
- Input Voltage - AC:220-240V,50Hz
- Beam angle:120 °

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
517 | 3IN1	VT-8-43	40W	4000	10 pcs		1227x62x71mm
519 | 3IN1	VT-8-63	60W	6000	10 pcs		1791x62x71mm

05 YEAR WARRANTY

TP(a) RATED FLAME RESISTANT DIFFUSER

120 LUMEN/W

SLIM BATTEN FITTINGS

- Tp(A) Rated
- 30,000 hr lifespan
- CRI - >80
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V,50Hz
- Programmable DIP Switch
- Emergency pack (applicable for 60W model only)

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
753 | 4000K DAY WHITE	VT-8-41	40W	4800	4 pcs		1220x185x76mm
754 | 4000K DAY WHITE	VT-8-61	60W	7200	4 pcs		1524x185x76mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED BATTEN FITTINGS

05 YEAR WARRANTY

LINKABLE
UP TO 100 WATTS

The new T5 Batten Fittings retain the premium qualities of V-TAC's LED fixtures. Multiple batten fittings can be linked, making them an efficient alternative lighting fixture for indoor spaces of any size.

T5 BATTEN FITTINGS

- 30,000 hr lifespan
- On/Off switch
- On/Off Cycle - >15000 time
- Body:PC
- Input Voltage - AC:220-240V
- CRI - >80
- Instant start -0-100% in <1 sec
- Beam angle:120 °

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
689 | 3000K WARM WHITE 690 | 4000K DAY WHITE 691 | 6400K WHITE	VT-035	4W	360	25 pcs		320x30mm
21689 | 3000K WARM WHITE 21690 | 4000K DAY WHITE 21691 | 6500K WHITE	VT-035-N	4W	360	25 pcs		307 x36x90mm
692 | 3000K WARM WHITE 694 | 6400K WHITE	VT-065	7W	630	25 pcs		580x30mm
21692 | 3000K WARM WHITE 21693 | 4000K DAY WHITE 21694 | 6500K WHITE	VT-065-N	7W	630	25 pcs		567x36x90mm
696 | 4000K DAY WHITE 697 | 6400K WHITE	VT-125	16W	1440	25 pcs		1180x30mm
21695 | 3000K WARM WHITE 21696 | 4000K DAY WHITE 21697 | 6500K WHITE	VT-125-N	16W	1440	25 pcs		1167x36x90mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED WATERPROOF BATTEN FITTINGS

EVOLUTION SERIES



05 YEAR WARRANTY

IP65 RATING

EFFICIENCY 160 LUMENS/W

With its IP65 rating and tough exterior, the Waterproof Fittings are the optimal choice for a strong and durable fitting for both indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these Waterproof Fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.

WATERPROOF FITTINGS

- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >70
- PF: >0.9

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
6486 | 6400K WHITE	VT-1524	24W	3840	12 pcs		1200x65x58mm
216485 | 4000K DAY WHITE 216486 | 6500K WHITE	VT-1524-N	24W	3840	12 pcs		1200x65x58mm
6484 | 6400K WHITE	VT-1532	32W	5120	12 pcs		1500x65x58mm
216483 | 4000K DAY WHITE 216484 | 6500K WHITE	VT-1532-N	32W	5120	12 pcs		1500x65x58mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED WATERPROOF BATTEN FITTINGS



05 YEAR WARRANTY

IP65 RATING

WATERPROOF FITTINGS-180CM

- SMD LED Type
- 30,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- CRI: >80
- PF: >0.9

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
680 | 4000K DAY WHITE 681 | 6400K WHITE	VT-180	60W	5400	9 pcs		1800x66x58mm

05 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

WATERPROOF FITTINGS-HIGH LUMENS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V,50Hz
- Body Type: Aluminium+Plastic
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >20000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
21678 | 4000K DAY WHITE 21679 | 6000K WHITE	VT-160-N	60W	7200	9 pcs		1200x86x70mm
21676 | 4000K DAY WHITE 21677 | 6000K WHITE	VT-170-N	70W	8400	6 pcs		1500x86x70mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED WATERPROOF BATTEN FITTINGS

SAMSUNG LED illuminated

NEW

05 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

POLYCARBONATE PC

WATERPROOF FITTINGS

- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V
- Body Type: PC
- 120° Beam Angle
- CRI >80
- PF>0.9
- 30,000 hr lifespan
- On/Off Cycle >20000

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20473 | 4000K DAY WHITE 20474 | 6500K WHITE	VT-120060	60W	7200	12 pcs		1200x78x72mm
20475 | 4000K DAY WHITE 20476 | 6500K WHITE	VT-150070	70W	8400	12 pcs		1500x78x72mm

EMERGENCY BATTERY BACKUP

03 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

POLYCARBONATE PC

EMERGENCY WATERPROOF FITTINGS

- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- Battery Type:9.6V 2200mAh Ni-Cd battery
- Charging Time:24Hours
- Working Time:3Hours
- Emergency Power: 6-7W
- SMD LED Chip
- Body Type: PC
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120223 | 4000K DAY WHITE 2120222 | 6400K WHITE	VT-120136E-N	36W	4320	12 pcs		1285x365x255mm
2120221 | 4000K DAY WHITE 2120220 | 6400K WHITE	VT-150148E-N	48W	5760	12 pcs		1585x365x255mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED WATERPROOF BATTEN FITTINGS

MICROWAVE SENSOR

05 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

STAINLESS STEEL CLIPS

POLYCARBONATE PC

- Waterproof Fitting designed with Lumen efficiency 120LM/W
- High power Samsung SMD-Chip technology makes the fitting reliable and durable
- Strong and sturdy PC body with Stainless Steel Clips
- Built in microwave sensor with 4 modes for optimal performance
- Protection from water, dust and corrosion - IP65 Rated
- Designed for maximum efficiency & minimal glare
- Suitable for parking lots, warehouses, garages, storage docks, workshops etc.

WATERPROOF FITTINGS WITH SENSOR

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- 50%/100% Detection Distance
- 5s,1min,3min,10min Hold Time
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20468 | 4000K DAY WHITE 20469 | 6400K WHITE	VT-120136S	36W	4320	12 pcs		1200x78x72mm
20470 | 4000K DAY WHITE 20471 | 6400K WHITE	VT-150148S	48W	5760	12 pcs		1500x78x72mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED WATERPROOF BATTEN FITTINGS

SAMSUNG LED illuminated

03 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

STAINLESS STEEL CLIPS

POLYCARBONATE PC

Promoting efficiency with its high lumen (120 lm/W) rating, this new addition to V-TAC's fixtures range is reinforced with secure, stainless steel clips for sturdy mounting and easy maintenance. The opaque cover allows a brighter, well-distributed light that is perfect for task lighting.

OPAQUE COVER - M SERIES SS CLIPS

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20219 | 4000K DAY WHITE 20218 | 6400K WHITE	VT-120136-T	36W	4320	12 pcs		1285x365x255mm
20213 | 4000K DAY WHITE 20212 | 6400K WHITE	VT-150148-T	48W	5760	12 pcs		1585x365x255mm

MICROWAVE SENSOR

SKU
6622

- Rod antenna - DIP Switch
- Max Watts: 100W
- Hold Time: 5s/1min/3min/10min
- Daylight threshold: 30Lux/Disable
- Detection Area: 50%/100%
- Automatic On/Off control with daylight sensor.
- Loop in and loop out for easy installation.
- Operating Voltage: AC:220-240V, 50/60Hz
- Detection Range: ø4-10m/13.12-32.8ft (ceiling mounted)
- Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED WATERPROOF BATTEN FITTINGS

03 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

STAINLESS STEEL CLIPS

POLYCARBONATE PC

MILKY COVER - M SERIES SS CLIPS

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- Body Type: PC
- CRI >80
- PF >0.9
- IP65
- SS Clips

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
2120217 | 4000K DAY WHITE 2120216 | 6400K WHITE	VT-120136-M-N	36W	4320	12 pcs		1285x365x255mm
20215 | 4000K DAY WHITE	VT-150148-M	48W	5760	12 pcs		1585x365x255mm
2120215 | 4000K DAY WHITE 2120214 | 6400K WHITE	VT-150148-M-N	48W	5760	12 pcs		1585x365x255mm

EMERGENCY PACK

SKU
8343

- Input Voltage: AC:220-240V,50/60Hz
- Charging Time: 24 Hours
- Emergency Power: 6-7W
- Emergency Operation time: 3 Hours
- Battery Type: Ni-Cd 9.6V 2200mAh
- Size: 212x40x30mm
- Compatible with V-TAC's LED Waterproof Fitting - M Series SS Clips Milky Cover

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED WATERPROOF BATTEN FITTINGS

SAMSUNG LED illuminated

03 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

This new addition to V-TAC's fixtures range promotes efficiency with its high lumen to watt ratio (120 lm/W). The transparent cover delivers a brighter, well-distributed light that is perfect for task lighting.

TRANSPARENT COVER - M SERIES

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20209 | 4000K DAY WHITE 20208 | 6400K WHITE	VT-60018-T	18W	2160	12 pcs		685x365x255mm
20205 | 4000K DAY WHITE 20204 | 6400K WHITE	VT-120036-T	36W	4320	12 pcs		1285x365x255mm
20201 | 4000K DAY WHITE 20200 | 6400K WHITE	VT-150048-T	48W	5760	12 pcs		1585x365x255mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED WATERPROOF BATTEN FITTINGS

03 YEAR WARRANTY

IP65 RATING

120 LUMEN/W

This new addition to V-TAC's fixtures range promotes efficiency with its high lumen to watt ratio (120 lm/W) .The milky cover provides a softer, better-diffused light that is milder on the eyes.

MILKY COVER -M SERIES

- SMD LED Chip
- 20,000 hr lifespan
- 120° Beam Angle
- AC:200-240V,50/60Hz
- On/Off Cycles >15000
- CRI >80
- PF >0.9
- IP65
- Body Type: ABS+PC

SKU	Model	Watts	Lumens	Box Qty	Diagram	Size
20210 | 6400K WHITE	VT-60018-M	18W	2160	12 pcs		685x365x255mm
2120211 | 4000K DAY WHITE 2120210 | 6400K WHITE	VT-60018-M-N	18W	2160	12 pcs		685x365x255mm
2120207 | 4000K DAY WHITE 2120206 | 6400K WHITE	VT-120036-M-N	36W	4320	12 pcs		1285x365x255mm
20202 | 6400K WHITE	VT-150048-M	48W	5760	12 pcs		1585x365x255mm
2120203 | 4000K DAY WHITE 2120202 | 6400K WHITE	VT-150048-M-N	48W	5760	12 pcs		1585x365x255mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED Illuminated

LED Linear Lights

V-TAC LED Linear Lights are an energy-efficient, low-maintenance alternative to traditional linear fluorescent fixtures in industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

Key Features

- Saves 80% energy
- No ultraviolet or infrared radiation
- Flexible, Compact & Adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform illumination & enhances the appeal of any environment
- Continuous row modular system

LED LINEAR LIGHTS

NEW

LINEAR HANGING LIGHTS ADJUSTABLE HEIGHT

Linear hanging lights with adjustable height are a stylish and functional lighting solution for various spaces, including dining rooms, kitchen islands, conference rooms, and more. These lights typically feature a linear arrangement of multiple light fixtures suspended from a single canopy, creating a sleek and modern aesthetic. The adjustable height feature allows you to customize the lighting arrangement according to your needs and the specific requirements of your space.

- 50cm to 2mheight adjustment
- CCT 3IN1
- PS+Aluminium Body
- 100° Beam Angle
- 30,000 hr Lifespan
- IP20



05 YEAR WARRANTY

3000K 4000K 6400K CCT EASY TOGGLE SWITCH

ADJUSTABLE HEIGHT



SKU	Unit Color	Model	Watts	Lumens	Size
10468 | 3IN1	Black	VT-7-44-B	40W	3400	1200x50x65mm
10469 | 3IN1	White	VT-7-44-W	40W	3400	1200x50x65mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED LINEAR LIGHTS

SAMSUNG LED illuminated

UP & DOWN LINEAR HANGING LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambience yet sufficient lighting for any commercial setting. Linear up & down lights are offered in two colour variants - silver and white.

- 30,000 hr Lifespan
- AC:100-240V,50/60Hz
- Aluminium Body
- Linkable with connectors
- 1-10V Dimmable
- Beam angle: Up-110°, Down-50°
- 1.5 Meter Wire Length

05 YEAR WARRANTY

1-10V DIMMABLE

UP DOWN LIGHTS



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
609 | 4000K DAY WHITE	Silver	VT-7-62-S	UP 30W DOWN 30W	UP-3300 DOWN-3300	4	1190x160x30mm
608 | 4000K DAY WHITE	White	VT-7-62-W	UP 30W DOWN 30W	UP-3300 DOWN-3300	4	1190x160x30mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS

UP & DOWN LINEAR LIGHTS (NON-LINKABLE)

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambience yet sufficient lighting for any commercial setting. Linear up & down lights are offered in two colour variants - silver and white.

- 30,000 hr Lifespan
- AC:100-240V,50Hz
- Aluminium Body
- 1-10V Dimmable
- 1.5 Meter Wire Length
- Beam angle: Up-110°, Down-50°



05 YEAR WARRANTY

1-10V DIMMABLE

UP DOWN LIGHTS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
607 | 4000K DAY WHITE	Silver	VT-7-61-S	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm
606 | 4000K DAY WHITE	White	VT-7-61-W	UP 30W DOWN 30W	UP-3300 DOWN-3300	8	1179x64x35mm

LINEAR SURFACED LIGHTS

Discover V-TAC's reliable 40W linear lights. Designed with excellent heat dissipation, these fixtures boast a staggering 30,000h lifespan and efficient LEDs provided by Samsung, making them the perfect replacement for traditional, inefficient linear lights.

- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle

05 YEAR WARRANTY

0-10V DIMMABLE

LINKABLE UP TO 12 METERS

SKU	Unit Color	Model	Watts	Lumens	Box Qty
20462 | 3000K WARM WHITE 20463 | 4000K DAY WHITE 20464 | 6400K WHITE	Black	VT-7-46	40W	3400	12

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LINEAR 3IN1 LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with a toggle switch, 3IN1 color-changing light. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Toggle switch - 3IN1 CCT
- Aluminium Body
- 1.5 Meter Wire Length



05 YEAR WARRANTY

3000K 4000K 6400K
CCT EASY TOGGLE SWITCH

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
20060 | 3IN1	Black	VT-7-44	40W	3200	12	1200x35x67mm

LINEAR HANGING LIGHTS (NON-DIMMABLE)

Discover V-TAC's reliable 40W linear lights. Designed with excellent heat dissipation, these fixtures boast a staggering 30,000h lifespan and efficient LEDs provided by Samsung, making them the perfect replacement for traditional, inefficient linear lights. Linear lights are offered in three colors variants Black, Silver and White.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- 1.5 Meter Wire Length
- Aluminium Body
- 120° Beam Angle



05 YEAR WARRANTY

LINKABLE UP TO 12 METERS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
882 | 3000K WARM WHITE 374 | 4000K DAY WHITE 600 | 6000K WHITE	Black	VT-7-40-B	40W	3200	12	1200x35x67mm
21882 | 3000K WARM WHITE 21374 | 4000K DAY WHITE 21600 | 6400K WHITE	Black	VT-7-40-B-N	40W	3270	12	1194x35x67mm
21375 | 4000K DAY WHITE 21601 | 6400K WHITE	Silver	VT-7-40-S-N	40W	3300	12	1194x35x67mm
376 | 4000K DAY WHITE 602 | 6000K WHITE	White	VT-7-40-W	40W	3200	12	1200x35x67mm
21376 | 4000K DAY WHITE 21602 | 6400K WHITE	White	VT-7-40-W-N	40W	3360	12	1194x35x67mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS

SLIM UP & DOWN LINEAR LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Aluminium Body
- 120° Beam Angle
- Linkable with connectors
- 0-10V Dimmable
- 1.5 Meter Wire Length



05 YEAR WARRANTY

0-10V DIMMABLE

LINKABLE UP TO 12 METERS

UP DOWN LIGHTS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
379 | 4000K DAY WHITE	Black	VT-7-60-B	UP 20W DOWN 40W	UP-2000 DOWN-4000	9	1200x75x105mm
378 | 4000K DAY WHITE	Silver	VT-7-60-S	UP 20W DOWN 40W	UP-2000 DOWN-4000	9	1200x75x105mm
377 | 4000K DAY WHITE	White	VT-7-60-W	UP 20W DOWN 40W	UP-2000 DOWN-4000	9	1200x75x105mm

SLIM LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000-hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- 30,000 hr Lifespan
- UGR<19
- Linkable with connectors
- 120° Beam Angle
- Aluminium Body
- 0-10V Dimmable
- 1.5 Meter Wire Length

05 YEAR WARRANTY

0-10V DIMMABLE

LINKABLE UP TO 12 METERS

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
384 | 4000K DAY WHITE	Silver	VT-7-43-S	40W	3400	12	1200x50x75mm
21384 | 4000K DAY WHITE	Silver	VT-7-43-S-N	40W	3590	10	1197x50x75mm
383 | 4000K DAY WHITE	White	VT-7-43-W	40W	3400	12	1200x50x75mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED LINEAR LIGHTS

SAMSUNG LED illuminated

SLIM RECESSED LINEAR LIGHTS

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors



LINKABLE UP TO 12 METERS

05 YEAR WARRANTY



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
603 | 6000K WHITE	Silver	VT-7-41-S	40W	3200	9	1211x70x35mm
21380 | 4000K DAY WHITE	Silver	VT-7-41-S-N	40W	3800	9	1200x70x60mm
604 | 6000K WHITE	White	VT-7-41-W	40W	3200	9	1211x70x35mm
21381 | 4000K DAY WHITE	White	VT-7-41-W-N	40W	3620	9	1200x70x60mm

SLIM LINEAR CONNECTOR LIGHTS

• Smart connectors designed for V-TACs range of recessed linear lights • Robust Aluminium body • Allows easy linking with linear lights

	SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
	386 | 4000K DAY WHITE 385 | 4000K DAY WHITE	White:	VT-7-41-L	8W	800	8	
	388 | 4000K DAY WHITE 387 | 4000K DAY WHITE	White:	VT-7-41-LN	10W	1000	8	
	390 | 4000K DAY WHITE 389 | 4000K DAY WHITE	White:	VT-7-41-LW	12W	1000	8	
	392 | 4000K DAY WHITE 391 | 4000K DAY WHITE	White:	VT-7-41-T	14W	1200	4	
	394 | 4000K DAY WHITE 393 | 4000K DAY WHITE	White:	VT-7-41-X	16W	1600	4	

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS

RECESSED LINEAR LIGHTS

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.

- 30,000 hr Lifespan
- AC:200-240V,50/60Hz
- Linkable with connectors

LINKABLE UP TO 12 METERS

05 YEAR WARRANTY



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
382 | 4000K DAY WHITE	White	VT-7-42-W	40W	4000	9	1211x90x35mm

RECESSED LINEAR CONNECTOR LIGHTS

• Smart connectors designed for V-TACs range of recessed linear lights • Robust Aluminium body • Allows easy linking with linear lights

	SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
	395 | 4000K DAY WHITE	White:	VT-7-42-L	10W	1000	8	
	396 | 4000K DAY WHITE	White:	VT-7-42-LN	10W	1000	8	
	397 | 4000K DAY WHITE	White:	VT-7-42-LW	12W	1000	8	
	398 | 4000K DAY WHITE	White:	VT-7-42-T	14W	1200	4	
	399 | 4000K DAY WHITE	White:	VT-7-42-X	16W	1600	4	

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED LINEAR TRUNKING LIGHT

PRO SERIES

MASTER TRUNKING

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, easy to assemble modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability in any space. Perfect suspended lighting for supermarkets, warehouses, service centers, and gymnasiums. No warm-up time, instant start-up and consistent color temperature throughout long periods of usage.

05 YEAR WARRANTY

DIMMABLE

160 LUMEN/W



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1360 | 4000K DAY WHITE	WIDE 90°	VT-4551D	50W	8000	2	1500x60x74mm
1361 | 4000K DAY WHITE	FLAT 120°	VT-4551D-120	50W	8000	2	1500x60x77mm
1362 | 4000K DAY WHITE	DOUBLE ASYMMETRIC	VT-4551D-DL	50W	8000	2	1500x60x74mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

PRO SERIES

LED LINEAR TRUNKING LIGHT

V-TAC Meaningful Innovation.

FOLLOW TRUNKING

05 YEAR WARRANTY

DIMMABLE

160 LUMEN/W



SKU	Beam Angle	Model	Watts	Lumens	Box Qty	Size
1363 | 4000K DAY WHITE	WIDE 90°	VT-4550D	50W	8000	2	1700x60x74mm
1364 | 4000K DAY WHITE	FLAT 120°	VT-4550D-120	50W	8000	2	1700x60x77mm
1365 | 4000K DAY WHITE	DOUBLE ASYMMETRIC	VT-4550D-DL	50W	8000	2	1700x60x74mm

Linear Track Module

SKU	Box Qty
1382	5

End Cap

SKU	Box Qty
1366	200

Suspended Cord

SKU	Box Qty
1367	100

8 Wire-Feed In Male Connector

SKU	Box Qty
1368	200

L Node Connector

SKU	Box Qty
1383	8

S Line-Follow Trunking Rail

SKU	Box Qty
1451	10

S Line-PC Blank Cover

SKU	Box Qty
1452	35

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED LINEAR LIGHTS

NEW

SURFACED LINEAR LIGHTS

Surface-mounted linear lights are a type of lighting fixture that is installed directly onto the surface of a ceiling or wall, providing a sleek and modern lighting solution.

- 20,000 hr Lifespan
- IK08
- Linkable upto 1000W
- PC+Aluminium Body
- 120° Beam Angle
- IP20

03 YEAR WARRANTY

LINKABLE UPTO 1000W



SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
23000 | 4000K DAY WHITE 10137 | 6500K WHITE	Black	VT-4140-B	40W	4300	36	1200x50x55mm
10138 | 4000K DAY WHITE 23001 | 6500K WHITE	White	VT-4140-W	40W	4300	36	1200x50x55mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED LINEAR LIGHTS

V-TAC Meaningful Innovation.

NEW CONNECTORS SURFACED LINEAR LIGHTS

	SKU	Unit Color	Watts	Lumens	Box Qty
	10140 | 4000K DAY WHITE 10141 | 6500K WHITE	Black	12W	1200	24
	10142 | 4000K DAY WHITE 10143 | 6500K WHITE	White	12W	1200	24
	23002 | 4000K DAY WHITE 10170 | 6500K WHITE	Black	10W	1000	50
	10171 | 4000K DAY WHITE 10172 | 6500K WHITE	White	10W	1000	50
	10173 | 4000K DAY WHITE 10174 | 6500K WHITE	Black	8W	800	50
	10175 | 4000K DAY WHITE 10176 | 6500K WHITE	White	8W	800	50

Power Cable 0.3m, 3*0.75mm²

SKU	Unit Color
10177	Black
10179	White

Power Cable 1.5m, 3*0.75mm²

SKU	Unit Color
10178	Black
10180	White

Power Cable with 2 plugs 2m, 3*0.75mm²

SKU	Unit Color
10181	Black
10182	White

Suspended Kit

SKU
10183

Recessed Kit

SKU
10184

Surface Mounted Kit

SKU
10185

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Tracklights

Color has a massive influence on purchasing decisions and setting the mood in any room. Our innovative LED track lights are the premier choice for retail lighting with Samsung's state-of-the-art COB technology.

The >90 CRI rating of these track lights provides vivid colors, highlyenhancing any product's appeal to customers.

Key Features

- Saves 80% energy
- No ultraviolet or infrared radiation
- Totally flexible, Compact & Adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform illumination & enhances the appeal of any environment.
- Greatly increased levels of performance and efficiency compared to older solutions such as high wattage halogen or HID light sources in retail and commercial lighting applications.

LED TRACKLIGHTS

LINEAR TRACKLIGHTS-BLACK BODY

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hr Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19



05 YEAR WARRANTY

CRI 90

FLICKER FREE

UGR<19

SKU	Model	Watts	Lumens	Box Qty	Size
20000 | 2700K WARM WHITE 20001 | 4000K DAY WHITE	VT-416-B	12W	960	40	35x138mm
20006 | 2700K WARM WHITE 20007 | 4000K DAY WHITE	VT-431-B	25W	2000	20	35x270mm

LINEAR TRACKLIGHTS-WHITE BODY

Experience true colours through our LED Linear Tracklights efficient set of track lights with CRI >90, UGR<19 and flicker free. The latest LED technology from Samsung, and five years of warranty.

- 30,000 hr Lifespan
- 30° Beam Angle
- AC:220-240V,50Hz
- Flicker Free
- High CRI of > 90
- Aluminium Body
- UGR<19



05 YEAR WARRANTY

CRI 90

FLICKER FREE

UGR<19

SKU	Model	Watts	Lumens	Box Qty	Size
20003 | 2700K WARM WHITE 20004 | 4000K DAY WHITE	VT-416-W	12W	960	40	35x138mm
20009 | 2700K WARM WHITE 20010 | 4000K DAY WHITE	VT-431-W	25W	2000	20	35x270mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED TRACKLIGHTS

SAMSUNG LED illuminated

10 LINE TRACKLIGHTS

A complete range of durable 7w to 20w 4-line LED track lights with Aluminium body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.

- COB LED Type
- 30,000 hr Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



05 YEAR WARRANTY

CRI 90

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
350 | 3000K WARM WHITE 351 | 4000K DAY WHITE 352 | 5000K WHITE	White	VT-407-W	7W	490	40	180x40.5x50mm
21351 | 4000K DAY WHITE	White	VT-407-W-N	7W	700	40	180x40.5x50mm
353 | 3000K WARM WHITE 354 | 4000K DAY WHITE 355 | 5000K WHITE	Black	VT-407-B	7W	420	40	180x40.5x50mm
21353 | 3000K WARM WHITE 21354 | 4000K DAY WHITE 21355 | 5000K WHITE	Black	VT-407-B-N	7W	700	40	180x40.5x50mm
357 | 4000K DAY WHITE 358 | 5000K WHITE	White	VT-415-W	15W	1200	40	200x50x50mm
21356 | 3000K WARM WHITE 21357 | 4000K DAY WHITE	White	VT-415-W-N	15W	1500	40	200x50x50mm
359 | 3000K WARM WHITE 360 | 4000K DAY WHITE	Black	VT-415-B	15W	1050	40	200x50x50mm
21359 | 3000K WARM WHITE 21360 | 4000K DAY WHITE 21361 | 5000K WHITE	Black	VT-415-B-N	15W	1500	40	200x50x50mm
362 | 3000K WARM WHITE 363 | 4000K DAY WHITE 364 | 5000K WHITE	White	VT-420-W	20W	1600	40	220x60x50mm
365 | 3000K WARM WHITE 366 | 4000K DAY WHITE 367 | 5000K WHITE	Black	VT-420-B	20W	1400	40	220x60x50mm
20486 | 4000K DAY WHITE	Black	VT-11035-B NEW	35W	3000	20	164x80x190mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED TRACKLIGHTS

4 LINE TRACKLIGHTS

Experience true colours through our LED Tracklights efficient set of track lights with CRI >90, the latest LED technology from Samsung, and five years of warranty.

- COB LED Type
- 30,000 hr Lifespan
- 24° Beam Angle
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



05 YEAR WARRANTY

CRI 90

SKU	Model	Watts	Lumens	Box Qty	Size
939 | 3000K WARM WHITE 940 | 4000K DAY WHITE	VT-418	18W	1260	20	Ø60x165x156mm
941 | 3000K WARM WHITE 942 | 4000K DAY WHITE	VT-430	30W	2100	20	Ø80x175x180mm

4 LINE SHUTTER TRACKLIGHTS

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.

- COB LED Type
- 30,000 hr Lifespan
- 24°-60° Adjustable
- AC:220-240V,50Hz
- PF: >0.9
- High CRI of > 90
- Aluminium Body



05 YEAR WARRANTY

CRI 90

SKU	Unit Color	Model	Watts	Lumens	Box Qty	Size
371 | 3000K WARM WHITE 372 | 4000K DAY WHITE 373 | 5000K WHITE	Black	VT-433-B	33W	2640	8	Ø170x230x240mm
21371 | 3000K WARM WHITE 21372 | 4000K DAY WHITE	Black	VT-433-B-N	30W	3000	8	Ø170x230x240mm
368 | 3000K WARM WHITE 369 | 4000K DAY WHITE 370 | 5000K WHITE	White	VT-433-W	33W	2640	8	Ø170x230x240mm

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED Dome & Down Lights

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.
Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120'D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

Key Features

· Built-in power eliminates the need for an external power supply
· IP65 and strong PC covers for durability
· 3 hr Emergency Operation Time
· Microwave sensors: up to 10m detection
· upto 30,000hr lifespan
· Fully compatible with daylight sensors
· Equipped with a green LED charging indicator

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED DOME LIGHTS

NEW

05 YEAR WARRANTY

IK08 RATING

IP65 RATING

POLYCARBONATE PC

LED BULKHEAD

8W	16W	20W
3000K - 800 Lumens	3000K - 1550 Lumens	3000K - 1800 Lumens
4000K - 875 Lumens	4000K - 1700 Lumens	4000K - 2100 Lumens
6500K - 875 Lumens	6500K - 1700 Lumens	6500K - 2100 Lumens

3 VARIABLE CCT / VARIABLE WATTS

CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

MICROWAVE SENSOR

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable functin: Yes,0,10%20%30% Optional
- Stand-by Period: 0s,10s,10min Optional
- Hold Time: 5s,90s,5min,10min Customised
- Daylight Sensor: Day,2lux,10lux,50lux Optional
- Detection Range: 10Mx6M (Max)
- Detection Angle: Wall Mount 120°/Ceiling Mount 360°
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch

EMERGENCY BATTERY BACKUP

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: Ni-CD, 9.6V 1.0Ah Battery

SKU	Model	Name	Box Qty	Size
6851 | 3IN1	VT-8603	LED Bulkhead	10 pcs	Ø 315x75mm
6852 | 3IN1	VT-8613	LED Bulkhead With Sensor	10 pcs	Ø 315x75mm
6853 | 3IN1	VT-8623	LED Bulkhead With Emergency Backup	10 pcs	Ø 315x75mm
6854 | 3IN1	VT-8633	LED Bulkhead With Emergency Backup+Sensor	10 pcs	Ø 315x75mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED DOME LIGHTS

SAMSUNG LED illuminated

NEW



05 YEAR WARRANTY

IK08 RATING

IP65 RATING

POLYCARBONATE PC

LED BULKHEAD

8W
3000K - 1330 Lumens
4000K - 1460 Lumens
6500K - 1430 Lumens

16W
3000K - 2610 Lumens
4000K - 2900 Lumens
6500K - 2730 Lumens

20W
3000K - 3266 Lumens
4000K - 3483 Lumens
6500K - 3441 Lumens

3 VARIABLE CCT
VARIABLE WATTS

CCT Bulkhead

- SMD Samsung LED Chip
- 30,000 hr lifespan
- 110° Beam Angle
- AC:220-240V, 50Hz
- 5 Years Warranty
- PC
- IK08
- IP65

MICROWAVE SENSOR

CCT Bulkhead-Sensor

- Hinged LED Gear Tray for Easy Installation
- Microwave Sensor
- Detection Distance: 3-6M, 6-10M Optional
- Dimmable functin: Yes,0,10%20%30% Optional
- Stand-by Period: 0s,10s,10min Optional
- Hold Time: 5s,90s,5min,10min Customised
- Daylight Sensor: Day,2lux,10lux,50lux Optional
- Detection Range: 10Mx6M (Max)
- Detection Angle: Wall Mount 120º/Ceiling Mount 360º
- Detection Motion Speed: 0.5-3m/s
- Manual Override: Available by dial switch

EMERGENCY BATTERY BACKUP

CCT Bulkhead With Emergency Backup

- Emergency Operation Time: >3 Hours
- Battery Standby Watts: >1.5 Watts
- Battery Charging Current: 60mA
- Battery Discharging Current: 200mA
- Battery Type: Ni-CD, 9.6V 1.0Ah Battery

SKU	Model	Name	Size
801-24 | 3IN1	VT-8603-24	LED Bulkhead	Ø 260 x90 mm
804-24 | 3IN1	VT-8613-24	LED Bulkhead With Sensor	Ø 260 x90 mm
806-24 | 3IN1	VT-8623-24	LED Bulkhead With Emergency Backup	Ø 260 x90 mm
812-24 | 3IN1	VT-8633-24	LED Bulkhead With Emergency Backup+Sensor	Ø 260 x90 mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS

CCT SWITCHABLE BULKHEAD LIGHTS

- SMD LED Chip
- AC:200-240V,50/60Hz
- 30,000 hr lifespan
- 120° Beam Angle
- PC Body
- CRI >80
- PF >0.5
- IP65 Rating

05 YEAR WARRANTY | IK08 RATING | IP65 RATING | CCT SWITCHABLE | POLYCARBONATE PC

SKU	Model	Watts	Lumens	Box Qty	Size
2120088 | 3IN1	VT-14-N	14W	1400	10 pcs	ø315x75mm
20092 | 3IN1	VT-14-CH	14W	1400	10 pcs	ø315x75mm
20093 | 3IN1	VT-24	20W	1850	10 pcs	ø380x78mm
20097 | 3IN1	VT-24-CH	20W	1850	10 pcs	ø380x78mm

CCT BULKHEAD WITH SENSOR

- Detection Angle:Ceiling/Wall Mounted-360°/120°
- Detection Distance:3-6M, 6-10M Optional
- Detection Range:Max D10M*6M
- Hold Time:5s,90s,5min,10min customized
- Daylight Sensor:Day,2lux,10lux,50lux optional
- Dimmable Function:Yes,0%,10%,20%,30% optional
- Standby period:0s,10s,10min optional
- Manual Override:Available by dial switch
- Detection Motion Speed:0.5-3m/s
- AC:200-240V,50/60Hz
- 30,000 hr lifespan
- 120° Beam Angle
- PC Body
- IP65 Rating

05 YEAR WARRANTY | IP65 RATING | IK08 RATING | CCT SWITCHABLE | MICROWAVE SENSOR | POLYCARBONATE PC

SKU	Model	Watts	Lumens	Box Qty	Size
20089 | 3IN1	VT-14SS	14W	1400	10 pcs	ø315x75mm
2120089 | 3IN1	VT-14SS-N	14W	1400	10 pcs	ø315x75mm
20094 | 3IN1	VT-24SS	20W	1850	10 pcs	ø380x78mm

Changeable Eyelid Half Cover For 14W

SKU
11225

Changeable Chrome Rim For 14W

SKU
11230

Changeable Chrome Rim For 20W

SKU
11231

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED DOME LIGHTS

SAMSUNG LED illuminated

2D BULKHEAD

- SMD LED Chip
- AC:200-240V,50/60Hz
- 30,000 hr lifespan
- 110° Beam Angle
- PC Body
- CRI >80
- PF >0.7
- IP65 Rating

05 YEAR WARRANTY | IP65 RATING | IK08 RATING | POLYCARBONATE PC

SKU	Model	Watts	Lumens	Box Qty	Size
21815 | 4000K DAY WHITE	VT-08-N	8W	750	10 pcs	ø260x90mm
801 | 4000K DAY WHITE	VT-15	15W	1400	10 pcs	ø320x100mm
21801 | 4000K DAY WHITE	VT-15-N	15W	1625	10 pcs	ø320x100mm

2D BULKHEAD WITH SENSOR

VT-22
ANTI-VANDAL

- AC:200-240V,50/60Hz
- 120° / 360° Detection Angle
- 3m, 5m, 8m, 10m (optional) Detection Distance
- Max D10Mx4M Detection Range
- 10S, 1min, 5min, 10min customized Hold Time
- Day, 10Lux, 30Lux, 50Lux optional Day light Sensor
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 0.5~3m/s Detection Motion Speed
- >3 hrs Emergency Operation time
- 30,000 hr lifespan
- SMD LED Type
- PC Body
- IP65 Rating

05 YEAR WARRANTY | IP65 RATING | IK08 RATING | POLYCARBONATE PC | MICROWAVE SENSOR

SKU	Model	Watts	Lumens	Box Qty	Size
818 | 4000K DAY WHITE	VT-09	8W	720	10 pcs	ø260x90mm
803 | 3000K WARM WHITE 805 | 6400K WHITE	VT-16	15W	1400	10 pcs	ø320x100mm
21804 | 4000K DAY WHITE 21805 | 6400K WHITE	VT-16-N	15W	1580	10 pcs	ø320x100mm
819 | 4000K DAY WHITE	VT-22	15W	1450	10 pcs	ø280x80mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS

2D BULKHEAD WITH EMERGENCY BATTERY

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V 1.0Ah Battery Type
- Including battery protection circuit & inhibiting mode
- Green LED Charging indicate
- >3 hrs Emergency Operation time
- 30,000 hr lifespan
- SMD LED Type
- PC Body
- IP65 Rating

03 YEAR WARRANTY | IP65 RATING | IK08 RATING | POLYCARBONATE PC | EMERGENCY BATTERY BACKUP

SKU	Model	Watts	Lumens	Box Qty	Size
816 | 4000K DAY WHITE	VT-11	10W	720	10 pcs	ø260x90mm
	VT-17	17W	1400	10 pcs	ø320x100mm
21806 | 4000K DAY WHITE	VT-17-N	17W	1400	10 pcs	ø320x100mm

2D BULKHEAD WITH EMERGENCY BATTERY+SENSOR

- AC:200-240V,50/60Hz
- >1.2 Watts Emergency Standby Watts
- 60mA Battery Charging Current
- 200mA Battery Discharging Current
- Ni-CD AA, 7.2V 1.0Ah Battery Type
- Green LED Charging indicate
- Including battery protection circuit & inhibiting mode
- 120° / 360° Detection Angle
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
- 3m, 5m, 8m, 10m (optional) Detection Distance
- 0.5~3m/s Detection Motion Speed
- >3 hrs Emergency Operation time
- 30,000 hr lifespan
- SMD LED Type
- PC Body
- IP65 Rating

03 YEAR WARRANTY | IP65 RATING | IK08 RATING | POLYCARBONATE PC | MICROWAVE SENSOR | EMERGENCY BATTERY BACKUP

SKU	Model	Watts	Lumens	Box Qty	Size
21812 | 4000K DAY WHITE	VT-19-N	17W	1400	10 pcs	ø320x100mm

Chrome Bezel For 15W-17W

SKU
11241

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED DOME LIGHTS

SAMSUNG LED illuminated

SLIM DOME LIGHT

- AC:220-240V,50/60Hz
- 110° Beam Angle
- 30,000 hr lifespan
- IP65 Rating
- PC Body
- CRI >80
- PF >0.5

05 YEAR WARRANTY

IP65 RATING

POLYCARBONATE PC

SKU	Model	Watts	Lumens	Box Qty	Size
935 | 3000K WARM WHITE 820 | 4000K DAY WHITE 936 | 6400K DAY WHITE	VT-12S	12W	1440	10 pcs	ø270x75mm
21820 | 4000K DAY WHITE	VT-12S-N	12W	1480	10 pcs	ø270x75mm

SLIM DOME LIGHT WITH EMERGENCY BACKUP

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- PC Body
- 30,000 hr lifespan
- CRI >80
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- > 3 Hours emergency operation time
- IP65 Rating

03 YEAR WARRANTY

IP65 RATING

POLYCARBONATE PC

EMERGENCY BATTERY BACKUP

SKU	Model	Watts	Lumens	Box Qty	Size
21822 | 4000K DAY WHITE	VT-12SE-N	14W	1440	10 pcs	ø270x65mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOME LIGHTS

SLIM DOME LIGHT WITH SENSOR

- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch
- Stand by period - 0s, 10s, 10m optional
- AC:220-240V,50/60Hz
- 110° Beam Angle
- 30,000 hr lifespan
- CRI >80
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range

05 YEAR WARRANTY

IP54 RATING

POLYCARBONATE PC

MICROWAVE SENSOR

SKU	Model	Watts	Lumens	Box Qty	Size
937 | 3000K WARM WHITE 821 | 4000K DAY WHITE 938 | 6400K DAY WHITE	VT-12SS	12W	1440	10 pcs	ø270x75mm
21821 | 4000K DAY WHITE	VT-12SS-N	14W	1440	10 pcs	ø270x65mm

SLIM DOME LIGHT WITH EMERGENCY+SENSOR

- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day: 7-20LUX
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override
- Standby - 0s, 10s, 10m optional
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA
- AC:220-240V,50/60Hz
- 110° Beam Angle
- 30,000 hr lifespan

03 YEAR WARRANTY

IP54 RATING

POLYCARBONATE PC

MICROWAVE SENSOR

EMERGENCY BATTERY BACKUP

SKU	Model	Watts	Lumens	Box Qty	Size
21823 | 4000K DAY WHITE	VT-12SES-N	14W	1440	10 pcs	ø270x65mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED DOME LIGHTS

SAMSUNG LED illuminated

DOME LIGHT - SENSOR

- Input: AC:110-240V, 50/60Hz
- 120° Beam Angle
- 20,000 hr lifespan
- SMD LED Chip
- CRI >80
- 3 year warranty
- Detection Distance - 6m Max
- Detection Range - 360°
- Time Delay - Min-10sec±3sex, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)
- Instant start
- IP20 Rating

03 YEAR WARRANTY | PIR MOTION SENSOR | IK08 RATING | POLYCARBONATE PC

SKU	Model	Watts	Lumens	Box Qty	Size
807 | 3000K WARM WHITE	VT-13	12W	800	10 pcs	ø290x60mm
21807 | 3000K WARM WHITE 21808 | 4000K DAY WHITE 21809 | 6400K WHITE	VT-13-N	12W	800	10 pcs	Ø290x60mm

CEILING LIGHTS

- AC:220-240V,50/60Hz
- IP Rating:IP44
- CRI:>80
- Warranty:3 Years
- 110° Beam Angle
- Body Type: PC

03 YEAR WARRANTY | IK08 RATING | V-TAC GENERATION | POLYCARBONATE PC

SKU	Model	Watts	Lumens	Box Qty	Size
2113889 | 3000K WARM WHITE 2155669 | 4000K DAY WHITE 2113899 | 6500K WHITE	VT-8033RD-N	15W Round	1850	20 pcs	Ø200x47.5mm
13929 | 3000K WARM WHITE 13939 | 4000K DAY WHITE 13949 | 6500K WHITE	VT-8066RD	25W Round	2500	10 pcs	Ø300x50mm
2113949 | 6500K WHITE	VT-8066RD-N	25W Round	2850	10 pcs	Ø300x50mm
55679 | 4000K DAY WHITE 13919 | 6500K WHITE	VT-8033SQ	15W Square	1500	20 pcs	200x200x47.5mm
2113909 | 3000K WARM WHITE	VT-8033SQ-N	15W Square	1700	20 pcs	200x200x47.5mm
13959 | 3000K WARM WHITE 13969 | 4000K DAY WHITE 13979 | 6500K WHITE	VT-8066SQ	25W Square	2500	10 pcs	300x300x50mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOWNLIGHT

REFLECTOR DOWNLIGHT

- Adjustable Angle
- AC:85-265V,50/60Hz
- Material: aluminium
- 120° Beam Angle
- COB LED chip provided by Samsung
- CRI >80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Box Qty	Size
840 | 4000K DAY WHITE 841 | 6400K WHITE	VT-2-10	10W	900	40 pcs	300x300x50mm
21839 | 3000K WARM WHITE 21840 | 4000K DAY WHITE 21841 | 6400K WHITE	VT-2-10-N	10W	1060	20 pcs	ø96x34mm
842 | 3000K WARM WHITE 843 | 4000K DAY WHITE 844 | 6400K WHITE	VT-2-20	20W	1600	20 pcs	ø170x30mm
21842 | 3000K WARM WHITE 21843 | 4000K DAY WHITE 21844 | 6400K WHITE	VT-2-20-N	20W	1975	20 pcs	ø170x38mm
845 | 3000K WARM WHITE 832 | 6400K WHITE	VT-2-30	30W	2400	10 pcs	ø225x42mm
21845 | 3000K WARM WHITE 21846 | 4000K DAY WHITE 21832 | 6400K WHITE	VT-2-30-N	30W	2920	20 pcs	ø225x38mm

REFLECTOR DOWNLIGHT - BLACK HOUSING

- AC:85-265V,50/60Hz
- CRI >80
- 30,000 hr lifespan
- 120° Beam Angle
- Material: aluminium
- 120° Beam Angle
- 85% Energy Saving

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Box Qty	Size
20052 | 4000K DAY WHITE 20053 | 6400K WHITE	VT-2-13	10W	800	40 pcs	ø95x45mm
2120051 | 3000K WARM WHITE 2120052 | 4000K DAY WHITE	VT-2-13-N	10W	1200	40 pcs	ø95x45mm
20054 | 3000K WARM WHITE 20056 | 6400K WHITE	VT-2-23	20W	1600	20 pcs	ø160x70mm
2120054 | 3000K WARM WHITE 2120055 | 4000K DAY WHITE 2120056 | 6400K WHITE	VT-2-23-N	20W	2000	20 pcs	ø160x70mm
20057 | 3000K WARM WHITE 20059 | 6400K WHITE	VT-2-33	30W	2400	10 pcs	ø220x70mm
2120058 | 4000K DAY WHITE	VT-2-33-N	30W	3250	10 pcs	ø220x70mm

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

LED DOWNLIGHT

SAMSUNG LED illuminated

05 YEAR WARRANTY

UGR<19

FLICKER FREE

CRI 90

Introducing V-TAC's LED reflector downlights –– available in 12° & 38° beam angles & CRI rating of >90, to achieve any residential, retail lighting need.

LED REFLECTOR DOWNLIGHTS

- 30,000 hr lifespan
- Input Voltage - AC:220-240V,50Hz
- Material: aluminium
- Includes quick connector for easy installation

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
972 | 2700K WARM WHITE 971 | 4000K DAY WHITE 970 | 5700K WHITE	VT-2-04	4W	320	12°	100 pcs		
987 | 2700K WARM WHITE 986 | 4000K DAY WHITE 985 | 5700K WHITE	VT-2-04-1	4W	320	38°	100 pcs		

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED DOWNLIGHT

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
975 | 2700K WARM WHITE 974 | 4000K DAY WHITE 973 | 5700K WHITE	VT-2-12	12W	960	12°	50 pcs		
990 | 2700K WARM WHITE 989 | 4000K DAY WHITE 988 | 5700K WHITE	VT-2-12-1	12W	960	38°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
978 | 2700K WARM WHITE 977 | 4000K DAY WHITE 976 | 5700K WHITE	VT-2-16	16W	1280	12°	50 pcs		
993 | 2700K WARM WHITE 992 | 4000K DAY WHITE 991 | 5700K WHITE	VT-2-16-1	16W	1280	38°	50 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
981 | 2700K WARM WHITE 980 | 4000K DAY WHITE 979 | 5700K WHITE	VT-2-21	20W	1600	12°	20 pcs		
996 | 2700K WARM WHITE 995 | 4000K DAY WHITE 994 | 5700K WHITE	VT-2-21-1	20W	1600	38°	20 pcs		

SKU	Model	Watts	Lumens	Beam Angle	Box Qty	Diagram	Size
984 | 2700K WARM WHITE 983 | 4000K DAY WHITE 982 | 5700K WHITE	VT-2-36	36W	2880	12°	20 pcs		
999 | 2700K WARM WHITE 998 | 4000K DAY WHITE 997 | 5700K WHITE	VT-2-36-1	36W	2880	38°	20 pcs		

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED DOWNLIGHT

SAMSUNG LED illuminated

NEW

LED SPOT DOWNLIGHT

- Recessed Downlight
- AC:220-240V,50Hz
- 60° Beam Angle
- IP20
- 20,000 hr lifespan
- PC Body
- CRI>80
- 20,000 hr lifespan
- 65mm Cutout size

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	Diagram	Size
23182 | 3000K WARM WHITE 23183 | 4000K DAY WHITE 23184 | 6400K WHITE	VT-7007	7W	660		86x20mm

LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries (3xAAA Battery not included), designed for a neat installation.



02 YEAR WARRANTY

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Box Qty
813 | 4000K DAY WHITE	VT-80	1.5W	80	50 pcs



LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries(4xAA Battery not included), designed for a neat installation.



05 YEAR WARRANTY

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Box Qty
814 | 4000K DAY WHITE	VT-81	1.5W	135	50 pcs

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

LED NIGHT LIGHT

LED NIGHT LIGHT

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- Box Qty: 50pcs

02 YEAR WARRANTY

AUTOMATIC SENSOR
OFF
ON ≤15Lux

SKU	Model	Watts	Box Qty
829 | 4000K DAY WHITE	VT-83RD	0.45W	100

SKU	Model	Watts	Box Qty
830 | 3000K WARM WHITE 831 | 4000K DAY WHITE	VT-83SQ	0.45W	100

USB PORT

SKU	Model	Watts	Box Qty
505 | 3000K WARM WHITE 506 | 4000K DAY WHITE	VT-84RD	0.45W	100

USB PORT

SKU	Model	Watts	Box Qty
507 | 3000K WARM WHITE 508 | 4000K DAY WHITE	VT-84SQ	0.45W	100

SKU	Model	Watts	Box Qty
20017 | 4000K DAY WHITE	VT-86RD	0.45W	100

SKU	Model	Watts	Box Qty
20019 | 3000K WARM WHITE 20020 | 4000K DAY WHITE	VT-86SQ	0.45W	100

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

Emergency Exit Lights

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated. V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

Key Features

· High quality thermoplastic
· High quality Ni-Cd batteries made for longevity & low maintenance
· Reliable emergency backup of 3 hrs
· Rectangular type plastic with different signs for various locations
· Single or double face configuration
· Wall, side, or ceiling mounted
· LED indicator light and push button test switch LEDs mounted on circuit board
· 12-24 hr recharge after more than 3 hr discharge
· Efficient thermal management technology
· Corrosion-free mounting clamps
· Maintained operation mode

LED EMERGENCY LIGHTS

LED EXIT LIGHT - SURFACE



SKU	Model	Watts	Lumens	Box Qty
836 - 6000K WHITE	VT-519-S-12	2W	140	10

03 YEAR WARRANTY

12 hr CHARGING TIME

POLYCARBONATE PC

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Wall/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides

LED EXIT LIGHT-RECESSED



SKU	Model	Watts	Lumens	Box Qty
835 - 6000K WHITE	VT-522-S-12	2W	140	10

03 YEAR WARRANTY

12 hr CHARGING TIME

POLYCARBONATE PC

- IP20
- PC body
- 3 Stickers
- 16 SMD LEDs
- AC:220-240V,50/60Hz
- Recessed/Ceiling Installation
- Ni-Cd 3.6V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 24 Meters Viewing Distance From Both Sides

LED EXIT LIGHT - BULKHEAD



SKU	Model	Watts	Lumens	Box Qty
899 - 6000K WHITE	VT-511-S	3.8W	110	10

03 YEAR WARRANTY

12 hr CHARGING TIME

- IP20
- ABS+PC body
- 20 SMD LEDs
- AC:220-240V,50/60Hz
- Ni-Cd 4.8V, 900mAh Battery
- 12 hr Charging Time
- Green Indicator Light
- Mode Of Operation: Maintained/Non Maintained
- >3 hr Emergency Operation Time

LED EXIT LIGHT - BULKHEAD

IP65 RATING



SKU	Model	Watts	Lumens	Box Qty
838 - 6000K WHITE	VT-524-S-12	4W	190	12

03 YEAR WARRANTY

12 hr CHARGING TIME

POLYCARBONATE PC

- IP65
- PC body
- 3 Stickers
- 30 SMD LEDs
- AC:220-240V,50/60Hz
- Wall Installation
- Ni-Cd 4.8V,900mAh Battery
- 12 hr Charging Time
- Green Light Indicator Test Button
- 3 Way Legend Available
- Mode Of Operation Maintained
- >3 hr Emergency Operation Time
- 22 Meters Viewing Distance From Both Sides

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.



V-TAC
Meaningful Innovation.

SAMSUNG LED Illuminated

LED Strip Lights

V-TAC's efficient LED strip lights range provide an effective solution for illuminating tight spaces. Applicable for both accent lighting or task lighting, these lights can be used to simply decorate your kitchen, bedroom, patio, and more. Strip lights are easy to install, compatible with a range of controllers, and are available in standard colour temperatures.

LED STRIP LIGHTS

LED STRIP LIGHTS-IP20

03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Voltage	Roll	CRI	Box Qty
323 | 3000K WARM WHITE 325 | 6400K WHITE	VT-5-120	12W	1200	DC:12V	5 Meter Roll	>80	400 Meter
21324 | 4000K DAY WHITE	VT-5-120-N	12W	1320	DC:12V	5 Meter Roll	>80	400 Meter
320 | 3000K WARM WHITE 321 | 4000K DAY WHITE 322 | 6400K WHITE	VT-10-240	15W	1600	DC:24V	10 Meter Roll	>80	800 Meter
21321 | 4000K DAY WHITE	VT-10-240-N	15W	1650	DC:24V	10 Meter Roll	>80	800 Meter
331 | 3000K WARM WHITE 332 | 4000K DAY WHITE 333 | 6400K WHITE	VT-10-240-1	18W	1800	DC:24V	10 Meter Roll	>95	800 Meter

WATERPROOF LED NEON FLEX



03 YEAR WARRANTY

IP65 RATING

SKU	Model	Watts	Lumens	Voltage	Roll	CRI	Box Qty
326 | 3000K WARM WHITE 327 | 4000K DAY WHITE 328 | 6400K WHITE	VT-55	10W	300	DC:12V	5 Meter Roll	>80	200 Meter

*Suitable for use up to 10-12 hours daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Spotlights

Our new range of LED spotlights with Samsung LEDs is your best choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They can deliver the same warm light as halogen spots while exhibiting the energy-saving benefits of LEDs. Ideal for retail and residential lighting.

Key Features

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 10°, 38° and 110°
- Set the right tone: dimmable options available

LED SPOTLIGHTS

LED CAPSULE LIGHTS

05 YEAR WARRANTY

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21240 | 3000K WARM WHITE 21241 | 4000K DAY WHITE 21242 | 6500K WHITE	VT-201-N	1.1W	100	10w	G4	300°	Ø10x37mm	400

LED CAPSULE LIGHTS

05 YEAR WARRANTY

Voltage/Frequency	DC:12V
Life Span	30,000 hr
PF	>0.5
CRI	>81



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
133 | 6400K WHITE	VT-234	3.2W	385	30w	G4	300°	Ø15x50mm	200
21131 | 3000K WARM WHITE 21132 | 4000K DAY WHITE	VT-234-N	3.2W	385	30w	G4	300°	Ø16x44mm	400

NEW

LED CAPSULE LIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20478 | 3000K WARM WHITE 20479 | 4000K DAY WHITE	VT-11033	2.2W	200	20w	G9	300°	Ø18x56mm	400

LED CAPSULE LIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
245 | 6400K WHITE	VT-203	2.5W	200	20w	G9	300°	Ø16.5x46.5mm	200
21243 | 3000K WARM WHITE 21244 | 4000K DAY WHITE 21245 | 6500K WHITE	VT-203-N	2.2W	200	20w	G9	300°	Ø16.6x46.5mm	400

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED SPOTLIGHTS

SAMSUNG LED illuminated

LED CAPSULE LIGHTS

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
247 | 4000K DAY WHITE 248 | 6400K WHITE	VT-204	3W	300	25w	G9	300°	Ø17x49mm	200
21246 | 3000K WARM WHITE 21247 | 4000K DAY WHITE 21248 | 6500K WHITE	VT-204-N	3W	330	30w	G9	300°	Ø17x49mm	400

LED SPOTLIGHTS - 38° BEAM ANGLE

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21869 | 3000K WARM WHITE 21870 | 4000K DAY WHITE 21871 | 6400K WHITE	VT-232-N	2W	180	15w	GU10	38°	Ø35x50mm	200

LED SPOTLIGHTS - 38° BEAM ANGLE

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21875 | 3000K WARM WHITE 21876 | 4000K DAY WHITE 21877 | 6500K WHITE	VT-291-N	7.5W	610	70w	GU10	38°	Ø50x55mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED SPOTLIGHTS

LED SPOTLIGHTS - 38° BEAM ANGLE

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

05 YEAR WARRANTY

DIMMABLE OPTIONS

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21108 | 3000K WARM WHITE 21797 | 4000K DAY WHITE 21511 | 6500K WHITE	VT-275-N	4.5W	345	50w	GU10	38°	Ø50x55mm	200
511 | 6400K WHITE	VT-275	5W	380	40w	GU10	38°	Ø50x55mm	192
109 | 3000K WARM WHITE 512 | 4000K DAY WHITE 897 | 6400K WHITE	VT-275D	5W **Dimmable**	380	35w	GU10	38°	Ø50x55mm	192
21189 | 3000K WARM WHITE 21190 | 4000K DAY WHITE	VT-227-N	6W	445	60w	GU10	38°	Ø50x55mm	200
191 | 6400K WHITE	VT-227	6.5W	480	60w	GU10	38°	Ø50x55mm	200
21195 | 3000K WARM WHITE 21196 | 4000K DAY WHITE 21197 | 6500K WHITE	VT-227D-N	6W **Dimmable**	445	60w	GU10	38°	Ø50x55mm	200
21165 | 3000K WARM WHITE 21167 | 6500K WHITE	VT-277-N	6W	445	60w	GU10	38°	Ø50x55mm	200
166 | 4000K DAY WHITE	VT-277	7W	480	60w	GU10	38°	Ø50x55mm	200

LED SPOTLIGHTS - 38° BEAM ANGLE

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21207 | 3000K WARM WHITE 21208 | 4000K DAY WHITE 21209 | 6500K WHITE	VT-267-N	6W	445	60w	GU5.3	38°	Ø50x52mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED SPOTLIGHTS

SAMSUNG LED illuminated

EVOLUTION SERIES - 110° BEAM ANGLE

05 YEAR WARRANTY

EFFICIENCY 160 LUMENS/W

Voltage/Frequency	AC:220-240V,50Hz
Life Span	25,000 hr
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
2837 | 3000K WARM WHITE 2838 | 4000K DAY WHITE 2839 | 6400K WHITE	VT-2335	5W	800	75	GU10	110°	Ø50x56.5mm	200

LED SPOTLIGHTS - 110° BEAM ANGLE

05 YEAR WARRANTY

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21201 | 3000K WARM WHITE 21202 | 4000K DAY WHITE 21203 | 6500K WHITE	VT-205-N	4.5W	400	35w	GU10	100°	Ø50x56.5mm	200
880 | 6400K WHITE	VT-271	10W	1000	70w	GU10	110°	Ø50x57mm	200
21878 | 3000K WARM WHITE 21879 | 4000K DAY WHITE 21880 | 6500K WHITE	VT-271-N	10W	1000	70w	GU10	110°	Ø50x57mm	200

LED SPOTLIGHTS - 110° BEAM ANGLE

05 YEAR WARRANTY

Voltage/Frequency	DC:12V
Life Span	20,000 hr
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21204 | 3000K WARM WHITE 21205 | 4000K DAY WHITE 21206 | 6500K WHITE	VT-257-N	6W	445	60w	GU5.3	110°	Ø50x52mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED SPOTLIGHTS

LED SPOTLIGHTS - 110° BEAM ANGLE

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80

05 YEAR WARRANTY

DIMMABLE OPTIONS

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
192 | 3000K WARM WHITE	VT-247	6.5W	480	60w	GU10	110°	Ø50x55mm	200
21192 | 3000K WARM WHITE 21193 | 4000K DAY WHITE 21194 | 6500K WHITE	VT-247-N	6W	445	60w	GU10	110°	Ø50x55mm	200
21198 | 3000K WARM WHITE 21199 | 4000K DAY WHITE 21200 | 6500K WHITE	VT-247D-N	6W **Dimmable**	445	60w	GU10	110°	Ø50x55mm	200

LED SPOTLIGHTS - 110° BEAM ANGLE

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
21872 | 3000K WARM WHITE 21873 | 4000K DAY WHITE 21874 | 6500K WHITE	VT-292-N	7.5W	610	70w	GU10	110°	Ø50x55mm	200

LED SPOTLIGHTS - 10° BEAM ANGLE

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size	Box Qty
20027 | 4000K DAY WHITE 20028 | 6400K WHITE	VT-249	6W	500	50w	GU10	10°	Ø50x55mm	200
2120026 | 3000K WARM WHITE	VT-249-N	6W	445	60w	GU10	10°	Ø50x55mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC
Meaningful Innovation.

SAMSUNG LED
Illuminated

LED Bulbs

Find the right bulb in V-TAC's newly improved range of LED bulbs. Our recent in-branding program enabled us to equip all LED PRO Series lamp range with LEDs provided by Samsung.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range of options to replace 60W to 150W traditional lamps and achieve energy-saving lighting in your home, office, or business.

Key Features

- Wide range of bulbs
- Lightweight yet durable body
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000 hr lifespan: remarkable performance compared to conventional and other LED lamps

EVOLUTION SERIES

LED BULBS

V-TAC Meaningful Innovation.

LED THERMOPLASTIC BULBS-A60-E27

Voltage/Frequency	AC:220-240V, 50Hz
Life Span	20,000 hr
PF	>0.6
CRI	>80



EFFICIENCY 160 LUMENS/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2806 | 3000K WARM WHITE 2807 | 4000K DAY WHITE 2808 | 6400K WHITE	VT-2307	6.5W	1055	75w	E27	A60	Ø60x110mm	100
2809 | 3000K WARM WHITE 2810 | 4000K DAY WHITE 2811 | 6400K WHITE	VT-2310	9.5W	1521	100w	E27	A60	Ø60x121mm	100
2812 | 3000K WARM WHITE 2813 | 4000K DAY WHITE 2814 | 6400K WHITE	VT-2315	15W	2452	150w	E27	A65	Ø65x134mm	100

LED FILAMENT GLASS BULB-E27

Voltage/Frequency	AC:220-240V, 50Hz
Life Span	20,000 hr
PF	>0.6
CRI	>80



EFFICIENCY 160 LUMENS/W

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2816 | 4000K DAY WHITE 2817 | 6400K WHITE	VT-2324	24W	4000	250w	E27	ED120	Ø120x300mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED BULBS

SAMSUNG LED illuminated

HIGH LUMEN BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
259 | 4000K DAY WHITE	VT-255	4.5W	470	40w	E14	Candle	Ø37x100mm	200

HIGH LUMEN BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
262 | 4000K DAY WHITE	VT-245	4.5W	470	40w	E27	G45	Ø45x81mm	200

HIGH LUMEN BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
265 | 4000K DAY WHITE	VT-225	4.5W	470	40w	E14	P45	Ø45x81mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED BULBS

HIGH LUMEN BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
256 | 4000K DAY WHITE 257 | 6400K WHITE	VT-265	6.5W	806	60w	E27	A60	Ø60x108mm	100
254 | 6400K WHITE	VT-285	8.5W	1055	75w	E27	A60	Ø60x108mm	100

HIGH LUMEN BULBS-G120-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80



120 LUMEN/W

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2120021 | 3000K WARM WHITE 2120022 | 4000K DAY WHITE 2120023 | 6500K WHITE	VT-242-N	22W	2600	155w	E27	G120	Ø120x160mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED THERMOPLASTIC BULBS-ST26

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.4
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
235 | 4000K DAY WHITE 236 | 6400K WHITE	VT-202	2W	180	20w	E14	ST26	Ø25x59mm	400
21234 | 3000K WARM WHITE 21235 | 4000K DAY WHITE 21236 | 6500K WHITE	VT-202-N	2W	180	18w	E14	ST26	Ø26x59mm	400

LED THERMOPLASTIC BULBS-T37-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21269 | 6500K WHITE	VT-248-N	7.5W	660	50w	E14	T37	Ø37x155mm	200

LED THERMOPLASTIC BULBS-T37-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21146 | 6500K WHITE	VT-237-N	7.5W	660	50w	E27	T37	Ø37x115mm	200

LED THERMOPLASTIC BULBS-CANDLE-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
858 | 3000K WARM WHITE	VT-289	5.5W	470	40w	E27	Candle	Ø37x100mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED BULBS

LED THERMOPLASTIC BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8040 | 3000K WARM WHITE 8041 | 6500K WHITE	VT-1850 NEW	3.7W	320	30w	E14	Candle	Ø36.5x100mm	200
21171 | 3000K WARM WHITE 21172 | 4000K DAY WHITE 21173 | 6400K WHITE	VT-226-N	4.5W	470	40w	E14	Candle	Ø36.5x100mm	200
2120045 | 3000K WARM WHITE 2120186 | 4000K DAY WHITE 2120187 | 6500K WHITE	VT-293D-N	5.5W **Dimmable**	470	40w	E14	Candle	Ø36.5x100mm	200
859 | 3000K WARM WHITE	VT-294D	5.5W **Dimmable**	470	40w	E14	Candle	Ø37x100mm	200
111 | 3000K WARM WHITE 113 | 6400K WHITE	VT-268	7W	600	45w	E14	Candle	Ø38x102mm	200
21112 | 4000K DAY WHITE	VT-268-N	6.5W	600	45w	E14	Candle	Ø36.5x100mm	200

LED THERMOPLASTIC BULBS-CANDLE-B15

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
860 | 3000K WARM WHITE	VT-299	5.5W	470	40w	B15	Candle	Ø37x100mm	200
21860 | 3000K WARM WHITE	VT-299-N	5.5W	470	40w	B15	Candle	Ø37x100mm	200
861 | 3000K WARM WHITE	VT-299D	5.5W **Dimmable**	470	40w	B15	Candle	Ø37x100mm	200
21861 | 3000K WARM WHITE	VT-299D-N	5.5W **Dimmable**	470	40w	B15	Candle	Ø36.5x100mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED THERMOPLASTIC BULBS-CANDLE-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
103 | 3000K WARM WHITE	VT-223	5.5W	470	40w	B22	Candle	Ø37x100mm	192
21103 | 3000K WARM WHITE 2120152 | 6500K WHITE	VT-223-N	4.5W	470	40w	B22	Candle	Ø36.5x100mm	200

LED CLEAR FILAMENT-G45

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
944 | 4000K DAY WHITE	VT-244	4W	400	35w	E27	G45	Ø45x75mm	100

LED THERMOPLASTIC BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8045 | 3000K WARM WHITE 8046 | 4000K DAY WHITE 8047 | 6500K WHITE	VT-1812 NEW	3.7W	320	30w	E27	G45	Ø45x80mm	200
21174 | 3000K WARM WHITE 21175 | 4000K DAY WHITE 21176 | 6400K WHITE	VT-246-N	4.5W	470	40w	E27	G45	Ø45x80mm	200
857 | 3000K WARM WHITE	VT-283	5.5W	470	40w	E27	G45	Ø45x81mm	200
21866 | 3000K WARM WHITE 21867 | 4000K DAY WHITE 21868 | 6500K WHITE	VT-290-N	6.5W	600	45w	E27	G45	Ø45x89mm	200

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED BULBS

LED THERMOPLASTIC BULBS-G45-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21104 | 3000K WARM WHITE	VT-221-N	4.5W	470	40w	B22	G45	Ø45x80mm	200

LED THERMOPLASTIC BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
8042 | 3000K WARM WHITE 8043 | 4000K DAY WHITE 8044 | 6500K WHITE	VT-1804 NEW	3.7W	320	30w	E14	P45	Ø45x80mm	200
21168 | 3000K WARM WHITE 21169 | 4000K DAY WHITE 21170 | 6400K WHITE	VT-236-N	4.5W	470	40w	E14	P45	Ø45x80mm	200
21863 | 3000K WARM WHITE 21864 | 4000K DAY WHITE 21865 | 6400K WHITE	VT-270-N	6.5W	600	45w	E14	P45	Ø45x80mm	25

LED THERMOPLASTIC BULBS-A60-E14

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
114 | 3000K WARM WHITE	VT-269	9W	806	60w	E14	A60	Ø60x108mm	100
21115 | 4000K DAY WHITE 21116 | 6500K WHITE	VT-269-N	8.5W	806	60w	E14	A60	Ø60x108mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED BULBS

SAMSUNG LED illuminated

LED THERMOPLASTIC BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80

DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21228 | 3000K WARM WHITE 21229 | 4000K DAY WHITE 21230 | 6500K WHITE	VT-210-N	8.5W	806	60w	E27	A60	Ø60x108mm	100
21177 | 3000K WARM WHITE 21178 | 4000K DAY WHITE 21179 | 6500K WHITE	VT-211-N NEW	10.5W	1055	75w	E27	A60	Ø60x110mm	100
20185 | 6400K WHITE	VT-262D	12W **Dimmable**	1055	75w	E27	A60	Ø60x120mm	100
2120044 | 3000K WARM WHITE 2120184 | 4000K DAY WHITE	VT-262D-N	11W **Dimmable**	1055	75w	E27	A60	Ø60x120mm	100

LED THERMOPLASTIC BULBS-A60-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21101 | 3000K WARM WHITE 21850 | 4000K DAY WHITE 21851 | 6500K WHITE	VT-229-N	8.5W	806	60w	B22	A60	Ø60x108mm	100
852 | 3000K WARM WHITE	VT-259D	9W **Dimmable**	806	60	B22	A58	Ø58x104mm	100
21852 | 3000K WARM WHITE	VT-259D-N	8.5W **Dimmable**	806	60	B22	A60	Ø60x108mm	96
21110 | 4000K DAY WHITE	VT-213-N	10.5W	1055	75w	B22	A60	Ø60x120mm	100
102 | 3000K WARM WHITE	VT-231	11W	1055	75w	B22	A60	Ø60x120mm	96
21102 | 3000K WARM WHITE 21853 | 6500K WHITE	VT-231-N	10.5W	1055	75w	B22	A60	Ø60x110mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED BULBS

LED THERMOPLASTIC BULBS-A65-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



DIMMABLE OPTIONS

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
23212 | 4000K DAY WHITE 23213 | 6500K WHITE	VT-21015 NEW	15W	1521	100w	E27	A65	Ø65x134mm	100
159 | 3000K WARM WHITE	VT-215	15W	1250	85w	E27	A65	Ø65x135mm	100
23214 | 4000K DAY WHITE 23215 | 6500K WHITE	VT-21017 NEW	17W	1710	110w	E27	A65	Ø65x134mm	100
162 | 3000K WARM WHITE	VT-217	17W	1521	100w	E27	A65	Ø65x135mm	100
20188 | 3000K WARM WHITE 20189 | 4000K DAY WHITE 20190 | 6400K WHITE	VT-217D	17W **Dimmable**	1521	100w	E27	A65	Ø65x135mm	100

LED THERMOPLASTIC BULBS-A65-B22

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



BAYONET HOLDER

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
854 | 3000K WARM WHITE 943 | 4000K DAY WHITE	VT-281	15W	1250	85w	B22	A65	Ø65x135mm	100
21854 | 3000K WARM WHITE 21855 | 6500K WHITE	VT-281-N	15W	1521	100w	B22	A65	Ø65x134mm	100

LED THERMOPLASTIC BULBS-A80-E27

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.7
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21237 | 3000K WARM WHITE 21238 | 4000K DAY WHITE 21239 | 6500K WHITE	VT-233-N	20W	2452	150w	E27	A80	Ø80x148mm	50

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED BULBS

SAMSUNG LED illuminated

LED REFLECTOR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.4
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21210 | 3000K WARM WHITE 21212 | 6500K WHITE	VT-239-N	2.9W	250	25w	E14	R39	Ø39x67mm	200
21138 | 3000K WARM WHITE 21139 | 4000K DAY WHITE	VT-250-N	4.8W	470	40w	E14	R50	Ø50x85mm	200
21141 | 3000K WARM WHITE 21142 | 4000K DAY WHITE 21143 | 6500K WHITE	VT-263-N	8.5W	806	60w	E27	R63	Ø63x100mm	100
21135 | 3000K WARM WHITE 21136 | 4000K DAY WHITE 21137 | 6500K WHITE	VT-280-N	11W	1055	75w	E27	R80	Ø80x112mm	100

LED PAR BULB

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21147 | 3000K WARM WHITE 21148 | 4000K DAY WHITE 21149 | 6500K WHITE	VT-220-N	5.8W	425	55w	E27	PAR20	Ø64x84mm	100
21153 | 3000K WARM WHITE 21154 | 4000K DAY WHITE 21155 | 6500K WHITE	VT-230-N	11W	800	90w	E27	PAR30	Ø95x120mm	30
21150 | 3000K WARM WHITE 21151 | 4000K DAY WHITE 21152 | 6400K WHITE	VT-238-N	12.8W	925	105w	E27	PAR38	Ø121x130mm	30

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED BULBS

UFO CEILING LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80

05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
215 | 6400K WHITE	VT-216	15W	1200	85w	E27	F150	Ø150x80mm	20

GX53 BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21222 | 3000K WARM WHITE 21223 | 4000K DAY WHITE 21224 | 6500K WHITE	VT-207-N	6.4W	560	45w	GX53		Ø79x29mm	200

LED BIG BULB-G120

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
125 | 6400K WHITE	VT-288	18W	2000	125w	E27	G120	Ø120x164mm	20

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC Meaningful Innovation.

LED BULBS

SAMSUNG LED illuminated

LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	>0.9
CRI	>80

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
21284 | 4000K DAY WHITE 21285 | 6500K WHITE	VT-240-N	36W	3960	250w	E27	NA	Ø90x212mm	30

LED OLIVE LAMP

Voltage/Frequency	AC:220-240V,50Hz
Life Span	30,000 hr
PF	>0.9
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
186 | 3000K WARM WHITE	VT-260	60W	5400	NA	E40	NA	Ø102x320mm	20
21187 | 4000K DAY WHITE 21188 | 6500K WHITE	VT-260-N	60W	6500	NA	E40	NA	Ø102x320mm	20

LED ACRYLIC BULBS

Voltage/Frequency	AC: 200-240V,50/60Hz
Life Span	30,000 hr
PF	>0.5
CRI	>80



05 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
2781 | 3000K WARM WHITE 2782 | 4000K DAY WHITE 2783 | 6400K WHITE	VT-2311	11W	900	70w	E27	NA	Ø190x120mm	18
2784 | 3000K WARM WHITE 2785 | 4000K DAY WHITE 2786 | 6400K WHITE	VT-2318	18W	1200	90w	E27	NA	Ø220x125mm	18

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

LED BULBS

LED EMERGENCY BULBS

The Emergency Bulb is equipped with a back-up battery which enables the unit to work for up to 3 hours in power outages and other emergency situations. It is also a portable, multifunctional LED bulb which can be used as a camping light, flashlight, warehouse light, and more.

NEW

LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	NA
CRI	>80



3 HOURS EMERGENCY BATTERY

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7010 | 4000K DAY WHITE	VT-509	9W	720	50w	E27	A70	Ø70x135mm	100

NEW

LED EMERGENCY BULBS

Voltage/Frequency	AC:220-240V,50Hz
Life Span	20,000 hr
PF	NA
CRI	>80



3 HOURS EMERGENCY BATTERY

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size	Box Qty
7794 | 4000K DAY WHITE	VT-51012	12W	960	65w	E27	A80	Ø77x147mm	100
7795 | 4000K DAY WHITE	VT-51015	15W	1200	80W	E27	A90	Ø88x165mm	100

*Suitable for use up to 10-12 hr daily, constant use of the product will void the warranty.

V-TAC

Meaningful Innovation.

LED Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for maximum efficiency, V-TAC's extensive range of LED thermoplastic bulb series are your ideal choice for any kind of lighting requirement.

Key Features

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non – Flickering
- Dimmable & Non Dimmable options

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

HIGH CRI BULBS

Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must have in commercial lighting. A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used to achieve accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase the appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas.

Witness the **True to Life** Colors

HIGH CRI BULBS-P45

CRI 95

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>95



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7490 - 6400K WHITE	VT-2236	5.5W	470	40W	E14	P45	Ø45x81	200

HIGH CRI BULBS-CANDLE

CRI 95

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>95



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7496 - 6400K WHITE	VT-2226	5.5W	470	40W	E14	Candle	Ø37x100	200

LED SMART BULBS

This smart bulb range includes lamps with remote-controlled dimming & colour changing features, and automating sensors for a next-level approach to efficient indoor lighting.Includes standard bulb shapes (Candle, Golf, P45, A60) and base variations.

- Bulb remote control range 6-8m
- 3-step dimming
- Sensor Bulbs
- Color Changing Bulb with Switch

RF REMOTE CONTROL BULBS-CANDLE



REMOTE DIMMABLE

RGB

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2771 -RGB+6400K	VT-2214	3.5W	320	30W	E14	Candle	Ø37x100	200
2926 -RGB+3000K 2929 -RGB+4000K	VT-2214-N-1	4.8W	320	30W	E14	Candle	Ø37x100	200

RF REMOTE CONTROL BULBS-P45

REMOTE DIMMABLE

RGB

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2777 -RGB+6400K	VT-2234	3.5W	320	30W	E14	P45	Ø45x81	200
3029 - RGB+3000K	VT-2234-SQ NEW	4.8W **Square Remote**	470	40W	E14	P45	Ø47.5x88	200

RF REMOTE CONTROL BULBS-A60

REMOTE DIMMABLE

RGB

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- On/off switching
- 16-step dimming
- 16 color selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217121 - RGB+3000K	VT-2022-N	4.8W	470	40W	E27	A60	Ø60x110	100
212766 - RGB+3000K	VT-2229-N	4.8W	806	60W	E27	A60	Ø60x120	100
2928 -RGB+4000K	VT-2229-N-1	8.5W	806	60W	E27	A60	Ø60x120	100

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

NEW

3 STEP DIMMING LED FILAMENT BULBS-P45

3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6846 - 3000K WARM WHITE	VT-2604	4W	400	35W	E14	P45	Ø45x78	100

NEW

3 STEP DIMMING LED FILAMENT BULBS-G45

3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6847 - 3000K WARM WHITE	VT-2704	4W	400	35W	E27	GP45	Ø45x72	100

NEW

3 STEP DIMMING LED FILAMENT BULBS-CANDLE



3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6848 - 3000K WARM WHITE	VT-2804	4W	400	35W	E14	Candle	Ø35x98	100

NEW

3 STEP DIMMING LED FILAMENT BULBS-A60

3 STEP DIMMING

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6845 - 3000K WARM WHITE	VT-2504	4W	400	35W	E27	A60	Ø60x105	100

V-TAC Meaningful Innovation.

LED BULBS

02 YEAR WARRANTY

3 STEP DIMMING BULBS-A60

3 STEP DIMMING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of a switch, change the brightness from 100% to 50% and if necessary, click again to achieve 15% power.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4449 - 6400K WHITE	VT-2011	9W	806	60W	E27	A60	Ø60x112	100

3 STEP DIMMING BULBS 2PCS BLISTER PACK



3 STEP DIMMING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Smart Dimming Technology Without A Dimmer!
At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7288 - 2700K WARM WHITE 7289 - 4000K DAY WHITE 7290 - 6400K WHITE	VT-2129	9W	806	60W	E27	A60	Ø60x112	25

COLOR CHANGING BULBS-A60

COLOR CHANGING ON CLICK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7317 - 3 IN 1	VT-2119	9W	806	60W	E27	A60	Ø60x112	100

COLOR CHANGING BULBS 2PCS BLISTER PACK

COLOR CHANGING ON CLICK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Switch the light on for cool white.
2. Turn the Switch off and on again for warm white.
3. Turn the Switch off and on again for day white.
4. Switch between these to select your ideal colour.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7309 - 3 IN 1	VT-2149	9W	806	60W	E27	A60	Ø60x112	25

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

SENSOR BULBS-A60

MICROWAVE SENSOR

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

Our smart sensor bulbs have built-in photocells which transmit the signal to the light source and smartly save power by switching into Light mode, enabling energy efficiency and reduced power consumption when required.

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214459 - 3000K WARM WHITE	VT-2016-N	8.5W	806	60W	E27	A60	Ø60x110	100

DAY/NIGHT SENSOR BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

1. Auto Switch on at dusk and switches off at dawn.
2. Built-in Daylight Sensor
3. Automatically switches On when the room light is less
4. Light stays for 60 seconds upon detection of movement

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2760 -3000K WARM WHITE	VT-2219	9W	806	60W	E27	A60	Ø60x112	100
2763 -3000K WARM WHITE 2765 -6400K WHITE	VT-2211	11W	1055	75W	E27	A60	Ø60x120	100

V-TAC Meaningful Innovation.

LED BULBS

02 YEAR WARRANTY

LED CANDLE BULBS

Our candle-shaped LED bulbs are energy-efficient replacements for traditional halogen lamps that come with chandeliers, wall lights, desk lamps, and other decorative lighting fixtures.
• Includes E14 and E27 base variations
• No UV radiation and mercury-free

LED CANDLE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4156 - 4000K DAY WHITE	VT-1818TP	4W	320	30W	E14	Candle	Ø37x124	200
214164 - 3000K WARM WHITE	VT-1818TP-N	3.7W	320	30W	E14	Candle	Ø36.5x124	200

NEW

LED CANDLE BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2984 - 3000K WARM WHITE 2985 - 4000K DAY WHITE 2986 - 6500K WHITE	VT-2323 NEW	2.9W	250	25W	E14	Candle	Ø36.5x100	200
4166 - 4000K DAY WHITE	VT-1818	4W	320	30W	E14	Candle	Ø37x100	200
214216 - 3000K WARM WHITE 214166 - 4000K DAY WHITE 214122 - 6500K WHITE	VT-1818-N	3.7W	320	25W	E14	Candle	Ø37x100	200
2142151 - 3000K WARM WHITE 2142581 - 4000K DAY WHITE 2142411 - 6500K WHITE	VT-1855-N	4.5W	470	40W	E14	Candle	Ø36.5x100	200

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

LED CANDLE BULBS-2PCS BLISTER-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7293 - 6400K WHITE	VT-2106	5.5W	470	40W	E14	Candle	Ø37x100	50

LED CANDLE BULBS-3PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217263 - 3000K WARM WHITE 217264 - 4000K DAY WHITE 217265 - 6500K WHITE	VT-2076-N	4.5W	470	40W	E14	Candle	Ø39x102	180

LED CANDLE BULBS-6PCS BLISTER-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212738 - 6500K WHITE	VT-2246-N	4.5W	470	40W	E14	Candle	Ø36.5x100	180

LED CANDLE BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2143421 - 3000K WARM WHITE 2143431 - 4000K DAY WHITE 2143441 - 6500K WHITE	VT-1821N-N	4.5W	470	40W	E27	Candle	Ø36.5x100	200

LED G45 BULBS

Small, round, 45mm golf bulbs usually used in vanities, bedside lamps, desk lamps, and other fixtures in residential spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free



LED G45 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214160 - 3000K WARM WHITE 214162 - 4000K DAY WHITE 214207 - 6500K WHITE	VT-1830-N	3.7W	320	25W	E27	G45	Ø45x80	200
7407 - 2700K WARM WHITE	VT-1879N	5.5W	470	40W	E27	G45	Ø45x81	200
217407 - 3000K WARM WHITE 217408 - 4000K DAY WHITE 217409 - 6500K WHITE	VT-1879N-N	4.5W	470	40W	E27	G45	Ø45x80	200

LED G45 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217362 - 3000K WARM WHITE 217363 - 4000K DAY WHITE	VT-2176-N	4.5W	470	40W	E27	G45	Ø45x80	180

LED G45 6PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212730 - 3000K WARM WHITE	VT-2256-N	4.5W	470	40W	E27	G45	Ø45x80	180

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

LED P45 BULBS

Ball-shaped E14 base-type bulbs usually used in chandeliers, table lamps, wall lamps, and other decorative lighting fixtures in residential and commercial spaces.

- Available in blister packs and 3/6pc multipacks
- No UV radiation and mercury-free

LED P45 BULBS-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	180°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4124 - 6400K WHITE	VT-1819	4W	320	30W	E14	P45	Ø45x82	200
214123 - 3000K WARM WHITE 214174 - 4000K DAY WHITE 214124 - 6500K WHITE	VT-1819-N	3.7W	320	25W	E14	P45	Ø45x80	200
42511 - 4000K DAY WHITE	VT-1880N	5.5W	470	40W	E14	P45	Ø45x81	200
2142501 - 3000K WARM WHITE 2142511 - 4000K DAY WHITE 2142521 - 6500K WHITE	VT-1880N-N	4.5W	470	40W	E14	P45	Ø45x80	200

LED P45 3PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217357 - 3000K WARM WHITE 217359 - 6500K WHITE	VT-2156-N	4.5W	470	40W	E14	A60	Ø45x80	180

LED P45 6PCS PACK-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	180°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212733 - 3000K WARM WHITE 212734 - 4000K DAY WHITE	VT-2266-N	4.5W	470	40W	E14	P45	Ø45x80	180

V-TAC Meaningful Innovation.

LED BULBS

02 YEAR WARRANTY

LED THERMOPLASTIC BULBS

Our extensive range of classic, thermoplastic GLS bulbs are efficient replacements for traditional incandescent light fittings in both indoor and outdoor locations.

- Includes standard base variations (E27 and B22)
- Various power and size options (A60, A65, and A80) available
- Available in blister packs and 3/6pc multipacks

LED A60 BULBS-B22

BAYONET HOLDER

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7402 - 4000K DAY WHITE 7403 - 6400K WHITE	VT-2189	9W	806	60W	B22	A60	Ø60x104	100
217422 - 3000K WARM WHITE 217402 - 4000K DAY WHITE 217403 - 6500K WHITE	VT-2189-N	8.5W	806	60W	B22	A60	Ø60x108	100
7229 - 2700K WARM WHITE	VT-2015-B22	15W	1350	90W	B22	A65	Ø66.5x134	100
217229 - 3000K WARM WHITE	VT-2015-B22-N	15W	1521	100W	B22	A65	Ø65x134	100

LED A60 BULBS 3PCS PACK-B22

BAYONET HOLDER

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7246 - 2700K WARM WHITE	VT-2069-3PC	9W	806	60W	B22	A60	Ø60x106	20
217246 - 3000K WARM WHITE	VT-2069-3PC-N	8.5W	806	60W	B22	A60	Ø60x108	120

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

LED A60 BULBS-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217260 - 3000K WARM WHITE 217261 - 4000K DAY WHITE 217262 - 6500K WHITE	VT-2099-N	8.5W	806	60W	E27	A60	Ø60x108	200
217350 - 3000K WARM WHITE 217349 - 4000K DAY WHITE 217351 - 6500K WHITE	VT-2112-N	10.5W	1055	75W	E27	A60	Ø60x110	100

LED A60 BULBS 2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7297 - 2700K WARM WHITE	VT-2111	11W	1055	75W	E27	A60	Ø60x120	25

LED A60 BULBS 3PCS PACK-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217240 - 3000K WARM WHITE 217241 - 4000K DAY WHITE 217242 - 6500K WHITE	VT-1900-N	8.5W	806	60W	E27	A60	Ø60x108	120
217352 - 3700K WARM WHITE 217353 - 4000K DAY WHITE 217354 - 6500K WHITE	VT-2113-N	10.5W	1055	75W	E27	A60	Ø60x110	120

V-TAC Meaningful Innovation.

LED BULBS

02 YEAR WARRANTY

LED A65 BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4453 - 2700K WARM WHITE	VT-2015-E27	15W	1350	90W	E27	A65	Ø65x134	100
214454 - 4000K DAY WHITE 214455 - 6500K WHITE	VT-2015-E27-N	15W	1521	100W	E27	A65	Ø65x134	100
214457 - 4000K DAY WHITE 214458 - 6500K WHITE	VT-2017-N	17W	1710	110W	E27	A65	Ø65x134	100

LED A65-2PCS BLISTER PACK-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7300 - 2700K WARM WHITE 7302 - 6400K WHITE	VT-2117	15W	1350	90W	E27	A65	Ø66.5x134	25
212819 - 2700K WARM WHITE 212820 - 4000K DAY WHITE 212818 - 6500K WHITE	VT-2015-3PC-N	15W	1521	100W	E27	A65	Ø65x134	40

LED A80-E27 BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2707 - 3000K WARM WHITE	VT-2218	18W	2000	125W	E27	A80	Ø80x142	50

LED BULBS T37

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	230°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7173 - 2700K WARM WHITE	VT-2029	9W	750	50W	E14	T37	Ø37x115	200

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212713 - 3000K WARM WHITE 212714 - 4000K DAY WHITE 212715 - 6500K WHITE	VT-2237-N	7W	700	50W	R7S	R7S	Ø28x78	200

LED BULBS-R7S

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212834 - 3000K WARM WHITE 212835 - 4000K DAY WHITE 212836 - 6500K WHITE	VT-2118-N	16W	2000	126W	R7S	R7S	Ø30x118	100

LED GLOBE BULBS-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4278 - 6400K WHITE	VT-1893	10W	810	60W	E27	G95	Ø95x140	12

LED GLOBE BULBS-E27

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	200°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7195 - 6000K WHITE	VT-1884D	13W **Dimmable**	1055	75W	E27	G120	Ø120x164	12

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

HIGH LUMEN CLEAR GLASS FILAMENT BULBS

Introducing the pinnacle of lighting innovation: the High Lumen Clear Glass Filament bulb, boasting an astounding 120 lumens efficacy and an awe-inspiring 95% energy saving capability. This remarkable creation redefines the way we illuminate our world, blending efficiency, elegance, and environmental consciousness into a single lighting marvel.

What truly sets this bulb apart, however, is its unrivaled efficiency. With a luminous efficacy of 210 lumens per watt, it transforms the way we perceive light. Its ability to convert electrical energy into a brilliant glow not only illuminates spaces in a remarkably cost-effective manner but also makes a substantial dent in energy consumption. A staggering 95% reduction in energy usage compared to traditional incandescent bulbs heralds a new era of sustainable lighting solutions.

Imagine the possibilities – spaces bathed in the gentle radiance of these bulbs while simultaneously witnessing a significant decrease in energy bills. The journey toward a brighter, more sustainable future starts with choices like these, where innovation meets efficiency and elegance in a harmonious blend of form and function.

NEW

HIGH LUMEN FILAMENT BULBS-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6822 - 3000K WARM WHITE	VT-2322	2.2W	465	40W	E27	A60	Ø60x105	
2990 - 3000K WARM WHITE 2991 - 4000K DAY WHITE	VT-2334	4W	840	60W	E27	A60	Ø60x105	100

NEW

HIGH LUMEN FILAMENT BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6823 - 3000K WARM WHITE	VT-2422	2.2W	465	40W	E27	G45	Ø45x79	

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

NEW

HIGH LUMEN FILAMENT BULBS-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6825 - 3000K WARM WHITE	VT-2922	2.2W	465	40W	E14	P45	Ø45x105	

NEW

HIGH LUMEN FILAMENT BULBS-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
6824 - 3000K WARM WHITE	VT-2722	2.2W	465	40W	E14	Candle	Ø35x123	

NEW

HIGH LUMEN FILAMENT BULBS-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2996 - 3000K WARM WHITE 2997 - 4000K DAY WHITE	VT-2364	4W	840	60W	E27	ST64	Ø64x143	100

NEW

HIGH LUMEN FILAMENT BULBS-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



210 LUMEN/W

95% ENERGY SAVING

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2992 - 3000K WARM WHITE 2993 - 4000K DAY WHITE	VT-2344	4W	840	60W	E27	G125	Ø125x173	20
2994 - 3000K WARM WHITE 2995 - 4000K DAY WHITE	VT-2354	4W	840	60W	E27	G95	Ø95x138	20

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

LED FILAMENT & DECORATIVE BULBS

LED filament decorative bulbs are a captivating fusion of vintage aesthetics and modern lighting technology. These bulbs cleverly mimic the appearance of traditional incandescent filament bulbs while harnessing the energy-efficient prowess of LEDs. The result is a lighting solution that not only evokes nostalgia but also embraces sustainability and efficiency.

Available in various shapes, sizes, and designs, LED filament decorative bulbs cater to a wide array of interior styles. Whether suspended in pendant lights, nestled in chandeliers, or showcased in table lamps, these bulbs are as much an element of interior design as they are a source of illumination.

NEW

LED FILAMENT VASE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8056	VT-2264	4W	NA	NA	E27	Vase	Ø140x200	8

NEW

LED FILAMENT COBBLE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8057	VT-2265	4W	NA	NA	E27	Cobble	Ø220x225	6

NEW



LED FILAMENT APPLE SHAPE BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	NA
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
8064	VT-2263	4W	NA	NA	E27	Apple	Ø190x275	6

02 YEAR WARRANTY

LED DECORATIVE FILAMENT BULBS

V-TAC Meaningful Innovation.

NEW

LED AMBER SPIRAL FILAMENT A160 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23166 - 2700K WARM WHITE	VT-2267	4W	250	NA	E27	A160	Ø160X275	

NEW

LED SMOKY SPIRAL FILAMENT A160 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23167 - 2700K WARM WHITE	VT-2268	4W	120	NA	E27	A160	Ø160X275	

NEW

LED AMBER SPIRAL FILAMENT A165 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23168 - 2700K WARM WHITE	VT-2269	4W	250	NA	E27	A165	Ø165x275	

NEW

LED AMBER SPIRAL FILAMENT G200 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23169 - 2700K WARM WHITE	VT-2270	4W	250	NA	E27	G200	Ø200x280	

V-TAC Meaningful Innovation.

LED DECORATIVE FILAMENT BULBS

02 YEAR WARRANTY

NEW

LED SMOKY SPIRAL FILAMENT G200 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23170 - 2700K WARM WHITE	VT-2271	4W	120	NA	E27	G200	Ø200x280	

NEW

LED AMBER SPIRAL FILAMENT B125 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23171 - 2700K WARM WHITE	VT-2272	4W	250	NA	E27	B125	Ø125x340	

NEW

LED AMBER SPIRAL FILAMENT ST120 BULBS E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
23172 - 2700K WARM WHITE	VT-2273	4W	250	NA	E27	ST120	Ø120x260	

LED 3D FILAMENT BULBS A60

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212704 - 3000K WARM WHITE	VT-2203-N	3W	20	NA	E27	A60	Ø64x145	100

02 YEAR WARRANTY

LED DECORATIVE FILAMENT BULBS

V-TAC Meaningful Innovation.

LED 3D FILAMENT BULBS ST64

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212705 - 3000K WARM WHITE	VT-2223-N	3W	25	NA	E27	ST64	Ø64x135	100

LED 3D FILAMENT BULBS G125

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212706 - 3000K WARM WHITE	VT-2233-N	3W	40	NA	E27	G125	Ø125x170	20

FILAMENT-G125-E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2700 - 2200K WARM WHITE	VT-2205	5W	70	30W	E27	G125	Ø125x175	50

AMBER-G165-E27

DECORATIVE BULBS

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
45641 - 2200K WARM WHITE	VT-2159	8W	620	NA	E27	G165	Ø165x295	6

V-TAC Meaningful Innovation.

LED DECORATIVE FILAMENT BULBS

02 YEAR WARRANTY

FILAMENT-T180-E27

DECORATIVE BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
212790 -1800K WARM WHITE	VT-2308-N	8W	620	55W	E27	T180	ØD:180x190	12

FILAMENT-G200-E27

DECORATIVE BULBS

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217462 - 2000K WARM WHITE	VT-2158D-N	8W	500	40W	E27	G200	Ø200x280	12

FILAMENT-BF180-E27

DECORATIVE BULBS

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7463 - 2000K WARM WHITE	VT-2168D	8W	500	40W	E27	BF180	Ø180x360	6

SMOKY FILAMENT-S200-E27

DECORATIVE BULBS

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	340°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217465 - 1800K WARM WHITE	VT-2188D-N	8W	350	30W	E27	S200	Ø180x390	12

02 YEAR WARRANTY

LED DECORATIVE FILAMENT BULBS

V-TAC Meaningful Innovation.

FILAMENT-R125-E27

DECORATIVE BULBS

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	110°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7466 - 2700K WARM WHITE 7467 - 4000K DAY WHITE 7468 - 6500K WHITE	VT-2198D	8W	600	50W	E27	R125	Ø125x182	24

AMBER COVER -LED FILAMENT BULBS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217335 - 1800K WARM WHITE	VT-2154-N	4W	220	40W	E27	A60	Ø60x98	100

CLEAR FILAMENT-A60-E28

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217336 - 3000K WARM WHITE	VT-2164-N	4W	300	40W	E27	A60	Ø60x98	100

AMBER COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217157 - 2200K WARM WHITE	VT-2028-N	10W	950	65W	E27	A67	Ø67x123	100
217457 - 2200K WARM WHITE	VT-2123-N	12W	1350	85W	E27	A70	Ø70x132	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214361 - 2200 WARM WHITE	VT-1964-N	4W	350	40W	E27	ST64	Ø64x138	100
214362 - 2200K WARM WHITE	VT-1966-N	6W	550	45W	E27	ST64	Ø64x138	100
214421 - 2200K WARM WHITE	VT-1968-N	8W	720	60W	E27	ST64	Ø64x138	100
217218 - 1800K WARM WHITE	VT-2065-N	4.8W	280	30W	E27	ST64	Ø64x140	100
7416 - 2200K WARM WHITE	VT-2065D	5W **Dimmable**	300	30W	E27	ST64	Ø64x140	100
217416 - 1800K WARM WHITE	VT-2065D-N	4.8W **Dimmable**	250	30W	E27	ST64	Ø64x140	100

FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217474 - 1800K WARM WHITE	VT-2185-N	4W	200	20W	E27	ST64	Ø64x150	100

AMBER COVER -FILAMENT-ST64-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217220 - 2200K WARM WHITE	VT-2066-N	4.8W	280	30W	E27	ST64	Ø64x140	100

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217148 - 2200K WARM WHITE	VT-2004-N	4W	400	35W	E27	G80	Ø80x140	100

AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217146 - 2200K WARM WHITE	VT-2024-N	4W	350	35W	E27	G95	Ø95x140	20

AMBER COVER -FILAMENT-GLOBE-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217217 - 1800K WARM WHITE	VT-2075-N	4.8W	280	30W	E27	G95	Ø95x138	20
217216 - 1800K WARM WHITE	VT-2085-N	4.8W	280	30W	E27	G125	Ø125x175	20
217415 - 1800K WARM WHITE	VT-2085D-N	4.8W **Dimmable**	250	30W	E27	G125	Ø125x175	20
214473 - 2200K WARM WHITE	VT-1956-N	6W	550	55W	E27	G125	Ø125x165	20
217155 - 2200K WARM WHITE	VT-2018D-N	8W **Dimmable**	700	60W	E27	G125	Ø125x177	20

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217147 - 2200K WARM WHITE	VT-2027-N	7W	700	60W	E27	G95	Ø95x140	20

AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7145 - 2200K WARM WHITE	VT-2019	8W	700	65W	E27	G95	Ø95x140	50
217145 - 2200K WARM WHITE	VT-2019-N	8W	700	65W	E27	G95	Ø95x140	20

FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217475 - 1800K WARM WHITE	VT-2195-N	4W	200	20W	E27	G125	Ø132x178	20

AMBER COVER -FILAMENT-GLOBE-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>70



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217328 - 1800K WARM WHITE	VT-2126-N	6W	380	55W	E27	G125	Ø125x175	20

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

FILAMENT-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217456 - 2200K WARM WHITE	VT-2153-N	12W	1350	85W	E27	G125	Ø125x178	20

AMBER COVER -FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217473 - 1800K WARM WHITE	VT-2162-N	2W	65	9W	E27	T30	Ø35x190	100

AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217142 - 2200K WARM WHITE	VT-2005-N	5W	500	45W	E27	T30	Ø30x300	100

AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217143 - 2200K WARM WHITE	VT-2006-N	6W	600	50W	E27	T30	Ø30x185	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

AMBER COVER -FILAMENTS-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217144 - 2200K WARM WHITE	VT-2008-N	7W	700	60W	E27	T30	Ø30x300	100

FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217472 - 1800K WARM WHITE	VT-2152-N	2W	65	9W	E14	Candle	Ø35x105	100

AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217113 - 2200K WARM WHITE	VT-1955-N	4W	350	40W	E14	Candle	Ø35x100	100

AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217114 - 2200K WARM WHITE	VT-1949-N	4W	350	35W	E14	Candle	Ø35x121	100

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217115 - 2200K WARM WHITE	VT-1948-N	4W	350	35W	E14	Candle	Ø35x100	100

AMBER COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217116 - 2200K WARM WHITE	VT-1947-N	4W	350	35W	E14	Candle	Ø35x121	100

AMBER COVER -FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
217100 - 2200K WARM WHITE	VT-1957-N	4W	350	30W	E27	G45	Ø45x75	100

AMBER COVER -FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214499 - 2200K WARM WHITE	VT-1953-N	4W	350	30W	E14	P45	Ø45x77	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

CROSS FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
71031 - 6400K WHITE	VT-1924C	4W	350	35W	E14	Candle	Ø35x100	100

FROST COVER -FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.4
CRI	>80

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7177 - 2700K WARM WHITE	VT-2056D	4W **Dimmable**	350	35W	E14	Candle	Ø35x121	100

FROST COVER-CROSS FILAMENT-A60-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
44801 - 2700K WARM WHITE	VT-1935C	6W	660	55W	E27	A60	Ø60x107	50
71811 - 2700K WARM WHITE	VT-2047C	7W	840	60W	E27	A60	Ø60x107	50

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

FROST COVER -FILAMENT-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7178 - 2700K WARM WHITE 7180 - 6400K WHITE	VT-2045	5W	600	50W	E27	A60	Ø60x107	50
4483 - 2700K WARM WHITE 4485 - 6400K WHITE	VT-1938	8W	800	60W	E27	A67	Ø67x123	50
7154 - 6400K WHITE	VT-2023	10W	1055	75W	E27	A67	Ø67x123	50

FROST COVER -FILAMENT-GLOBE-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7187 - 2700K WARM WHITE 7188 - 6400K WHITE	VT-2057	7W	840	60W	E27	G95	Ø95x135	12
7191 - 2700K WARM WHITE	VT-2067D	7W **Dimmable**	750	55W	E27	G125	Ø125x177	12

CLEAR GLASS-FILAMENT-A60-E27

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7119 - 4000K DAY WHITE 7120 - 6400K WHITE	VT-1885	4W	400	40W	E27	A60	Ø60x107	50
4364 - 2700K WARM WHITE	VT-1885D	4W **Dimmable**	350	30W	E27	A60	Ø60x107	50
214272 - 3000K WARM WHITE 214303 - 4000K DAY WHITE	VT-1887-N	6W	600	30W	E27	A60	Ø60x107	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

CLEAR GLASS-FILAMENT-A67-E27

Voltage/Frequency	AC:220-240V, 50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2815 - 2700K WARM WHITE	VT-2288D	8W **Dimmable**	700	50W	E27	A67	Ø67x123	100
212815 - 2700K WARM WHITE	VT-2288D-N	8W **Dimmable**	720	50W	E27	A67	Ø67x123	100
4407 - 3000K WARM WHITE 4408 - 4000K DAY WHITE 4409 - 6400K WHITE	VT-1978	8W	800	60W	E27	A67	Ø67x123	100
4410 - 3000K WARM WHITE 4411 - 4000K DAY WHITE 4412 - 6400K WHITE	VT-1981	10W	1055	75W	E27	A67	Ø67x123	50
214410 - 3000K WARM WHITE 214411 - 4000K DAY WHITE 214412 - 6500K WHITE	VT-1981-N	10W	1055	75W	E27	A67	Ø67x123	20
212802 - 3000K WARM WHITE	VT-2328-N	18W	2520	150W	E27	A67	Ø67x123	100

CLEAR GLASS-FILAMENT-A70-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7460 - 6400K WHITE	VT-2133	12.5W	1550	100W	E27	A70	Ø70x132	50
217458 - 3000K WARM WHITE 217459 - 4000K DAY WHITE 217460 - 6500K WHITE	VT-2133-N	12W	1521	100W	E27	A70	Ø70x132	100

FILAMENT-T30-E27

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	300°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7251 - 2700K WARM WHITE	VT-2042	2W	200	20W	E27	T30	Ø30x136	100
217251 - 3000K WARM WHITE	VT-2042-N	2W	200	20W	E27	T30	Ø30x136	100

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

FILAMENT-T20-E14

Voltage/Frequency	AC:220-240V,50/60Hz
Beam Angle	360°
PF	>0.45
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2702 - 4000K DAY WHITE 2703 - 6000K WHITE	VT-2204	4W	400	35W	E14	T20	Ø20x135	100
212701 - 3000K WARM WHITE	VT-2204-N	4W	400	NA	E14	T20	Ø20x135	100

CLEAR GLASS-FILAMENT-ST26-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4444 - 2700K WARM WHITE	VT-1952	2W	180	20W	E14	ST26	Ø26x58	100
214444 - 3000K WARM WHITE 214445 - 4000K DAY WHITE 214446 - 6400K WHITE	VT-1952-N	2W	200	20W	E14	ST26	Ø26x58	200

CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4413 - 4000K DAY WHITE 4414 - 6400K WHITE	VT-1986	4W	400	40W	E14	Candle	Ø35x100	100
214301 - 3000K WARM WHITE 214413 - 4000K DAY WHITE 214414 - 6500K WHITE	VT-1986-N	4W	400	35W	E14	Candle	Ø35x98	100
4365 - 2700K WARM WHITE	VT-1986D	4W **Dimmable**	350	30W	E14	Candle	Ø35x100	100
2870 - 3000K WARM WHITE	VT-2304D	4W **Dimmable**	400	35W	E14	Candle	Ø35x98	200
7806 - 3000K WARM WHITE 7807 - 4000K DAY WHITE	VT-21125 NEW	5.5W	600	45W	E14	Candle	Ø35x98	100
7423 - 3000K WARM WHITE 7424- 4000K DAY WHITE	VT-2127	6W	600	45W	E14	Candle	Ø35x100	200
217423 - 3000K WARM WHITE 217424- 4000K DAY WHITE 217425 - 6500K WHITE	VT-2127-N	6W	600	45W	E14	Candle	Ø35x100	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

HIGH LUMEN CLEAR GLASS-FILAMENT-CANDLE-E14

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2849 - 4000K DAY WHITE	VT-2327	6W	800	60W	E14	Candle	Ø35x100	100
212848 - 3000K WARM WHITE 212849 - 4000K DAY WHITE 212850 - 6500K WHITE	VT-2327-N	6W	800	60W	E14	Candle	Ø35x100	100

CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4307 - 2700K WARM WHITE	VT-1985	4W	400	40W	E14	Candle	Ø35x100	100
4367 - 2700K WARM WHITE	VT-1985D	4W **Dimmable**	320	30W	E14	Candle	Ø35x100	100
214367 - 3000K WARM WHITE	VT-1985D-N	4W **Dimmable**	400	30W	E14	Candle	Ø35x100	100

CLEAR GLASS-FILAMENT-CANDLE-E14

DIMMABLE OPTIONS

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4308 - 2700K WARM WHITE 4432 - 6400K WHITE	VT-1995	4W	400	40W	E14	Candle	Ø35x121	100
214308 - 3000K WARM WHITE 214431 - 4000K DAY WHITE 214432 - 6500K WHITE	VT-1995-N	4W	400	40W	E14	Candle	Ø35x121	100
4388 - 2700K WARM WHITE	VT-1995D	4W **Dimmable**	320	40W	E14	Candle	Ø35x121	100

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

CLEAR GLASS-FILAMENT-CANDLE-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4302 - 2700K WARM WHITE 4429 - 4000K DAY WHITE	VT-1997	4W	400	40W	E14	Candle	Ø35x121	50
214302 - 3000K WARM WHITE 214429 - 4000K DAY WHITE 214430 - 6500K WHITE	VT-1997-N	4W	400	40W	E14	Candle	Ø35x121	100

LED CANDLE FILAMENT BULBS-BLISTER PACK

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7365 - 2700K WARM WHITE	VT-2174	4W	400	40W	E14	Candle	Ø35x100	50

CLEAR GLASS-FILAMENT-P45-E14

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4425 - 4000K DAY WHITE 4426 - 6400K WHITE	VT-1996	4W	400	40W	E14	P45	Ø45x77	100
214300 - 3000K WARM WHITE	VT-1996-N	4W	400	40W	E14	P45	Ø45x77	100
2845 - 3000K WARM WHITE 2846 - 4000K DAY WHITE	VT-2466	6W	600	45W	E14	P45	Ø45x78	100
212847 - 6500K WHITE	VT-2466-N	6W	600	45W	E14	P45	Ø45x78	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

HIGH LUMENS CLEAR GLASS-FILAMENT-P45-E14

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2856 - 6400K WHITE 2854 - 3000K WARM WHITE 2855 - 4000K DAY WHITE	VT-2486	6W	800	60W	E14	P45	Ø45x77	100

CLEAR GLASS-FILAMENT-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4306 - 2700K WARM WHITE 4428 - 6400K WHITE	VT-1980	4W	400	40W	E27	G45	Ø45x75	100
214306 - 3000K WARM WHITE 214428 - 6500K WHITE	VT-1980-N	4W	400	40W	E27	G45	Ø45x75	100
2844 - 6400K WHITE 2842 - 3000K WARM WHITE 2843 - 4000K DAY WHITE	VT-2366	6W	600	45W	E27	G45	Ø45x75	100

HIGH LUMENS CLEAR GLASS-FILAMENT-G45-E27

130 LUMEN/W

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
2853 - 6400K WHITE 2851 - 3000K WARM WHITE 2852 - 4000K DAY WHITE	VT-2386	6W	800	60W	E27	G45	Ø45x75	100

02 YEAR WARRANTY

LED FILAMENT BULBS

V-TAC Meaningful Innovation.

PINK COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7410 - PINK	VT-2132-P	2W	60	10W	E27	G45	Ø45x75	100
217410 - PINK	VT-2132-P-N	2W	60	10W	E27	G45	Ø45x75	100

GREEN COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7411 - GREEN	VT-2132-G	2W	60	10W	E27	G45	Ø45x75	100
217411 - GREEN	VT-2132-G-N	2W	60	10W	E27	G45	Ø45x75	100

BLUE COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7412 - BLUE	VT-2132-B	2W	60	10W	E27	G45	Ø45x75	100
217412 - BLUE	VT-2132-B-N	2W	60	10W	E27	G45	Ø45x75	100

RED COLOR BULBS-G45-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
7413 - RED	VT-2132-R	2W	60	10W	E27	G45	Ø45x75	100
217413 - RED	VT-2132-R-N	2W	60	10W	E27	G45	Ø45x75	100

V-TAC Meaningful Innovation.

LED FILAMENT BULBS

02 YEAR WARRANTY

CLEAR GLASS-FILAMENT-GLOBE-G95-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	330°
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
214305 - 2700K WARM WHITE	VT-1993-N	6W	600	60W	E27	G95	Ø95x135	20
2803 - 3000K WARM WHITE	VT-2338	18W	2520	150W	E27	G95	Ø95x135	25
212803 - 3000K WARM WHITE	VT-2338-N	18W	2520	150W	E27	G95	Ø95x135	100

CLEAR GLASS-FILAMENT-GLOBE-G125-E27

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	300°
PF	>0.5
CRI	>80

DIMMABLE

SKU	Model	Watts	Lumens	EQ .Watts	Base	Shape	Size(mm)	Box Qty
4399 - 2700K WARM WHITE	VT-1994D	4W **Dimmable**	320	30W	E27	G125	Ø125x177	20
214304 - 3000K WARM WHITE	VT-1983-N	6W	600	30W	E27	G125	Ø125x177	20
7427 - 6400K WHITE	VT-2147	6W	806	60W	E27	G125	Ø125x177	20
214422 - 3000K WARM WHITE 214423 - 4000K DAY WHITE 214424 - 6500K WHITE	VT-1979-N	10W	1055	60W	E27	G125	Ø125x177	20
7455 - 6500K WHITE 7453 - 3000K WARM WHITE 7454 - 4000K DAY WHITE	VT-2143	12.5W	1550	100W	E27	G125	Ø125x177	25
217453 - 3000K WARM WHITE 217454 - 4000K DAY WHITE 217455 - 6500K WHITE	VT-2143-N	12W	1521	100W	E27	G125	Ø125x177	20

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

LED STRING LIGHT-13M-RGB

- 13 Meter Long String
- 0.5 watts per Bulb
- 15 G50 Bulbs included
- IP rating IP44
- 270° Beam Angle
- PVC wire, plastic bulb
- EU Plug

SKU	Model	Watts	Size	Box Qty
23159 - RGB	VT-713S	7.5W	13M	10

LED STRING LIGHT-5M

- 5 Meter Long String
- 0.4 watts per Bulb
- 10 Bulbs included
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
2728 - 3000K WARM WHITE	VT-71510	4W	5M	10
212728 - 3000K WARM WHITE	VT-71510-N	4W	5M+3M cord	10

LED STRING LIGHT-5M

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7437 - 6000K WHITE 7435 - RGB+YELLOW	VT-70510	5W	5M	10
217436 - 3000K WARM WHITE	VT-70510-N	5W	5M	10



LED STRING LIGHT-10M

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Bulbs with 0.5 Meter Distance
- IP rating IP44

SKU	Model	Watts	Size	Box Qty
7440 - 6000K WHITE 7439 - 3000K WARM WHITE 7438 - RGB+YELLOW	VT-71020	10W	10M	10
217439 - 3000K WARM WHITE 217440 - 6000K WHITE	VT-71020-N	10W	10M	5

V-TAC
Meaningful Innovation.

LED BULBS

02 YEAR WARRANTY

NEW

STRING LIGHT WP SOCKET-E27-BS PLUG-15M

- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with BS Plug
- Bulbs are not included

IP65 RATING

SKU	Model	Size(Meter)	Box Qty
7686	VT-713-BS	15M	4

NEW

STRING LIGHT WP SOCKET-E27-EU PLUG-15M

- 15 Meter Long String
- 15 E27 Holders with Rubber Cable
- IP65
- Max 40 Watts Each Holder
- Designed with EU Plug
- Bulbs are not included

IP65 RATING

SKU	Model	Size(Meter)	Box Qty
7699	VT-713-EU	15M	4

STRING LIGHT SOCKET-E27-5M

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included

IP54 RATING

SKU	Model	Size(Meter)	Box Qty
3698	VT-7135	5M	4

STRING LIGHT SOCKET-E27-15M

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- IP54
- Linkable upto 500W max
- Bulbs are not included

IP54 RATING

SKU	Model	Size(Meter)	Box Qty
3673	VT-713	15M	4

02 YEAR WARRANTY

LED BULBS

V-TAC Meaningful Innovation.

E27-HOLDER

SKU	Box Qty
8839	400

E14-HOLDER

SKU	Box Qty
8840	400

E27-HOLDER

SKU	Box Qty
8750	400

E14-HOLDER

SKU	Box Qty
8751	400

E27-HOLDER

SKU	Box Qty
8752	400

E14-HOLDER

SKU	Box Qty
8753	400

V-TAC

Meaningful Innovation.

LED Spotlights

Introducing a sustainable and energy-efficient replacement for power-hungry halogen spotlights. An extensive range of LED Spotlights (1.2W-8W).

Key Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for a durable body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

02 YEAR WARRANTY

LED SPOTLIGHTS

V-TAC Meaningful Innovation.

G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4466 - 3000K WARM WHITE 4467 - 4000K DAY WHITE 4468 - 6400K WHITE	VT-1946	2.5W	200	25W	G9	300°	16.5x46.5	400

G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
7477 - 4000K DAY WHITE	VT-2103	3W	330	30W	G9	300°	14.5x61	450

G9-LED CAPSULE LIGHT-6PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2745 - 3000K WARM WHITE 2746 - 4000K DAY WHITE 2747 - 6400K WHITE	VT-2243	3W	300	25W	G9	300°	17x49	300

G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:230V
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2742 - 3000K WARM WHITE 2744 - 6400K WHITE	VT-2254	4W	410	35W	G9	300°	16x58	400

V-TAC Meaningful Innovation.

LED SPOTLIGHTS

02 YEAR WARRANTY

G9-LED CAPSULE LIGHT

DIMMABLE

Voltage/Frequency	AC:200-240V,50/60Hz
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
217429 - 3000K WARM WHITE 217430 - 4000K DAY WHITE 217431 - 6500K WHITE	VT-2175D-N	5W	500	50W	G9	300°	22x60	600

G9-LED CAPSULE LIGHT

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2720 - 4000K DAY WHITE 2721 - 6400K WHITE	VT-2227	6W	550	45	G9	300°	19x68	200

GU10 SPOTLIGHT-RGB WITH REMOTE CONTROL



RGB

DIMMABLE

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2778 - RGB+3000K WARM WHITE 2779 - RGB+4000K DAY WHITE 2780 - RGB+6400K WHITE	VT-2244	3.5W	290	25W	GU10	110°	50x56.5	200
212778 - RGB+3000K WARM WHITE	VT-2244-N	5.5W	420	35W	GU10	110°	56.5x50	200

GU10 SPOTLIGHT-RGB WITH REMOTE CONTROL



RGB

DIMMABLE

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80

- RF Control 6-8M Range
- Switch on/off the light
- 16 steps dimming
- 16 colors selection
- Auto Color change Mode

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2927 - RGB+3000K WARM WHITE 2930 - RGB+4000K DAY WHITE	VT-2244-N-1	5.5W	420	35W	GU10	110°	56.5x50	200

02 YEAR WARRANTY

LED SPOTLIGHTS

V-TAC Meaningful Innovation.

GU10 SPOTLIGHT LENS-38°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2796 - 3000K WARM WHITE 2797 - 4000K DAY WHITE	VT-2305	5W	380	50W	GU10	38°	50x55	200

HIGH CRI GU10 SPOTLIGHT LENS-38°

CRI 90

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>95

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
7497 - 2700K WARM WHITE 7498 - 4000K DAY WHITE 7499 - 6400K WHITE	VT-2206	6W	400	55W	GU10	38°	ø50x58	200

NEW

GU10 SPOTLIGHT MILKY COVER-100°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2987 - 3000K WARM WHITE 2988 - 4000K DAY WHITE 2989 - 6500K WHITE	VT-2333	2.9W	250	25W	GU10	100°	50x56.5	200

GU10 SPOTLIGHT MILKY COVER-110°

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
211685 - 3000K WARM WHITE 211686 - 4500K DAY WHITE 211687 - 6000K WHITE	VT-1975-N	4.5W	400	35W	GU10	100°	50x56.5	200

V-TAC Meaningful Innovation.

LED SPOTLIGHTS

02 YEAR WARRANTY

GU10 SPOTLIGHT WITH FITTING-WHITE BODY-3PCS PACK

Voltage/Frequency	AC:200-240V,50/60Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
8881 - 3000K WARM WHITE 8882 - 4000K DAY WHITE 8883 - 6400K WHITE	VT-3333	5W	400	35W	GU10	110°	120x99	20

GU10 SPOTLIGHT WITH FITTING-SATIN NICKEL BODY-3PCS PACK

Voltage/Frequency	AC:200-240V,50/60Hz
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
8884 - 3000K WARM WHITE 8885 - 4000K DAY WHITE 8886 - 6400K WHITE	VT-4444	5W	400	35W	GU10	110°	120x99	20

GU10 SPOTLIGHT MILKY COVER-3PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
7270 - 4000K DAY WHITE 7271 - 6400K WHITE	VT-2095	5W	400	35W	GU10	110°	50x57	60
217269 - 3000K WARM WHITE 217270 - 4000K DAY WHITE 217271 - 6500K WHITE	VT-2095-N	4.5W	400	35W	GU10	100°	56.5x50	180

02 YEAR WARRANTY

LED SPOTLIGHTS

V-TAC Meaningful Innovation.

GU10 SPOTLIGHT MILKY COVER-6PCS PACK

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
212739 - 3000K WARM WHITE 212740 - 4000K DAY WHITE 212741 - 6500K WHITE	VT-2225-N	4.5W	400	35W	GU10	100°	56.5x50	180

GU10 SPOTLIGHT-10PCS PACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80

SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2799 - 3000K WARM WHITE 2800 - 4000K DAY WHITE 2801 - 6400K WHITE	VT-2305-10PC	5W	380	50W	GU10	38°	50x55	20

NEW

ALUMINIUM MODULE SPOTLIGHT

Voltage/Frequency	AC:220-240V,50Hz
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
10301 - 3000K WARM WHITE 10302 - 4000K DAY WHITE 10303 - 6400K WHITE	VT-1018	18W	1900	NA	NA	34°	78x63x50	50

V-TAC Meaningful Innovation.

AR111 DOWNLIGHT

02 YEAR WARRANTY

AR111 DOWNLIGHT



Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
2792 - 3000K WARM WHITE 2793 - 4000K DAY WHITE	VT-1121	20W	1800	130W	N/A	40°/20°	Ø111x53	50
212792 - 3000K WARM WHITE 212793 - 4000K DAY WHITE 212794 - 6500K WHITE	VT-1121-N	20W	1700	130W		40°/20°	Ø111x53	50

20°AR111 DOWNLIGHT

Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
1245 - 6000K WHITE	VT-1120-20	20W	1800	100W	N/A	20°	Ø111x53	50

AR111 PAR LIGHT-RECESSED-G53

Voltage/Frequency	AC/DC:12V,50Hz
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4084 - 3000K WARM WHITE 4062 - 4000K DAY WHITE 4061 - 6400K WHITE	VT-1110-20	15W	950	75W	G53	20°	Ø111x86x63	60
214084 - 3000K WARM WHITE 214062 - 4000K DAY WHITE	VT-1110-20-N	12W	3000K-1030 4000K-1050	75W	G53	20°	Ø111x86x63	60
4257 - 3000K WARM WHITE 4256 - 4000K DAY WHITE	VT-1110-40	15W	950	25W	G53	40°	Ø111x86x63	60
214257 - 3000K WARM WHITE 214256 - 4000K DAY WHITE 214255 - 6000K WHITE	VT-1110-40-N	12W	3000K-1085 4000K-1160 6000K-1200	25W	G53	40°	Ø111x86x63	60

02 YEAR WARRANTY

AR111 DOWNLIGHT

V-TAC Meaningful Innovation.

AR111 LED SPOTLIGHT- GU10

DIMMABLE OPTIONS

Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80



SKU	Model	Watts	Lumens	EQ .Watts	Base	Beam Angle	Size(mm)	Box Qty
4224 - 2700K WARM WHITE 4223 - 4000K DAY WHITE	VT-1112	12W	900	60W	GU10	40°	Ø111x86	60
214224 - 3000K WARM WHITE 214225 - 6000K WHITE	VT-1112-N	12W	3000K-1020 6000K-1120	60W	GU10	40°	Ø111x86	
7234 - 3000K WARM WHITE 7235 - 4000K DAY WHITE 7236 - 6400K WHITE	VT-1112D	12W **Dimmable**	900	60W	GU10	40°	Ø111x86	60
217234 - 3000K WARM WHITE 217235 - 4000K DAY WHITE 217236 - 6000K WHITE	VT-1112D-N	12W **Dimmable**	3000K-1030 6000K-1300	60W	GU10	40°	Ø111x86	



1XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3575	VT-7221-W	White	Aluminium	1XAR111	163x163	174x174	24
3581	VT-7221-B	Black	Aluminium	1XAR111	163x163	174x174	24



2XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
3576	VT-7222-W	White	Aluminium	2XAR111	167x305	325x174	12
3582	VT-7222-B	Black	Aluminium	2XAR111	167x305	325x174	12



3XAR111 FITITNG

SKU	Model	Unit Color	Body Type	Base	Cutting Size (mm)	Size(mm)	Box Qty
35771	VT-7223-W	White	Aluminium	3XAR111	168x455	475x174	12
35831	VT-7223-B	Black	Aluminium	3XAR111	168x455	475x174	12

V-TAC
Meaningful Innovation.

Spotlight Fittings

Spotlights fittings are a type of lighting fixture commonly used for residential and commercial lighting applications.

These fittings are versatile and can be used in various lighting scenarios. They are often found in track lighting systems, recessed ceiling lights, pendant lights, and wall-mounted fixtures. Their adaptability makes them suitable for both task lighting and ambient lighting.

Here are some common spotlight fittings with different base types:

- GU10
- GX53
- G9
- E14

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

NEW RECESSED FITTING GU10



Model No:	VT-439
SKU:	10298
Base:	2xGU10
Material:	Iron+PC
Color:	White+White
Size(mm):	175x88x30
Cutting Size:	160x75
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-11014
SKU:	6776
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	220x80x50
Cutting Size:	225x85
Box Qty:	6

NEW RECESSED FITTING GU10



Model No:	VT-441
SKU:	10299
Base:	3xGU10
Material:	Iron+PC
Color:	White+White
Size(mm):	261x88x30
Cutting Size:	245x75
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-11002
SKU:	6762
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	190x100x40
Cutting Size:	195x105
Box Qty:	12

NEW RECESSED FITTING GU10



Model No:	VT-442
SKU:	23003
Base:	4xGU10
Material:	Iron+PC
Color:	White+White
Size(mm):	175x175x30
Cutting Size:	165x160
Box Qty:	20

RECESSED FITTING GU10



Model No:	VT-11012
SKU:	6763
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	190x100x40
Cutting Size:	195x105
Box Qty:	12

RECESSED FITTING GU10



Model No:	VT-11001
SKU:	6761
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	80x80x50
Cutting Size:	85x85
Box Qty:	30

RECESSED FITTING GU10



Model No:	VT-11003
SKU:	6764
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	280x100x40
Cutting Size:	285x105
Box Qty:	6

RECESSED FITTING GU10



Model No:	VT-11011
SKU:	6775
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	150x80x50
Cutting Size:	155x85
Box Qty:	12

RECESSED FITTING GU10



Model No:	VT-11013
SKU:	6765
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	280x100x40
Cutting Size:	285x105
Box Qty:	6

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING GU10



Model No:	VT-11023
SKU:	6766
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	280x100x40
Cutting Size:	285x105
Box Qty:	6

RECESSED FITTING GU10



Model No:	VT-11008
SKU:	6771
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	250x210x80
Cutting Size:	255x215
Box Qty:	6

RECESSED WALL FITTING E14



Model No:	VT-11004
SKU:	6767
Base:	E14
Material:	Plaster
Color:	White
Size(mm):	255x180x315
Cutting Size:	260x320
Box Qty:	6

RECESSED FITTING GU10



Model No:	VT-11009R
SKU:	6772
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	120x120x60
Cutting Size:	125x125
Box Qty:	24

RECESSED WALL FITTING G9



Model No:	VT-11005
SKU:	6768
Base:	G9
Material:	Plaster
Color:	White
Size(mm):	400x400x65
Cutting Size:	405x405
Box Qty:	1

RECESSED FITTING GU10



Model No:	VT-11009S
SKU:	6773
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	120x120x60
Cutting Size:	125x125
Box Qty:	24

RECESSED WALL FITTING G9



Model No:	VT-11006
SKU:	6769
Base:	G9
Material:	Plaster
Color:	White
Size(mm):	310x260x170
Cutting Size:	315x265
Box Qty:	6

RECESSED FITTING GU10

Model No:	VT-11010
SKU:	6774
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	350x100x75
Cutting Size:	355x105
Box Qty:	6

RECESSED FITTING GU10





Model No:	VT-11007
SKU:	6770
Base:	GU10
Material:	Plaster
Color:	White
Size(mm):	180x120x70
Cutting Size:	185x125
Box Qty:	12

NEW PENDANT WHITE-GU10-30CM



Model No:	VT-976-300-W
SKU:	6779
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x300x1700
Cutting Size:	NA
Box Qty:	20

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

NEW PENDANT WHITE-GU10-50CM



Model No:	VT-976-500-W
SKU:	6780
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x500x1700
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-20CM



Model No:	VT-975-20CM
SKU:	6684
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	35.5x25.5x42
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-30CM



Model No:	VT-975-30CM
SKU:	6685
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	35.5x35.5x43
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-30CM



Model No:	VT-976-30CM
SKU:	6686
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	35.5x35.5x43
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-50CM

Model No:	VT-976-50CM
SKU:	6687
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	42x35x54.5
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-30CM

Model No:	VT-977-30CM
SKU:	6688
Base:	GU10
Material:	Aluminum
Color:	Black+Gold
Size(mm):	35.5x35.5x43
Cutting Size:	NA
Box Qty:	20

PENDANT BLACK-GU10-50CM

Model No:	VT-977-50CM
SKU:	6689
Base:	GU10
Material:	Aluminum
Color:	Black+Gold
Size(mm):	42x35x54.5
Cutting Size:	NA
Box Qty:	20

PENDANT WHITE-ROSE GOLD BOTTOM



Model No:	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-GUN BLACK BOTTOM



Model No:	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Gun Black
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-CHROME BOTTOM



Model No:	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

PENDANT METAL-GUN BLACK BOTTOM



Model No:	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Color:	White+Gun Black
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-CHROME BOTTOM



Model No:	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

PENDANT METAL-MATT ROSE GOLD BOTTOM



Model No:	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	ø80x250
Cutting Size:	N/A
Box Qty:	9

NEW CEILING FITTING-GU10



Model No:	VT-7900-B
SKU:	7573
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	60x80x1170
Cutting Size:	NA
Box Qty:	20

NEW CEILING FITTING-GU10



Model No:	VT-7900-W
SKU:	7574
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x80x1170
Cutting Size:	NA
Box Qty:	20

CEILING FITTING-GU10

Model No:	VT-788
SKU:	3617
Base:	1XGU10
Material:	Aluminium
Color:	White
Size(mm):	140x75x138
Cutting Size:	NA
Box Qty:	20

CEILING FITTING-GU10

Model No:	VT-789
SKU:	3618
Base:	2XGU10
Material:	Aluminium
Color:	White
Size(mm):	230x75x138
Cutting Size:	NA
Box Qty:	20

CEILING FITTING-GU10

Model No:	VT-790
SKU:	3619
Base:	3XGU10
Material:	Aluminium
Color:	White
Size(mm):	390x75x138
Cutting Size:	NA
Box Qty:	10

CEILING/WALL FITTING-GU10



Model No:	VT-823
SKU:	7980
Base:	1XGU10
Material:	PC
Color:	White
Size(mm):	120×144.8
Cutting Size:	NA
Box Qty:	50

CEILING/WALL FITTING-GU10



Model No:	VT-897
SKU:	7981
Base:	2XGU10
Material:	PC
Color:	White
Size(mm):	120×144.8
Cutting Size:	NA
Box Qty:	50

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

CEILING/WALL FITTING-GU10



Model No:	VT-899
SKU:	7982
Base:	3XGU10
Material:	PC
Color:	White
Size(mm):	145×144.8
Cutting Size:	NA
Box Qty:	20

NEW WALL FITTING-GU10



Model No:	VT-429-B
SKU:	10294
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	55x150x160
Cutting Size:	NA
Box Qty:	50

NEW WALL FITTING-GU10



Model No:	VT-429-W
SKU:	10295
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	55x150x160
Cutting Size:	NA
Box Qty:	50

SURFACE METAL-GUN BLACK BOTTOM

Model No:	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Color:	White+Gun Black
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-MATT ROSE GOLD BOTTOM

Model No:	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-CHROME BOTTOM



Model No:	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-GUN BLACK BOTTOM



Model No:	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Gun Black
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-MATT ROSE GOLD BOTTOM



Model No:	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE METAL-CHROME BOTTOM



Model No:	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø80x200
Cutting Size:	N/A
Box Qty:	9

SURFACE FITTINGS GU10

Model No:	VT-978-W
SKU:	6690
Base:	GU10
Material:	Iron
Color:	White
Size(mm):	26.5x22.5x55
Cutting Size:	N/A
Box Qty:	20

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

SURFACE FITTINGS GU10

Model No:	VT-978-B
SKU:	6691
Base:	GU10
Material:	Iron
Color:	Black
Size(mm):	26.5x22.5x55
Cutting Size:	N/A
Box Qty:	20

SURFACE FITTINGS GU10

Model No:	VT-979-W
SKU:	6692
Base:	GU10
Material:	Iron
Color:	White
Size(mm):	27.5x22.5x55
Cutting Size:	N/A
Box Qty:	20

SURFACE FITTINGS GU10

Model No:	VT-979-B
SKU:	6693
Base:	GU10
Material:	Iron
Color:	Black
Size(mm):	27.5x22.5x55
Cutting Size:	N/A
Box Qty:	20

RECESSED FITTING GU10



Model No:	VT-920-W
SKU:	6632
Base:	GU10
Material:	PC
Color:	White
Size(mm):	88x40
Cutting Size:	80
Box Qty:	50

RECESSED FITTING GU10

Model No:	VT-920-B
SKU:	6633
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	88x40
Cutting Size:	80
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-925-W
SKU:	6636
Base:	GU10
Material:	PC
Color:	White
Size(mm):	93x55
Cutting Size:	83
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-925-B
SKU:	6637
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	93x55
Cutting Size:	83
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-929-W
SKU:	6640
Base:	GU10
Material:	PC
Color:	White
Size(mm):	81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-929-B
SKU:	6641
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-921-W
SKU:	6634
Base:	GU10
Material:	PC
Color:	White
Size(mm):	88x88x40
Cutting Size:	80
Box Qty:	50

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

RECESSED FITTING GU10



Model No:	VT-921-B
SKU:	6635
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	88x88x40
Cutting Size:	80
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-927-W
SKU:	6638
Base:	GU10
Material:	PC
Color:	White
Size(mm):	93x93x55
Cutting Size:	83x83
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-927-B
SKU:	6639
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	93x93x55
Cutting Size:	83x83
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-930-W
SKU:	6642
Base:	GU10
Material:	PC
Color:	White
Size(mm):	81x81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-930-B
SKU:	6643
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	81x81x40
Cutting Size:	63
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-931-W
SKU:	6644
Base:	GU10
Material:	PC
Color:	White+White
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-931-WB
SKU:	6645
Base:	GU10
Material:	PC
Color:	White+Black
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-931-B
SKU:	6646
Base:	GU10
Material:	PC
Color:	Black+Black
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-931-WC
SKU:	6647
Base:	GU10
Material:	PC
Color:	White+Chrome
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-931-WG
SKU:	6648
Base:	GU10
Material:	PC
Color:	White+Gold
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING GU10



Model No:	VT-931-WRG
SKU:	6649
Base:	GU10
Material:	PC
Color:	White+Rose Gold
Size(mm):	85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-932-WG
SKU:	6654
Base:	GU10
Material:	PC
Color:	White+Gold
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-932-W
SKU:	6650
Base:	GU10
Material:	PC
Color:	White+White
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-932-WRG
SKU:	6655
Base:	GU10
Material:	PC
Color:	White+Rose Gold
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-932-WB
SKU:	6651
Base:	GU10
Material:	PC
Color:	White+Black
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-933-W
SKU:	6656
Base:	GU10
Material:	PC
Color:	White
Size(mm):	102x102x42
Cutting Size:	95x95
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-932-B
SKU:	6652
Base:	GU10
Material:	PC
Color:	Black+Black
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-933-B
SKU:	6657
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	102x102x42
Cutting Size:	95x95
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-932-WC
SKU:	6653
Base:	GU10
Material:	PC
Color:	White+Chrome
Size(mm):	85x85x40
Cutting Size:	72
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-934-W
SKU:	6658
Base:	GU10
Material:	PC
Color:	White
Size(mm):	102x42
Cutting Size:	85
Box Qty:	50

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

RECESSED FITTING GU10



Model No:	VT-934-B
SKU:	6659
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	102x42
Cutting Size:	85
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-980-B
SKU:	6696
Base:	GU10
Material:	Aluminum
Color:	Black+black
Size(mm):	32.5x23.5x50
Cutting Size:	61
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-974-W
SKU:	6682
Base:	GU10
Material:	Aluminum
Color:	White
Size(mm):	42.5x17.5x35
Cutting Size:	61
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-980-GB
SKU:	6697
Base:	GU10
Material:	Aluminum
Color:	Golden+Black
Size(mm):	32.5x23.5x50
Cutting Size:	61
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-974-B
SKU:	6683
Base:	GU10
Material:	Aluminum
Color:	Black
Size(mm):	42.5x17.5x35
Cutting Size:	61
Box Qty:	50

CONCRETE WALL FITTING



Model No:	VT-891D
SKU:	8690
Base:	G9
Material:	Concrete
Color:	Dark Grey
Size(mm):	150x130x130
Cutting Size:	N/A
Box Qty:	12

RECESSED FITTING GU10



Model No:	VT-980-WB
SKU:	6694
Base:	GU10
Material:	Aluminum
Color:	White+black
Size(mm):	32.5x23.5x50
Cutting Size:	61
Box Qty:	50

CONCRETE WALL FITTING



Model No:	VT-891L
SKU:	8691
Base:	G9
Material:	Concrete
Color:	Light Grey
Size(mm):	150x130x130
Cutting Size:	N/A
Box Qty:	12

RECESSED FITTING GU10



Model No:	VT-980-BW
SKU:	6695
Base:	GU10
Material:	Aluminum
Color:	Black+white
Size(mm):	32.5x23.5x50
Cutting Size:	61
Box Qty:	50

CONCRETE WALL FITTING



Model No:	VT-892D
SKU:	8692
Base:	G9
Material:	Concrete
Color:	Dark Grey
Size(mm):	120x100x120
Cutting Size:	N/A
Box Qty:	12

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

CONCRETE WALL FITTING

Model No:	VT-892L
SKU:	8693
Base:	G9
Material:	Concrete
Color:	Light Grey
Size(mm):	120x100x120
Cutting Size:	N/A
Box Qty:	12

CONCRETE WALL FITTING

Model No:	VT-893D
SKU:	8694
Base:	G9
Material:	Concrete
Color:	Dark Grey
Size(mm):	120x100x240
Cutting Size:	N/A
Box Qty:	6

CONCRETE WALL FITTING

Model No:	VT-893L
SKU:	8695
Base:	G9
Material:	Concrete
Color:	Light Grey
Size(mm):	120x100x240
Cutting Size:	N/A
Box Qty:	6

CONCRETE WALL FITTING

Model No:	VT-894D
SKU:	8696
Base:	GU10
Material:	Concrete
Color:	Dark Grey
Size(mm):	120x140x235
Cutting Size:	N/A
Box Qty:	6

CONCRETE WALL FITTING

Model No:	VT-894L
SKU:	8697
Base:	GU10
Material:	Concrete
Color:	Light Grey
Size(mm):	120x140x235
Cutting Size:	N/A
Box Qty:	6

NEW SURFACE FITTING GU10



Model No:	VT-1131-W
SKU:	10379
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	65x100mm
Cutting Size:	N/A
Box Qty:	50

NEW SURFACE FITTING GU10



Model No:	VT-1131-B
SKU:	10380
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	65x100mm
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10



Model No:	VT-802-W
SKU:	8944
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	ø70x107
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10



Model No:	VT-802-B
SKU:	8945
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	ø70x107
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10



Model No:	VT-804-W
SKU:	8946
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø59.5×197
Cutting Size:	N/A
Box Qty:	20

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

SURFACE FITTING GU10



Model No:	VT-804-B
SKU:	8947
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	Ø59.5×197
Cutting Size:	N/A
Box Qty:	20

SURFACE FITTING GU10



Model No:	VT-807-W
SKU:	8948
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	60x100
Cutting Size:	N/A
Box Qty:	50

SURFACE FITTING GU10



Model No:	VT-807-B
SKU:	8949
Base:	GU10
Material:	Aluminium
Color:	Black
Size(mm):	60x100
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-883-WB
SKU:	8597
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	83x40.7
Cutting Size:	75x75
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-883-B
SKU:	8598
Base:	GU10
Material:	Aluminium + PC
Color:	Black
Size(mm):	83x40.7
Cutting Size:	75x75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-884-WB
SKU:	8599
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	83x40.7
Cutting Size:	ø75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-884-B
SKU:	8608
Base:	GU10
Material:	Aluminium + PC
Color:	Black+ Black Reflector
Size(mm):	83x40.7
Cutting Size:	ø75
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-886
SKU:	8877
Base:	2xGU10
Material:	Aluminium
Color:	White+Black
Size(mm):	185x100x45
Cutting Size:	175x85
Box Qty:	20

RECESSED FITTING SQUARE-GU10



Model No:	VT-887
SKU:	8878
Base:	3xGU10
Material:	Aluminium
Color:	White+Black
Size(mm):	270x100x45
Cutting Size:	256x85
Box Qty:	20

RECESSED CHROME REFLECTOR FITTING ROUND-GU10



Model No:	VT-889
SKU:	8879
Base:	GU10
Material:	Aluminium
Color:	White+Chrome Reflector
Size(mm):	ø140x50
Cutting Size:	ø85/90
Box Qty:	50

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED CHROME REFLECTOR FITTING SQUARE-GU10



Model No:	VT-890
SKU:	8880
Base:	GU10
Material:	Aluminium
Color:	White+Chrome Reflector
Size(mm):	128x75x55
Cutting Size:	79/85x75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

NEW RECESSED FITTING ROUND-GU10



Model No:	VT-438-W
SKU:	10296
Base:	GU10
Material:	Iron+PC
Color:	White+White
Size(mm):	87.50x31
Cutting Size:	75
Box Qty:	100

RECESSED FITTING ROUND-GU10



Model No:	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

NEW RECESSED FITTING ROUND-GU10



Model No:	VT-981-W
SKU:	6698
Base:	GU10
Material:	PC
Color:	White
Size(mm):	92.5x33
Cutting Size:	70
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

NEW RECESSED FITTING ROUND-GU10



Model No:	VT-981-B
SKU:	6699
Base:	GU10
Material:	PC
Color:	Black
Size(mm):	92.5x33
Cutting Size:	70
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	79x32
Cutting Size:	72
Box Qty:	50

NEW FITTING ROUND-GU10



Model No:	VT-981-SN
SKU:	6700
Base:	GU10
Material:	PC
Color:	Satin Nickel
Size(mm):	92.5x33
Cutting Size:	70
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-873
SKU:	8595
Base:	GU10
Material:	Aluminium + PC
Color:	Black+ Black Reflector
Size(mm):	ø83x40.7
Cutting Size:	ø75
Box Qty:	50

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

RECESSED FITTING ROUND-GU10



Model No:	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-873-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	80x42
Cutting Size:	75
Box Qty:	50

RECESSED FITTING ROUND-GU10



Model No:	VT-874
SKU:	8596
Base:	GU10
Material:	Aluminium + PC
Color:	Black+ Black Reflector
Size(mm):	ø83x40.7
Cutting Size:	ø75
Box Qty:	50

NEW RECESSED FITTING ROUND-GU10



Model No:	VT-443-W
SKU:	10297
Base:	GU10
Material:	Iron+PC
Color:	White+White
Size(mm):	88x88x30
Cutting Size:	75x75
Box Qty:	100

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING SQUARE-GU10



Model No:	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Color:	White+Black
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	85x85x32
Cutting Size:	75
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Color:	White+Gold
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Color:	White
Size(mm):	142x100x100
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Color:	White+Rose Gold
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Color:	Black
Size(mm):	100x100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Color:	White+Chrome
Size(mm):	85x85x62
Cutting Size:	80x80
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Color:	Satin Nickel
Size(mm):	100x100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	85x32
Cutting Size:	75
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Color:	White
Size(mm):	Ø100x142
Cutting Size:	N/A
Box Qty:	50

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

RECESSED FITTING SQUARE-GU10



Model No:	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Color:	Black
Size(mm):	Ø100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING SQUARE-GU10



Model No:	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Color:	Satin Nickel
Size(mm):	Ø100x142
Cutting Size:	N/A
Box Qty:	50

RECESSED GX53-FITTING



Model No:	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Color:	White
Size(mm):	Ø105x40
Cutting Size:	90
Box Qty:	50

RECESSED GX53-FITTING



Model No:	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Color:	Gold
Size(mm):	Ø105x40
Cutting Size:	90
Box Qty:	50

RECESSED GX53-FITTING



Model No:	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Color:	Chrome
Size(mm):	Ø105x40
Cutting Size:	90
Box Qty:	50

FITTING-SQUARE-GU10

Model No:	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	70x70x75
Cutting Size:	N/A
Box Qty:	36

FITTING-ROUND-GU10



Model No:	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø70x75
Cutting Size:	N/A
Box Qty:	36

FITTING-SQUARE-GU10

Model No:	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	75x75x75
Cutting Size:	N/A
Box Qty:	36

FITTING-ROUND-GU10



Model No:	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø75x75
Cutting Size:	N/A
Box Qty:	36

RECESSED FITTING-SQUARE-GU10

Model No:	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	215x120x60
Cutting Size:	218x123
Box Qty:	20

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING-SQUARE-GU10



Model No:	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x50
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-ROUND-GU10



Model No:	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø120x40
Cutting Size:	Ø123
Box Qty:	24

RECESSED FITTING-ROUND-GU10

Model No:	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø140x40
Cutting Size:	Ø140
Box Qty:	20

RECESSED FITTING-SQUARE-GU10



Model No:	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x50
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-SQUARE-GU10

Model No:	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	100x100x30
Cutting Size:	103x103
Box Qty:	30

RECESSED FITTING-ROUND-GU10

Model No:	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø132x74
Cutting Size:	Ø132
Box Qty:	20

RECESSED FITTING-ROUND-GU10

Model No:	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø100x30
Cutting Size:	Ø103
Box Qty:	20

RECESSED FITTING-SQUARE-GU10



Model No:	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x45
Cutting Size:	123x123
Box Qty:	24

RECESSED FITTING-SQUARE-GU10



Model No:	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	132x132x74
Cutting Size:	135x135
Box Qty:	20

RECESSED FITTING-SQUARE-GU10-FROST GLASS



Model No:	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	120x120x60
Cutting Size:	123x123
Box Qty:	24

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

RECESSED FITTING-ROUND-GU10-FROST GLASS

Model No:	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	Ø120x60
Cutting Size:	Ø123
Box Qty:	24

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-817-SN-SQ
SKU:	8942
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	82x82x27
Cutting Size:	70x70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-817-W-RD
SKU:	8938
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø93x27
Cutting Size:	Ø70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-817-CH-SQ
SKU:	8943
Base:	GU10
Material:	Ferrum
Color:	Chrome
Size(mm):	82x82x27
Cutting Size:	70x70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-817-SN-RD
SKU:	8939
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø93x27
Cutting Size:	Ø70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø80x30
Cutting Size:	Ø65
Box Qty:	200

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-817-CH-RD
SKU:	8940
Base:	GU10
Material:	Ferrum
Color:	Chrome
Size(mm):	Ø93x27
Cutting Size:	Ø70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø80x30
Cutting Size:	Ø65
Box Qty:	200

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-817-W-SQ
SKU:	8941
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	82x82x27
Cutting Size:	70x70
Box Qty:	100

RECESSED FITTING-ROUND-GU10-2PCS PACK



2 PCS PACK

Model No:	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Color:	Chrome
Size(mm):	Ø80x30
Cutting Size:	Ø65
Box Qty:	200

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING-ROUND-GU10-CHANGING ANGLE



Model No:	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø100x45
Cutting Size:	Ø90
Box Qty:	100

RECESSED FITTING-ROUND-GU10-CHANGING ANGLE



Model No:	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø100x45
Cutting Size:	Ø90
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø81x34
Cutting Size:	Ø73
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Color:	Satin Nickel
Size(mm):	Ø81x34
Cutting Size:	Ø73
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Color:	Metallic Grey
Size(mm):	Ø81x34
Cutting Size:	Ø73
Box Qty:	100

RECESSED FITTING-ROUND-GU10

TWIST TO OPEN

Model No:	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø95x32
Cutting Size:	Ø85
Box Qty:	100

RECESSED FITTING-ROUND-GU10



TWIST TO OPEN

Model No:	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Color:	Satin Nickel
Size(mm):	Ø95x32
Cutting Size:	Ø85
Box Qty:	100

RECESSED FITTING-ROUND-GU10



TWIST TO OPEN

Model No:	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Color:	Metallic Grey
Size(mm):	Ø95x32
Cutting Size:	Ø85
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø91x25
Cutting Size:	Ø75
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	Ø91x25
Cutting Size:	Ø75
Box Qty:	100

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

RECESSED FITTING GU10



Model No:	VT-782RD-B
SKU:	8936
Base:	1XGU10
Material:	Aluminium
Color:	Black
Size(mm):	Ø91x25
Cutting Size:	Ø75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	173x91x25
Cutting Size:	155x75
Box Qty:	50

RECESSED FITTING GU10



Model No:	VT-782SQ-B
SKU:	8937
Base:	1XGU10
Material:	Aluminium
Color:	Black
Size(mm):	91x91x25
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Color:	White
Size(mm):	255x91x25
Cutting Size:	235x75
Box Qty:	50

RECESSED FITTING-SQUARE-GU10



Model No:	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Color:	White
Size(mm):	91x91x25
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	255x91x25
Cutting Size:	235x75
Box Qty:	50

RECESSED FITTING-SQUARE-GU10



Model No:	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Color:	Aluminium Brush
Size(mm):	91x91x25
Cutting Size:	75x75
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	Ø99x30.8
Cutting Size:	Ø74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Color:	White
Size(mm):	173x91x25
Cutting Size:	155x75
Box Qty:	50

RECESSED FITTING-ROUND-GU10



Model No:	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	Ø99x30.8
Cutting Size:	Ø74
Box Qty:	100

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING-ROUND-GU10



Model No:	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Color:	Stainless Steel
Size(mm):	Ø99x30.8
Cutting Size:	Ø74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Color:	Stainless Steel
Size(mm):	99x99x30.8
Cutting Size:	74x74
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	88x38
Cutting Size:	Ø75
Box Qty:	100

FITTING-ROUND-GU10



Model No:	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	White
Size(mm):	82x101
Cutting Size:	N/A
Box Qty:	50

RECESSED FITTING-ROUND-GU10



Model No:	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	88x38
Cutting Size:	Ø75
Box Qty:	100

ZOOM FITTING-SPOTLIGHT



Model No:	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Color:	White
Size(mm):	Ø102x46
Cutting Size:	93
Box Qty:	50

RECESSED FITTING-SQUARE-GU10



Model No:	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Color:	White
Size(mm):	99x99x30.8
Cutting Size:	74x74
Box Qty:	100

ZOOM FITTING-SPOTLIGHT



Model No:	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Color:	Satin Nickel
Size(mm):	Ø102x46
Cutting Size:	93
Box Qty:	50

RECESSED FITTING-SQUARE-GU10



Model No:	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Color:	Satin Nickel
Size(mm):	99x99x30.8
Cutting Size:	74x74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



IP54 RATING

Model No:	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	White
Size(mm):	84x38
Cutting Size:	75
Box Qty:	100

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

RECESSED FITTING-ROUND-GU10



IP54 RATING

Model No:	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	Satin Nickel
Size(mm):	84x38
Cutting Size:	75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Color:	White
Size(mm):	100x100x38
Cutting Size:	90x90
Box Qty:	100

RECESSED FITTING-SQUARE-GU10





IP54 RATING

Model No:	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	White
Size(mm):	84x84x38
Cutting Size:	75
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Color:	Satin Nickel
Size(mm):	100x100x38
Cutting Size:	90x90
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



IP54 RATING

Model No:	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Color:	Satin Nickel
Size(mm):	84x84x38
Cutting Size:	75
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Color:	White
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Color:	White
Size(mm):	100x45
Cutting Size:	90
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Color:	Satin Nickel
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Color:	Satin Nickel
Size(mm):	100x45
Cutting Size:	90
Box Qty:	100

RECESSED FITTING GU10



Model No:	VT-779-BL
SKU:	8955
Base:	GU10
Material:	Zinc alloy
Color:	Black
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED FITTING-ROUND-GU10



Model No:	VT-779-B
SKU:	8580
Base:	GU10
Material:	Zinc alloy
Color:	Bronze
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Color:	Chrome
Size(mm):	82x82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-779-G
SKU:	8579
Base:	GU10
Material:	Zinc alloy
Color:	Gold
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-779-SB
SKU:	8582
Base:	GU10
Material:	Zinc alloy
Color:	Bronze
Size(mm):	82x82x22
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-ROUND-GU10



Model No:	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Color:	Chrome
Size(mm):	82x25
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-779-SG
SKU:	8581
Base:	GU10
Material:	Zinc alloy
Color:	Gold
Size(mm):	82x82x22
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10



Model No:	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Color:	White
Size(mm):	82x82x22
Cutting Size:	74
Box Qty:	100

RECESSED FITTING-SQUARE-GU10

Model No:	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Color:	White
Size(mm):	70x90x95
Cutting Size:	N/A
Box Qty:	24

RECESSED FITTING-SQUARE-GU10



Model No:	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Color:	Satin Nickel
Size(mm):	82x82x25
Cutting Size:	74
Box Qty:	100

FITTING-SQUARE-G9



Model No:	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Color:	White
Size(mm):	70x100x100
Cutting Size:	N/A
Box Qty:	24

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

RECESSED FITTING-SQUARE-GU10



Model No:	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	100x100x40
Cutting Size:	103x103
Box Qty:	40

RECESSED FITTING-SQUARE-GU10

Model No:	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Color:	White
Size(mm):	ø100x40
Cutting Size:	ø103
Box Qty:	40

SQUARE METAL-GUN BLACK BOTTOM

Model No:	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Color:	White+Gun Black
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SQUARE METAL-MATT ROSE GOLD BOTTOM

Model No:	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SQUARE METAL-CHROME BOTTOM

Model No:	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SQUARE METAL-GUN BLACK BOTTOM

Model No:	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Gun Black
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SQUARE METAL-MATT ROSE GOLD BOTTOM



Model No:	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SQUARE METAL-CHROME BOTTOM



Model No:	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	100x100x130
Cutting Size:	N/A
Box Qty:	12

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-SQ-BG
SKU:	8956
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Gold
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-SQ-BRG
SKU:	8993
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Rose Gold
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-SQ-BC
SKU:	8994
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Chrome
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10

Model No:	VT-882-RD-B
SKU:	8999
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Black
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-SQ-B
SKU:	8995
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Black
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-B
SKU:	8584
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10



Model No:	VT-882-RD-BG
SKU:	8996
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Gold
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-C
SKU:	8585
Base:	GU10
Material:	Aluminium + PC
Color:	White+Chrome Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10



Model No:	VT-882-RD-BRG
SKU:	8997
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Rose Gold
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-G
SKU:	8586
Base:	GU10
Material:	Aluminium + PC
Color:	White+Gold Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10

Model No:	VT-882-RD-BC
SKU:	8998
Base:	GU10
Material:	Aluminium + PC
Color:	Black+Chrome
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-SRG
SKU:	8587
Base:	GU10
Material:	Aluminium + PC
Color:	White+Rose gold Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

SURFACE FITTING SQUARE-GU10



Model No:	VT-882-SW
SKU:	8583
Base:	GU10
Material:	Aluminium + PC
Color:	White+White Reflector
Size(mm):	74x74x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10

Model No:	VT-882-RW
SKU:	8588
Base:	GU10
Material:	Aluminium + PC
Color:	White+White Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

SURFACE FITTING ROUND-GU10



Model No:	VT-882-RB
SKU:	8589
Base:	GU10
Material:	Aluminium + PC
Color:	White+Black Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE

Model No:	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

SURFACE FITTING ROUND-GU10



Model No:	VT-882-RC
SKU:	8590
Base:	GU10
Material:	Aluminium + PC
Color:	White+Chrome Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE

Model No:	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

SURFACE FITTING ROUND-GU10



Model No:	VT-882-RG
SKU:	8591
Base:	GU10
Material:	Aluminium + PC
Color:	White+Gold Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

RECESSED-CHROME BOTTOM-SQUARE



Model No:	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

SURFACE FITTING ROUND-GU10

Model No:	VT-882-RRG
SKU:	8592
Base:	GU10
Material:	Aluminium + PC
Color:	White+Rose gold Reflector
Size(mm):	ø80x140
Cutting Size:	NA
Box Qty:	50

RECESSED-CHROME BOTTOM-SQUARE

Model No:	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

V-TAC Meaningful Innovation.

SPOTLIGHT FITTINGS

03 YEAR WARRANTY

RECESSED-MATT ROSE GOLD BOTTOM-SQUARE

Model No:	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Matt Rose Gold
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-ROUND

Model No:	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Chrome
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-SQUARE



Model No:	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Chrome
Size(mm):	100x100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-ROUND

Model No:	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND

Model No:	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-CHROME BOTTOM-ROUND

Model No:	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Chrome
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

RECESSED-MATT ROSE GOLD BOTTOM-ROUND

Model No:	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Color:	Grey+Matt Rose Gold
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

CEILING MOVABLE-WHITE BOTTOM-SQUARE

Model No:	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Color:	White
Size(mm):	200x200
Cutting Size:	206x206
Box Qty:	12

RECESSED-MATT ROSE GOLD BOTTOM-ROUND

Model No:	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Color:	Off White+Matt Rose Gold
Size(mm):	ø100x40
Cutting Size:	ø80
Box Qty:	24

FITTING-RECESSED-BLACK METAL-ROUND

Model No:	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Color:	White+Black
Size(mm):	ø100
Cutting Size:	ø103
Box Qty:	30

03 YEAR WARRANTY

SPOTLIGHT FITTINGS

V-TAC Meaningful Innovation.

FITTING-RECESSED-CHROME METAL-ROUND

Model No:	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø100
Cutting Size:	ø103
Box Qty:	30

FITTING-RECESSED-MATT ROSE GOLD METAL-ROUND

Model No:	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø100
Cutting Size:	ø103
Box Qty:	30

FITTING-RECESSED-BLCAK METAL-SQUARE

Model No:	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Color:	White+Black
Size(mm):	ø100x100
Cutting Size:	103x103
Box Qty:	30

FITTING-RECESSED-CHROME METAL-SQUARE

Model No:	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Color:	White+Chrome
Size(mm):	ø100x100
Cutting Size:	103x103
Box Qty:	30

FITTING-RECESSED-MATT ROSE GOLD-SQUARE



Model No:	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Color:	White+Matt Rose Gold
Size(mm):	ø100x100
Cutting Size:	103x103
Box Qty:	30

FITTING-RECESSED-SQUARE

Model No:	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Color:	White
Size(mm):	ø120x120
Cutting Size:	125x125
Box Qty:	24

FITTING-RECESSED-ROUND

Model No:	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Color:	White
Size(mm):	ø120
Cutting Size:	ø125
Box Qty:	24

GU10-HOLDER-PVC CABLE

5 PCS PACK



Model No:	PVC Cable-5pc
SKU:	34235
Base:	GU10
Material:	Ceramic
Color:	White
Size(mm):	150
Cutting Size:	NA
Box Qty:	100

GU10-HOLDER-PVC CABLE

Model No:	PVC Cable
SKU:	3423
Base:	GU10
Material:	Ceramic
Color:	White
Size(mm):	150
Cutting Size:	NA
Box Qty:	500

GU10 SILICON WIRE-5PCS PACK

5 PCS PACK

Model No:	VT-791
SKU:	36205
Base:	GU10
Material:	Aluminium Ceramic
Color:	White
Size(mm):	158
Cutting Size:	NA
Box Qty:	500

GU10 SILICON WIRE

Model No:	VT-791-W
SKU:	3620
Base:	GU10
Material:	Aluminium Ceramic
Color:	White
Size(mm):	158
Cutting Size:	NA
Box Qty:	500

V-TAC

Meaningful Innovation.

LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens, and buildings. These energy-efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Key Features

- Available from 10w up to 100w
- Premium quality aluminum alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof /airtight performance
- High power LED chip
- Built-in constant current driver
- Built-in power supply, no external ballast required

02 YEAR WARRANTY

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

ECONOMICAL SERIES-BLACK

Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70

IP65 RATING

HIGH QUALITY ECONOMICAL SERIES



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6727 - 3000K WARM WHITE 6728 - 4000K DAY WHITE 6729 - 6400K WHITE	VT-4914-B	10W	750	90x86x27	60
6737 - 3000K WARM WHITE 6738 - 4000K DAY WHITE 6739 - 6400K WHITE	VT-4924-B	20W	1650	120x105x27	40
6743 - 3000K WARM WHITE 6744 - 4000K DAY WHITE 6745 - 6400K WHITE	VT-4934-B	30W	2510	150x122x27	20
6749 - 3000K WARM WHITE 6750 - 4000K DAY WHITE 6751 - 6400K WHITE	VT-4954-B	50W	4300	180x150x27	20
6721 - 3000K WARM WHITE 6722 - 4000K DAY WHITE 6723 - 6400K WHITE	VT-49104-B	100W	8700	270x222x27	10
6733 - 4000K DAY WHITE 6734 - 6400K WHITE	VT-49204-B	200W	17600	400x333x32.5	5

ECONOMICAL SERIES-WHITE

Voltage/Frequency	AC:220-240V, 50/60Hz
PF	>0.9
CRI	>70

IP65 RATING

HIGH QUALITY ECONOMICAL SERIES



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6730 - 3000K WARM WHITE 6731 - 4000K DAY WHITE 6732 - 6400K WHITE	VT-4914-W	10W	750	90x86x27	60
6740 - 3000K WARM WHITE 6741 - 4000K DAY WHITE 6742 - 6400K WHITE	VT-4924-W	20W	1650	120x105x27	40
6746 - 3000K WARM WHITE 6747 - 4000K DAY WHITE 6748 - 6400K WHITE	VT-4934-W	30W	2510	150x122x27	20
6752 - 3000K WARM WHITE 6753 - 4000K DAY WHITE 6754 - 6400K WHITE	VT-4954-W	50W	4300	180x150x27	20
6724 - 3000K WARM WHITE 6725 - 4000K DAY WHITE 6726 - 6400K WHITE	VT-49104-W	100W	8700	270x222x27	10
6735 - 4000K DAY WHITE 6736 - 6400K WHITE	VT-49204-W	200W	17600	400x333x32.5	5

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

02 YEAR WARRANTY

NEW

SUPER HIGH POWER FLOODLIGHTS-1M CABLE

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING

135 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23089 - 4000K DAY WHITE 97212 - 6500K WHITE	VT-48500	500W	67500	530x65x523	Pcs



E SERIES-WHITE

Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>70

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5949 - 3000K WARM WHITE 5950 - 4000K DAY WHITE	VT-4021W	20W	1700	150x143x26	20
215949 - 3000K WARM WHITE 215950 - 4000K DAY WHITE 215951 - 6500K WHITE	VT-4021W-N	20W	1620	121x114x26	20
5956 - 4000K DAY WHITE 5957 - 6500K WHITE	VT-4031W	30W	2550	185x163x26	20
215955 - 3000K WARM WHITE 215956 - 4000K DAY WHITE 215957 - 6500K WHITE	VT-4031W-N	30W	2510	153x132x27	20
5961 - 3000K WARM WHITE	VT-4051W	50W	4250	245x192x28	10
215961 - 3000K WARM WHITE 215962 - 4000K DAY WHITE 215963 - 6500K WHITE	VT-4051W-N	50W	4300	198x167x28	10
5967 - 3000K WARM WHITE 5968 - 4000K DAY WHITE 5969 - 6500K WHITE	VT-40101W	100W	8500	330x271x33	5
215967 - 3000K WARM WHITE 215968 - 4000K DAY WHITE 215969 - 6500K WHITE	VT-40101W-N	100W	8700	261x217x32	10

02 YEAR WARRANTY

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

E SERIES-BLACK

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5946 - 3000K WARM WHITE 5947 - 4000K DAY WHITE 5948 - 6500K WHITE	VT-4021B	20W	1700	150x143x26	20
215946 - 3000K WARM WHITE 215947 - 4000K DAY WHITE 215948 - 6500K WHITE	VT-4021B-N	20W	1620	121x114x26	20
5952 - 3000K WARM WHITE 5954 - 6500K WHITE	VT-4031B	30W	2550	185x163x26	20
215952 - 3000K WARM WHITE 215953 - 4000K DAY WHITE 215954 - 6500K WHITE	VT-4031B-N	30W	2510	153x132x27	20
5958 - 3000K WARM WHITE 5959 - 4000K DAY WHITE	VT-4051B	50W	4250	245x192x28	10
215958 - 3000K WARM WHITE 215959 - 4000K DAY WHITE 215960 - 6500K WHITE	VT-4051B-N	50W	4300	198x167x28	10
5965 - 4000K DAY WHITE	VT-40101B	100W	8500	330x271x33	5
215964 - 3000K WARM WHITE 215965 - 4000K DAY WHITE 215966 - 6500K WHITE	VT-40101B-N	100W	8700	261x217x32	10

COLOR FLOODLIGHTS

Voltage/Frequency	AC:220-240V,50Hz
PF	>0.9
CRI	>70

IP65 RATING

RED GREEN BLUE



SKU	Model	Watts	Size(mm)	Box Qty
5988 - GREEN 5989 - RED	VT-4011	10W	110x112x22	40
5991 - GREEN 5992 - RED 5993 - BLUE	VT-4021	20W	150x143x26	20

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

02 YEAR WARRANTY

FLOODLIGHT-REMOTE CONTROL-RGB

Voltage/Frequency	AC:200-240V
PF	>0.9

IP65 RATING

RGB



SKU	Model	Watts	Size(mm)	Box Qty
5995 - RGB	VT-4932	30W	185x163x26	20
5996 - RGB	VT-4952	50W	245x192x28	10

SMART SERIES FLOODLIGHTS

Voltage/Frequency	AC:220-240V
PF	>0.9
CRI	>80

IP65 RATING

CCT AND DIMMING VIA SMART PHONE APP

V-TAC SMART



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5984 - RGB+W/WW/DW	VT-5020-White	20W	1400	141.6x126.3x42.7	20
5985 - RGB+W/WW/DW	VT-5020-Black	20W	1400	141.x126.36x42.7	20

02 YEAR WARRANTY

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 /MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm180°

PIR SENSOR-WI-FI-CAMERA

IP20 RATING | Wi Fi | CAMERA | PIR MOTION SENSOR | V-TAC SMART



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5745 - 6000K WHITE	VT-4818-White	18W	600	248x 162x 181	4

- Detection Distance: 0-12M
- Detection Angle: 180°
- Video Compression: H.264 /MJPEG dual video stream
- Image Resolution: 1280*720
- Image sensor: 1/4 " 1Megapixel CMOS
- Pixels: 1 million pixels
- Delay Time: 0-30S
- AC:100-240V,50/60Hz
- PF: >0.5
- CRI: >70
- 180° Beam Angle
- 248x162x181mm180°

PIR SENSOR-WI-FI-CAMERA

IP20 RATING | Wi Fi | CAMERA | PIR MOTION SENSOR | V-TAC SMART



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5917 - 6000K WHITE	VT-4818-Black	18W	600	248x162x181	4

V-TAC Meaningful Innovation.

LED FLOODLIGHTS

02 YEAR WARRANTY

WATERPROOF BOX TERMINAL BLOCK

IP66 RATING

Model No:	VT-881	Cable Diameter:	5-9mm
SKU:	5987	Ampere:	24A
Wire Range :	0.5~2.5mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	150

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-868-w	Cable Diameter:	5-9mm
SKU:	5986	Ampere:	16A
Wire Range :	0.5~1.5mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	1000

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-868	Cable Diameter:	5-9mm
SKU:	5977	Ampere:	16A
Wire Range :	0.5~1.5mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	1000

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-869-B	Cable Diameter:	8-12mm
SKU:	5978	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	200

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-869-W	Cable Diameter:	8-12mm
SKU:	5979	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	200

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-870-B	Cable Diameter:	8-12mm
SKU:	5980	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-870-W	Cable Diameter:	8-12mm
SKU:	5981	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-871-B	Cable Diameter:	8-12mm
SKU:	5982	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION



Model No:	VT-871-W	Cable Diameter:	8-12mm
SKU:	5983	Ampere:	24A
Wire Range :	0.5~4mm²	Fire Retardant Level:	V2
Voltage:	AC:450V	Box Qty:	100

WATERPROOF BOX TERMINAL BLOCK

IP65 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-7224-B	Material:	Polypropylene (PP)
SKU:	3578	Dimension:	123x46x33
Wire Range :	0.5-2.5mm²	IP Rating:	IP65
Voltage:	AC:250V Max	Box Qty:	160

02 YEAR WARRANTY

LED FLOODLIGHTS

V-TAC Meaningful Innovation.

WATERPROOF BOX TERMINAL BLOCK

IP65 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-7224-W	Material:	Polypropylene (PP)
SKU:	5897	Dimension:	123x46x33
Wire Range :	0.5-2.5mm²	IP Rating:	IP65
Voltage:	AC:250V Max	Box Qty:	240

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-792-B	Material:	Flame Retardant PP
SKU:	3621	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

WATERPROOF BOX TERMINAL BLOCK

IP68 RATING

ULTRAVIOLET PROTECTION

Model No:	VT-792-W	Material:	Flame Retardant PP
SKU:	5896	Dimension:	Ø27x76
Wire Range :	4-6.5mm	IP Rating:	IP68
Voltage:	AC:220V	Box Qty:	500

TRIPOD STAND-YELLOW



SKU	Model	Size(mm)	Box Qty
9104	VT-41150Y	900x940~1800	8

TRIPOD STAND-BLACK



SKU	Model	Size(mm)	Box Qty
9546	VT-41150B	900x940~1800	8

FLOODLIGHT STAND-85X15CM

SKU	Model	Suitable For	Size(mm)	Box Qty
3623	VT-794	10-50w	850x150	4
3622	VT-793	70-200w	870x200	4

FLOODLIGHT SPIKE-GREY

SKU	Model	Suitable For	Size(mm)	Box Qty
7533	VT-854-G	10-50W	Ø35xH150	200
7536	VT-855-G	10-150W	Ø60xH265	100

FLOODLIGHT SPIKE-WHITE

SKU	Model	Suitable For	Size(mm)	Box Qty
7534	VT-854-W	10-50W	Ø35xH150	200
7537	VT-855-W	10-150W	Ø60xH265	100

FLOODLIGHT SPIKE-BLACK

SKU	Model	Suitable For	Size(mm)	Box Qty
7535	VT-854-B	10-50W	Ø35xH150	200
7538	VT-855-B	10-150W	Ø60xH265	100

V-TAC

Meaningful Innovation.

LED Panels

Introducing slim and sleek LED panel lights from V-TAC – experience consistent illumination without hot or cold spots.

Key Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No lead or mercury content – environmentally friendly
- Dimmable options available in selected models

02 YEAR WARRANTY

LED BIG PANELS

V-TAC Meaningful Innovation.

NEW CCT CHANGING BORDERLINE LED PANELS

- AC:220-240V, 50Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRI
- 30,000 hr lifespan

CCT (3000K 4000K 6400K) EASY TOGGLE SWITCH | 3-IN-1 COLOR CHANGING | 05 YEAR WARRANTY

595 mm × 595 mm | LiFud Driver | 100 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10336 - 3IN1	VT-6448CCT	48W	4800	595X595	6

NEW HIGH LUMENS CCT CHANGING BACKLIT LED PANELS

- AC:220-240V, 50Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+TPA(PC) Body
- 30,000 hr lifespan

CCT (3000K 4000K 6400K) EASY TOGGLE SWITCH | 3-IN-1 COLOR CHANGING | 05 YEAR WARRANTY

595 mm × 595 mm × 33 mm | 120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6972 - 3IN1	VT-6436CCT	36W	4320	595x595x33	6

CCT CHANGING BACKLIT LED PANELS

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- FE+PP Body
- 20,000 hr lifespan

CCT (3000K 4000K 6400K) EASY TOGGLE SWITCH | 3-IN-1 COLOR CHANGING

595 mm × 595 mm × 29mm

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
66051 - 3IN1	VT-6240	40W **Single pack**	3200	595x595x29	6
6605 - 3IN1	VT-6240-6	40W **6 pcs pack**	3200	595x595x29	6

V-TAC Meaningful Innovation.

LED BIG PANELS

02 YEAR WARRANTY

NEW HIGH LUMENS BACKLIT LED PANELS

AC:220-240V,50/60Hz

110° Beam Angle

>0.9 PF

>80 CRi

25,000 hr lifespan

120 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10557 - 3000K WARM WHITE 10217 - 4000K DAY WHITE 10219 - 6400K WHITE	VT-60036	36W **Single pack**	4320	595x595x33	10



HIGH LUMENS BACKLIT LED PANELS

AC:220-240V,50/60Hz

110° Beam Angle

>0.9 PF

>80 CRi

30,000 hr lifespan

120 LUMEN/W

05 YEAR WARRANTY



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216706 - 4000K DAY WHITE 216707 - 6500K WHITE	VT-6436	36W **8 pcs pack**	4320	595x595x33	8

NEW HIGH LUMENS LIFUD DRIVER TPA RATED LED PANELS

DC:30-42V

110° Beam Angle

>0.9 PF

>80 CRI

Aluminium+TPA(PC) Body

30,000 hr lifespan

LiFud® Driver

FLICKER FREE

05 YEAR WARRANTY



TP(a) RATED FLAME RESISTANT DIFFUSER

120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6826-TPA - 4000K DAY WHITE 6827-TPA - 6500K WHITE	VT-6242-TPA	36W **Single pack**	4320	595x595x33	6

02 YEAR WARRANTY

LED BIG PANELS

V-TAC Meaningful Innovation.

LED BACKLIT PANELS UGR<19 -TPA RATED

DC:30-42V
110° Beam Angle
>0.9 PF
>80 CRI
Aluminium+PS+PP Body
30,000 hr lifespan

UGR<19 LG7 COMPLIANT
TP(a) RATED FLAME RESISTANT DIFFUSER
05 YEAR WARRANTY



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216777 - 4000K DAY WHITE 216778 - 6000K WHITE	VT-6242U	40W	4000	595x595x33	6



NEW BIG PANELS-60X60-LIFUD DRIVER

DC:33-40V
120° Beam Angle
>0.9 PF
>80 CRI
Aluminium+PS+PP Body
30,000 hr lifespan

LiFud Driver
FLICKER FREE
05 YEAR WARRANTY
120 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
216620 - 4000K DAY WHITE 216621 - 6500K WHITE	VT-6242	40W	4400	595x595x33	6

HIGH CRI>95 LED PANELS

AC:200-240V,50/60Hz
120° Beam Angle
>0.9 PF
>95 CRI
Aluminium+PMMA+PP Body
20,000 hr lifespan

CRI 95



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8086 - 3000K WARM WHITE 8087 - 4000K DAY WHITE 8088 - 6400K WHITE	VT-6245	45W **6 pcs pack**	3600	595x595x14	6

V-TAC Meaningful Innovation.

LED BIG PANELS

02 YEAR WARRANTY

IP65 LED PANELS

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+PMMA+PS Body
- 20,000 hr lifespan

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6603 - 4000K DAY WHITE 6604 - 6400K WHITE	VT-6140	40W **6 pcs pack**	4400	595x595x11	6

LIFUD DRIVER LED PANELS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+PS+PP Body
- 20,000 hr lifespan

LiFUd Driver



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8082 - 4000K DAY WHITE 8081 - 6400K WHITE	VT-6236	36W **Single pack**	3240	595x595x8.5	6



NEW HIGH LUMENS AGT DRIVER LED PANELS-TPA RATED

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium+TPA+PS Body
- 50,000 hr lifespan

AGT Driver

FLICKER FREE

05 YEAR WARRANTY



TP(a) RATED FLAME RESISTANT DIFFUSER

120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
23330-TPA - 3IN1	VT-6242-AGT	28W 32W 36W 40W	28W - 3500 32W - 3840 36W - 4320 40W - 4800	595x595x34	6

02 YEAR WARRANTY

LED BIG PANELS

V-TAC Meaningful Innovation.

NEW SURFACE/RECESSED LED PANELS

AC:220-240V,50/60Hz
110° Beam Angle
>0.9 PF
>80 CRI
FE+PP Body
20,000 hr lifespan

110 LUMEN/W

2 IN 1 RECESSED OR SURFACE



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
638031 - 3000K WARM WHITE 638011 - 4000K DAY WHITE 638021 - 6500K WHITE	VT-6139	36W **Single pack** **110lm/w**	3960	595x595x30	6
64511 - 4000K DAY WHITE	VT-6142-1	40w **6 pcs pack**	3200	595x595x29	6
6451 - 4000K DAY WHITE	VT-6142	40w **6 pcs pack** **100lm/w**	4000	595x595x29	6
6453 - 4000K DAY WHITE 6454 - 6500K WHITE	VT-6170	70w **6 pcs pack**	5950	595x595x29	6

LED PANELS UGR<19

AC:200-240V, 50/60Hz
90° Beam Angle
>0.9 PF
>80 CRI
Aluminium + PMMA + PP Body
25,000 hr lifespan

UGR<19 LG7 COMPLIANT

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2162176 - 4000K DAY WHITE	VT-6069-N	36W **6 pcs pack**	3100	620x620x12.5	6
216221 - 6500K WHITE	VT-6069-N-1	40W **6 pcs pack**	3400	620x620x12.5	6
6674 - 4000K DAY WHITE	VT-6069-1	45w	4830	620x620x9	6
6222 - 3000K WARM WHITE 6221 - 6400K WHITE	VT-6069	45w **6 pcs pack**	3600	620x620x13	6
62206 - 3000K WARM WHITE 62186 - 4000K DAY WHITE 62196 - 6400K WHITE	VT-6068-6	45w **6 pcs pack**	3600	595x595x14	6
6676 - 4000K DAY WHITE	VT-6068-1	45w	4830	595x595x9	6

V-TAC
Meaningful Innovation.

LED BIG PANELS

02 YEAR WARRANTY

HIGH LUMEN LED PANELS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+PMMA+PP Body
- 20,000 hr lifespan

120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6471 - 4000K DAY WHITE	VT-6262	29w **6 pcs pack**	3480	620x620x13	6
6240 - 3000K WARM WHITE 6241 - 4000K DAY WHITE 6242 - 6400K WHITE	VT-6129	29w **Single pack**	3480	595x595x13	6
62406 - 3000K WARM WHITE 62416 - 4000K DAY WHITE 62426 - 6400K WHITE	VT-6129-6	29w **6 pcs pack**	3480	595x595x13	6
2162406 - 3000K WARM WHITE 2162416 - 4500K DAY WHITE 2162426 - 6400K WHITE	VT-6129-6-N	29w	3960	595x595x12.5	6
6675 - 4000K DAY WHITE	VT-6262-1	29w	3480	620x620x9	6
6376 - 3000K WARM WHITE 6238 - 4000K DAY WHITE 6239 - 6400K WHITE	VT-6136	36w **6 pcs pack**	4320	595x595x13	6
216376 - 3000K WARM WHITE	VT-6136-N	32W **6 pcs pack**	4320	595x595x13	6
6236 - 4000K DAY WHITE 6237 - 6400K WHITE	VT-6145	45w **Single pack**	5400	595x595x13	6
216237 - 6400K WHITE	VT-6145-N	40w	5400	595x595x12.5	6
63776 - 3000K WARM WHITE 62366 - 4000K DAY WHITE 62376 - 6400K WHITE	VT-6145-6	45w **6 pcs pack**	5400	595x595x13	6

02 YEAR WARRANTY

LED BIG PANELS

V-TAC Meaningful Innovation.

LED PANELS

- AC:200-240V, 50/60Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRi
- Aluminium + PS + PP Body
- 25,000 hr lifespan

120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2180841 - 4000K DAY WHITE 2180851 - 6500K WHITE	VT-6237-N	32w	3960	595x595x8.5	6
8083 - 3000K WARM WHITE 8084 - 4000K DAY WHITE 8085 - 6400K WHITE	VT-6237	36w **6 pcs pack**	3240	595x595x8.5	6
6673 - 4000K DAY WHITE	VT-6237-1	36w	3820	595x595x9	6
216025 - 6500K WHITE	VT-6060-N	40w	4950	595x595x12.5	6
216671 - 4000K DAY WHITE 216672 - 6500K WHITE	VT-6340-6-N	40w	4950	595x595x8.5	6
60286 - 3000K WARM WHITE 60256 - 6400K WHITE	VT-6060-6	45w **6 pcs pack**	3600	595x595x14	6
2160286 - 3000K WARM WHITE 2160246 - 4000K DAY WHITE 2160256 - 6500K WHITE	VT-6060-6-N	40w	4950	595x595x12.5	6



RECTANGLE LED PANELS

- AC:220-240V,50Hz
- 140° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+PC Body
- 30,000 hr lifespan

05 YEAR WARRANTY

TRIAC DIMMABLE



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6458 - 4000K DAY WHITE	VT-6144	40w	3200	1210x319	4

V-TAC Meaningful Innovation.

LED BIG PANELS

02 YEAR WARRANTY

BIG LED BACKLITE PANELS

- AC:200-240V, 50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- FE+PP Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6624 - 3000K WARM WHITE 6626 - 6500K WHITE	VT-6147	40w	4000	1195x295x29	6
216625 - 4000K DAY WHITE 216626 - 6500K WHITE	VT-6147-N	40w **6 pcs pack**	4400	1195x295x30	6

HIGH LUMEN BIG LED PANELS

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+PMMA+PP Body
- 25,000 hr lifespan

120 LUMEN/W



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6257 - 4000K DAY WHITE	VT-12031	29w **6 pcs pack**	3480	1195x295x14	6
216256 - 3000K WARM WHITE 216257 - 4000K DAY WHITE 216258 - 6500K WHITE	VT-12031-N	29w	3960	1195x295x12.5	6
23147 - 4000K DAY WHITE 23148 - 6500K WHITE	VT-61140	40W **6 pcs pack**	4800	1195x295x30	6
6384 - 4000K DAY WHITE	VT-12046	45w **6 pcs pack**	5400	1195x295x14	6

LED BIG PANELS

AC:200-240V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Aluminium+PMMA+PP Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
60696 - 3000K WARM WHITE 60266 - 4000K DAY WHITE 60276 - 6400K WHITE	VT-12030	45W **6 pcs pack**	3600	1195x295x14	6

NEW

HIGH LUMENS CCT CHANGING LED PANELS

AC:220-240V,50Hz

110° Beam Angle

>0.9 PF

>80 CRI

Aluminium+TPA(PC) Body

30,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6977 - 3IN1	VT-6255CCT	45W **Single pack**	5400	1195x595x14	4

BIG PANELS-HIGH LUMEN-120X60

AC:200-240V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Aluminium+PMMA+PS Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6332 - 4000K DAY WHITE 6333 - 6400K WHITE	VT-12045	45W **Single pack**	5400	1195x595x14	2
216332 - 4000K DAY WHITE 216333 - 6400K WHITE	VT-12045-N	40W	5400	1195x295x12.5	2

V-TAC Meaningful Innovation.

DRIVERS FOR LED BIG PANELS

02 YEAR WARRANTY

DRIVERS - BIG PANELS

SKU	SKU	Watts	Box Qty			
	6259	29w	50			
	6268	29w	20	DIMMABLE		
	6019	45w	50	DIMMABLE		
	6271	29w	50	05 YEAR WARRANTY	FLICKER FREE	
	6436	36w	20			
	6450	45w	50	05 YEAR WARRANTY		
	6437	45w	20	1-10V DIMMABLE		
	6386	45w	50	120 LUMEN/W	FLICKER FREE	
	6427	45w	50	05 YEAR WARRANTY	120 LUMEN/W	
	6270	45w	50	05 YEAR WARRANTY	120 LUMEN/W	FLICKER FREE
	6328	72w	50	05 YEAR WARRANTY		

SUSPENDED MOUNTING-PANELS

Adjustable 1m suspension kit compatible with all panel sizes.This product can be used for all sizes of panels , that is

• 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600

SKU	Box Qty
6018	50

NEW SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
11449	600x600x43	12

02 YEAR WARRANTY

MOUNTING ACCESSORIES

V-TAC Meaningful Innovation.

NEW SURFACE MOUNTING-60X60

SKU	Size(mm)	Box Qty
10230	600x600x63	20

SURFACE MOUNTING-60X60

Convert the recessed panel to surface panel and install it easily on solid surfaces.

SKU	Size(mm)	Box Qty
9999	611x611x56	5

SURFACE MOUNTING-62X62

Convert the recessed panel to surface panel and install it easilyon solid surfaces.

SKU	Size(mm)	Box Qty
9997	625x625	5

SURFACE MOUNTING-60X60



SKU	Size(mm)	Box Qty
8156	600x600	10

SURFACE MOUNTING-60X60

SKU	Size(mm)	Box Qty
6627	600x600	25

SURFACE MOUNTING-62X62

SKU	Size(mm)	Box Qty
8157	620x620	10

CASE FOR EXTERNAL MOUNTING 295X1195MM

SKU	Size(mm)	Box Qty
6708	1195x295	

SURFACE MOUNTING-120X30

SKU	Size(mm)	Box Qty
8158	1200x300	10

SURFACE MOUNTING-120X30

SKU	Size(mm)	Box Qty
9969	1200x300	6

SURFACE MOUNTING 120X60

SKU	Size(mm)	Box Qty
6623	1200x600	10

SURFACE MOUNTING-120X60

SKU	Size(mm)	Box Qty
9989	1200x600	5

NEW SURFACE MOUNTING-60X120



SKU	Size(mm)	Box Qty
10231	1200x600x63	20

V-TAC Meaningful Innovation.

LED MINI PANELS

02 YEAR WARRANTY

NEW BACKLIT RECESSED SERIES-ROUND

AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7855 - 3000K WARM WHITE 7856 - 4000K DAY WHITE 7857 - 6500K WHITE	VT-61003RD	3W	330	90.5x28	80	100
7858 - 3000K WARM WHITE 7859 - 4000K DAY WHITE 7860 - 6500K WHITE	VT-61006RD	6W	660	120.5x28.4	110	80
7861 - 3000K WARM WHITE 7862 - 4000K DAY WHITE 7863 - 6500K WHITE	VT-61012RD	12W	1200	170.8x28.4	155	60
7864 - 3000K WARM WHITE 7865 - 4000K DAY WHITE 7866 - 6500K WHITE	VT-61018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.8x28.9	205	40
7867 - 3000K WARM WHITE 7868 - 4000K DAY WHITE 7869 - 6500K WHITE	VT-61024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	296x29.1	280	20

NEW BACKLIT RECESSED SERIES-SQUARE

AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10477 - 3000K WARM WHITE 10478 - 4000K DAY WHITE 10479 - 6500K WHITE	VT-61003SQ	3W	330	90.2x90.2x28.2	80x80	100
10480 - 3000K WARM WHITE 10481 - 4000K DAY WHITE 10482 - 6500K WHITE	VT-61006SQ	6W	660	120.5x120.5x28.4	110x110	80
10483 - 3000K WARM WHITE 10484 - 4000K DAY WHITE 10485 - 6500K WHITE	VT-61012SQ	12W	1200	170.8x170.8x28.4	155x155	60
10486 - 3000K WARM WHITE 10487 - 4000K DAY WHITE 10488 - 6500K WHITE	VT-61018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	220.4x220.4x28.8	205x205	40
10489 - 3000K WARM WHITE 10490 - 4000K DAY WHITE 10491 - 6500K WHITE	VT-61024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	295x295x28.6	280x280	20

02 YEAR WARRANTY

LED MINI PANELS

V-TAC Meaningful Innovation.

NEW BACKLIT SURFACED SERIES-ROUND

AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7870 - 3000K WARM WHITE 7871 - 4000K DAY WHITE 7872 - 6500K WHITE	VT-60006RD	6W	660	121.2x30.6	100
7873 - 3000K WARM WHITE 7874 - 4000K DAY WHITE 7875 - 6500K WHITE	VT-60012RD	12W	1200	167.4x30.7	60
7876 - 3000K WARM WHITE 7877 - 4000K DAY WHITE 7878 - 6500K WHITE	VT-60018RD	18W	3000K - 1850 4000K - 1980 6500K - 1980	215.6x30.8	40
7879 - 3000K WARM WHITE 7880 - 4000K DAY WHITE 7881 - 6500K WHITE	VT-60024RD	24W	3000K - 2500 4000K - 2640 6500K - 2640	288.6x31.2	20

NEW BACKLIT SURFACED SERIES-SQUARE

AC:220-240V, 50/60Hz

>80 CRI

Plastic Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10492 - 3000K WARM WHITE 10493 - 4000K DAY WHITE 10494 - 6500K WHITE	VT-60006SQ	6W	660	120.8x120.8x30.7	100
10495 - 3000K WARM WHITE 10496 - 4000K DAY WHITE 10497 - 6500K WHITE	VT-60012SQ	12W	1200	167.3x167.3x30.7	60
10498 - 3000K WARM WHITE 10499 - 4000K DAY WHITE 10500 - 6500K WHITE	VT-60018SQ	18W	3000K - 1850 4000K - 1980 6500K - 1980	214x214x31	40
10514 - 3000K WARM WHITE 23023 - 4000K DAY WHITE 10516 - 6500K WHITE	VT-60024SQ	24W	3000K - 2500 4000K - 2640 6500K - 2640	287x287x30.7	20

V-TAC Meaningful Innovation.

LED MINI PANELS

02 YEAR WARRANTY

LED MINI PANELS PREMIUM SERIES-ROUND

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6292 - 3000K WARM WHITE 6293 - 4000K DAY WHITE	VT-307RD	3w	210	Ø84x12	Ø73	40
216292 - 3000K WARM WHITE 216293 - 4000K DAY WHITE 216294 - 6400K WHITE	VT-307RD-N	3w	170	Ø84x12	Ø73	50
214854 - 3000K WARM WHITE 214855 - 4000K DAY WHITE 214856 - 6400K WHITE	VT-607RD-N	6w	400	Ø120x12	Ø110	40
4858 - 4000K DAY WHITE	VT-1207RD	12w	1000	Ø170x12	Ø155	20
214857 - 3000K WARM WHITE 214858 - 4000K DAY WHITE 214859 - 6400K WHITE	VT-1207RD-N	12w	1000	Ø170x12	Ø155	20
4861 - 4000K DAY WHITE 4862 - 6400K WHITE	VT-1807RD	18w	1500	Ø225x12	Ø210	20
214860 - 3000K WARM WHITE 214861 - 4000K DAY WHITE 214862 - 6400K WHITE	VT-1807RD-N	18w	1500	Ø225x12	Ø210	20
6422 - 3000K WARM WHITE 6423 - 4000K DAY WHITE 6424 - 6400K WHITE	VT-2207RD	22w	1800	Ø240x12	Ø220	20
216422 - 3000K WARM WHITE 216423 - 4000K DAY WHITE 216424 - 6400K WHITE	VT-2207RD-N	22w	2265	Ø240x12	Ø220	20
214872 - 3000K WARM WHITE 214873 - 4000K DAY WHITE 214874 - 6400K WHITE	VT-2407RD-N	24w	2200	Ø300x12	Ø280	10
6428 - 4000K DAY WHITE 6429 - 6400K WHITE	VT-3107RD	30w	2400	Ø300x12	Ø280	10
216428 - 4000K DAY WHITE 216429 - 6400K WHITE	VT-3107RD-N	30w	2600	Ø300x12	Ø280	10

02 YEAR WARRANTY

LED MINI PANELS

V-TAC Meaningful Innovation.

LED MINI PANELS PREMIUM SERIES-SQUARE

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6296 - 4000K DAY WHITE 6297 - 6400K WHITE	VT-307SQ	3w	210	84x84x12	74x73	40
216295 - 3000K WARM WHITE 216296 - 4000K DAY WHITE	VT-307SQ-N	3w	150	84x84x12	74x73	50
4863 - 3000K WARM WHITE 4864 - 4000K DAY WHITE 4865 - 6400K WHITE	VT-607SQ	6w	420	120x120x12	110	40
214865 - 6400K WHITE	VT-607SQ-N	6w	400	120x120x12	110	40
4866 - 3000K WARM WHITE 4868 - 6400K WHITE	VT-1207SQ	12w	1000	170x170x12	155x155	20
214866 - 3000K WARM WHITE 214867 - 4000K DAY WHITE 214868 - 6400K WHITE	VT-1207SQ-N	12w	1000	170x170x12	155x155	20
4870 - 4000K DAY WHITE 4871 - 6400K WHITE	VT-1807SQ	18w	1500	225x225x12	205x205	20
214869 - 3000K WARM WHITE 214870 - 4000K DAY WHITE 214871 - 6400K WHITE	VT-1807SQ-N	18w	1500	225x225x12	205x205	20
4888 - 4000K DAY WHITE	VT-2407SQ	24w	2000	300x300x12	280x280	10
214887 - 3000K WARM WHITE 214889 - 6400K WHITE	VT-2407SQ-N	24w	2200	300x300x12	280x280	10
6431 - 6400K WHITE	VT-3107SQ	36w	2400	300x300x12	280x280	10
216430 - 4000K DAY WHITE 216431 - 6400K WHITE	VT-3107SQ-N	36w	3100	300x300x12	280x280	10

V-TAC Meaningful Innovation.

LED MINI PANELS

02 YEAR WARRANTY

NEW LED MINI PANELS PREMIUM SERIES-ROUND-3IN1

AC:100-240V, 50Hz

120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

30,000 hr lifespan

3000K 4000K 6400K CCT EASY TOGGLE SWITCH



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
23326 - 3IN1	VT-61103	3W	130	84x12		
6982 - 3IN1	VT-61106	6W	490	120x12	110	40
6983 - 3IN1	VT-61109	9W	820	145x18	133	20
6984 - 3IN1	VT-61112	12W	1160	170x12	160	20
6985 - 3IN1	VT-61118	18W	1550	225x12	210	20
23327 - 3IN1	VT-61122	22W	2265	240x12		
23328 - 3IN1	VT-61124	24W	2500	300x12		

LED MINI PANELS SG SERIES

AC:85-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4826 - 3000K WARM WHITE	VT-1500 SQ	15w	1500	160x160x20	140x140	20
4833 - 6400K WHITE	VT-2200 RD	22w	2200	Ø240x20	Ø220	20

LED MINI PANELS SURFACE SERIES

AC:85-265V,50/60Hz

120° Beam Angle

>0.9 PF

>80 CRI

Aluminium Body

20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4802 - 3000K WARM WHITE	VT-1408 SQ	8w	800	107x107x35	40

02 YEAR WARRANTY

LED MINI PANELS

V-TAC Meaningful Innovation.

LED MINI PANELS SLIM SURFACE-ROUND

AC:85-265V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
Aluminium Body
20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4904 - 3000K WARM WHITE 4905 - 4000K DAY WHITE 4906 - 6400K WHITE	VT-605RD	6w	420	Ø90x24	40
4910 - 3000K WARM WHITE 4911 - 4000K DAY WHITE	VT-1205 RD	12w	900	Ø140x24	40
4916 - 3000K WARM WHITE	VT-1805RD	18w	1440	Ø190x24	20

LED MINI PANELS SLIM SURFACE-SQUARE

AC:85-265V,50/60Hz
120° Beam Angle
>0.9 PF
>80 CRI
Aluminium Body
20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4907 - 3000K WARM WHITE 4908 - 4000K DAY WHITE 4909 - 6400K WHITE	VT-605SQ	6w	420	90x90x24	40
4913 - 3000K WARM WHITE 4914 - 4000K DAY WHITE 4915 - 6400K WHITE	VT-1205 SQ	12w	900	140x140x24	40
4919 - 3000K WARM WHITE 4920 - 4000K DAY WHITE 4921 - 6400K WHITE	VT-1805SQ	18w	1440	190x190x24	20

LED CHROME SURFACE PANELS

AC:85-265V,50/60Hz
120° Beam Angle
>0.5 PF
>80 CRI
Aluminium+Chrome Body
20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6358 - 3000K WARM WHITE	VT-605CH	6w	420	Ø90x24	40
6364 - 3000K WARM WHITE	VT-1205CH	12w	1000	Ø140x24	40

V-TAC Meaningful Innovation.

LED MINI PANELS

02 YEAR WARRANTY

LED SURFACE PANELS S-TWIN LED-ROUND

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4890 - 3000K WARM WHITE 4891 - 4000K DAY WHITE 4892 - 6400K WHITE	VT-809RD	8w	800	142x40	20
4893 - 3000K WARM WHITE 4894 - 4000K DAY WHITE 4895 - 6400K WHITE	VT-1509RD	15w	1500	192x40	20
4896 - 3000K WARM WHITE 4897 - 4000K DAY WHITE 4898 - 6400K WHITE	VT-2209RD	22w	2200	240x40	20

LED SURFACE PANELS S-TWIN LED-SQUARE

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4922 - 3000K WARM WHITE 4923 - 4000K DAY WHITE 4924 - 6400K WHITE	VT-809SQ	8w	800	142x142x40	20
4925 - 3000K WARM WHITE 4926 - 4000K DAY WHITE 4927 - 6400K WHITE	VT-1509SQ	15w	1500	192x192x40	20
4928 - 3000K WARM WHITE 4929 - 4000K DAY WHITE 4930 - 6400K WHITE	VT-2209SQ	22w	2200	240x240x40	20

LED SATIN NICKEL PANELS

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium+Satin Nickel Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6355 - 3000K WARM WHITE 6356 - 4000K DAY WHITE	VT-2407SN	24w	2000	Ø300x25	Ø285	10

02 YEAR WARRANTY

LED MINI PANELS

V-TAC Meaningful Innovation.

LED CHROME PANELS

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium+Chrome Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6346 - 3000K WARM WHITE 6347 - 4000K DAY WHITE 6348 - 6400K WHITE	VT-1807CH	18w	1500	Ø225x25	Ø205	20
6352 - 3000K WARM WHITE 6353 - 4000K DAY WHITE	VT-2407CH	24w	2000	Ø300x25	Ø285	10

LED TRIMLESS MINI PANELS-ROUND

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4931 - 3000K WARM WHITE	VT-888RD	8w	800	Ø90x8	Ø75	100
4935 - 4000K DAY WHITE	VT-1515RD	15w	1500	Ø146x8	Ø130	40
4938 - 4000K DAY WHITE 4939 - 6400K WHITE	VT-2222RD	22w	2200	Ø170x8	Ø155	40
4942 - 6400K WHITE	VT-2929RD	29w	2900	Ø220x8	Ø195	40

LED TRIMLESS MINI PANELS-SQUARE

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4943 - 3000K WARM WHITE 4944 - 4000K DAY WHITE 4945 - 6400K WHITE	VT-888SQ	8w	800	90x90x8	75x75	100
4947 - 4000K DAY WHITE 4948 - 6400K WHITE	VT-1515SQ	15w	1500	146x146x8	130x130	40
4798 - 6400K WHITE	VT-2222SQ	22w	2200	170x170x8	155x155	40
5031 - 3000K WARM WHITE 5033 - 6400K WHITE	VT-2929SQ	29w	2900	220x220x8	195x195	40

V-TAC Meaningful Innovation.

LED MINI PANELS

02 YEAR WARRANTY

LED MINI PANELS -GLASS SERIES-ROUND

- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+Glass Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4740 - 3000K WARM WHITE 6277 - 4000K DAY WHITE 4739 - 6400K WHITE	VT-602G RD	6w	420	Ø100x35	Ø75	40
4744 - 3000K WARM WHITE 6279 - 4000K DAY WHITE 4743 - 6400K WHITE	VT-1202G RD	12w	840	Ø160x40	Ø120	20
4760 - 3000K WARM WHITE 6281 - 4000K DAY WHITE 4759 - 6400K WHITE	VT-1881G RD	18w	1260	Ø198x40	Ø145	20

LED MINI PANELS -GLASS SERIES-SQUARE



- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium+Glass Body
- 20,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
4738 - 3000K WARM WHITE 6276 - 4000K DAY WHITE 4737 - 6400K WHITE	VT-602G SQ	6w	420	100x100x35	75x75	40
4742 - 3000K WARM WHITE 6278 - 4000K DAY WHITE 4741 - 6400K WHITE	VT-1202G SQ	12w	840	160x160x40	120x120	20
4746 - 3000K WARM WHITE 6280 - 4000K DAY WHITE 4745 - 6400K WHITE	VT-1881G SQ	18w	1260	198x198x40	145x145	20

02 YEAR WARRANTY

LED MINI PANELS

V-TAC Meaningful Innovation.

LINEAR LIGHTS SLIM

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6401 - 3000K WARM WHITE 6403 - 6400K WHITE	VT-10001	10w	750	160x45x65	138x32	20
6404 - 3000K WARM WHITE 6406 - 6400K WHITE	VT-20001	20w	1600	290x45x65	270x32	20
6407 - 3000K WARM WHITE 6409 - 6400K WHITE	VT-30001	30w	2400	430x45x65	405x32	10

LINEAR LIGHTS

- AC:85-265V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
6412 - 6400K WHITE	VT-10002	10w	700	160x45x72	138x32	20
6415 - 6400K WHITE	VT-20002	20w	1400	290x45x72	270x32	20
6418 - 6400K WHITE	VT-30002	30w	2100	430x45x72	405x32	10

DRIVERS - MINI PANELS

DIMMABLE

SKU	Watts	Box Qty
8073	6w	200
8074	12w	200
8075	18w	200
8076	24w	200

V-TAC

Meaningful Innovation.

LED Tubes Lights

V-TAC's LED tubes fit perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to fluorescent systems.

Key Features

- Cost effective, safe retrofit for T8 Tubes
- Easy Installation
- No lead or mercury content – environmentally friendly
- No Ultraviolet or Infrared rays
- Long lifespan, energy-saving and low maintenance
- Available in 60 cm, 120 cm, 150 cm & 180 cm

LED TUBES

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

NEW



T8 GLASS TUBES

Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass
Instant start	0-100% in < 1s

03 YEAR WARRANTY

DUMMY STARTER INCLUDED

SKU	Model	Watts	Lumens	Size	Box Qty
7796 - 3000K WARM WHITE 7797 - 4000K DAY WHITE 7798 - 6500K WHITE	VT-6729	9W	850	28x600	25
2981 - 3000K WARM WHITE 2982 - 4000K DAY WHITE 2983 - 6500K WHITE	VT-1221	18W	1850	28x1200	25
7799 - 3000K WARM WHITE 7801 - 4000K DAY WHITE 7803 - 6500K WHITE	VT-1575	20W	2100	28x1500	25

T8 NANO PLASTIC TUBES

Holder	G13
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s

03 YEAR WARRANTY

ROTATABLE HOLDER

DUMMY STARTER INCLUDED

SKU	Model	Watts	Lumens	Size	Box Qty
6229 - 3000K WARM WHITE	VT-6072-R	10W Rotatable	850	28x600	25
6392 - 3000K WARM WHITE 6394 - 6400K WHITE	VT-6072-NR	10W	850	28x600	25
216392 - 3000K WARM WHITE 216393 - 4000K DAY WHITE 216394 - 6500K WHITE	VT-6072-NR-N	9W	850	28x600	25
6262 - 6400K WHITE	VT-9077	14W	1200	28x900	25
216272 - 4000K DAY WHITE 216262 - 6500K WHITE	VT-9077-N	14W	1400	28x900	25
6263 - 3000K WARM WHITE 6273 - 4000K DAY WHITE	VT-1277	18W	1700	28x1200	25
216263 - 3000K WARM WHITE 216273 - 4000K DAY WHITE 216264 - 6500K WHITE	VT-1277-N	18W	1850	28x1200	25
6265 - 3000K WARM WHITE 6309 - 4000K DAY WHITE 6310 - 6400K WHITE	VT-1577	22W	2000	28x1500	25
216265 - 3000K WARM WHITE 216309 - 4000K DAY WHITE 216310 - 6500K WHITE	VT-1577-N	20W	2100	28x1500	25

V-TAC Meaningful Innovation.

LED TUBES

03 YEAR WARRANTY

T5 GLASS TUBES

Holder	G5
Voltage/Frequency	AC:220-240V,50Hz
PF	>0.5
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Glass with PET
Instant start	0-100% in < 1s

DUMMY STARTER INCLUDED

SKU	Model	Watts	Lumens	Size	Box Qty
6318 - 4000K DAY WHITE 6319 - 6500K WHITE	VT-6005	8W	800	18.4x549	25
216318 - 4000K DAY WHITE 216319 - 6500K WHITE	VT-6005-N	8W	880	19X600	25
6320 - 4000K DAY WHITE 6321 - 6500K WHITE	VT-1225	16W	1600	18.4x1149	25
216320 - 4000K DAY WHITE 216321 - 6500K WHITE	VT-1225-N	16W	1760	19x1200	25

SINGLE BATTEN FITTING

SKU	Model	Body Type	Size(mm)	Box Qty
6052	VT-16010	Iron	615x45x50	20
6054	VT-12020	Iron	1225x45x50	20
6056	VT-15020	Iron	1520x45x50	20

DOUBLE BATTEN FITTING

SKU	Model	Body Type	Size(mm)	Box Qty
6053	VT-16011	Iron	615x55x50	20
6055	VT-12021	Iron	1225x55x50	12
6057	VT-15021	Iron	1520x55x50	12

02 YEAR WARRANTY

LED TUBES

V-TAC Meaningful Innovation.

COMMERCIAL TUBES

Specialized LED tubes designed for use in the food industry. These cost-effective LED tubes are ideal for illuminating meat, bread, vegetables, seafood, or plant cultivation. Their unique light spectrum enhances the appearance of food in stores without distorting it inappropriately.

Holder	G13
Voltage/Frequency	AC:180-240V,50Hz
PF	>0.9
CRI	>95
Beam Angle	160°
On/off	>15,000
Body Type	Glass with PET
Instant start	0-100% in < 1s

02 YEAR WARRANTY



T8 BAKERY TUBE

SKU	Model	Watts	Lumens	Size	Box Qty
6322	VT-1228-B	18W	1530	26x1200	25

T8 VEGETABLE TUBE

SKU	Model	Watts	Lumens	Size	Box Qty
6324	VT-1228-V	18W	1530	26x1200	25

T8 SEAFOOD TUBE

SKU	Model	Watts	Lumens	Size	Box Qty
6325	VT-1228-S	18W	1530	26x1200	25

V-TAC Meaningful Innovation.

LED TUBES

02 YEAR WARRANTY

NEW

GRILL FITTING-SLIM SERIES

Voltage/Frequency	AC:220-240V, 50Hz
PF	>0.9
CRI	>80
Beam Angle	120°
On/off	>15,000
Body Type	Plastic

120 LUMEN/W

IP20 RATING



SKU	Model	Watts	Lumens	Size	Box Qty
8048 - 4000K DAY WHITE 8049 - 6500K WHITE	VT-8340	40W	4800	1200x75x24	30
8050 - 4000K DAY WHITE 8054 - 6500K WHITE	VT-8350	50W	6000	1500x75x24	30

DOUBLE T8 NANO PLASTIC TUBE

Holder	G13
Voltage/Frequency	AC:200-240V,50Hz
PF	>0.9
CRI	>80
Beam Angle	160°
On/off	>15,000
Body Type	Nano Plastic
Instant start	0-100% in < 1s

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size	Box Qty
6313 - 4000K DAY WHITE 6314 - 6400K WHITE	VT-6077	18W	2500	18.5x549	10

02 YEAR WARRANTY

LED TUBES

V-TAC Meaningful Innovation.

ROTATABLE

CABINET FITTING WITH SWITCH

Voltage/Frequency	AC:220-240V,50/60Hz
PF	>0.9
CRI	>80
Beam Angle	110°
On/off	>10,000
Body Type	Aluminium Body, Plastic Diffuser

02 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size	Box Qty
5068 - 3000K WARM WHITE	VT-8112	10W	800	579x78x35	12

WALL FITTING

Voltage/Frequency	AC:85-265V,50/60Hz
PF	>0.6
CRI	>80
Beam Angle	120°
On/off	>10,000
Body Type	Aluminium+PC



SKU	Model	Watts	Lumens	Size	Box Qty
5071 - 3000K WARM WHITE 5073 - 6000K WHITE	VT-8111	10W	900	600x32x25	25
5074 - 3000K WARM WHITE	VT-8121	20W	1800	1200x32x25	25

V-TAC
Meaningful Innovation.

LED Batten Fittings

Introducing our range of IP65-rated waterproof batten fittings. Built with a durable, air-tight body allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Key Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for whole T8 fluorescent lighting fixtures
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

02 YEAR WARRANTY

LED BATTEN FITTINGS

V-TAC Meaningful Innovation.

NEW WATERPROOF FITTING-X SERIES

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- PC+ABS Body
- 20,000 hr lifespan

IP65 RATING | LINKABLE | 120 LUMEN/W

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10213 - 4000K DAY WHITE 10215 - 6500K WHITE	VT-1253S	36W **With microwave sensor**	4320	1200x64x60	12
10221 - 4000K DAY WHITE 10220 - 6500K WHITE	VT-1253	36W	4320	1200x64x60	12
10223 - 4000K DAY WHITE 10222 - 6500K WHITE	VT-1254	48W	5760	1500x64x60	12

NEW WATERPROOF FITTING-LINKABLE SERIES

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan

IP65 RATING | LINKABLE



SKU	Model	Watts	Lumens	Size(mm)
23087 - 4000K DAY WHITE 23088 - 6500K WHITE	VT-80060	18W	1900	600x59x47
23083 - 4000K DAY WHITE 23084 - 6500K WHITE	VT-80120	36W	3900	1200x59x47
23085 - 4000K DAY WHITE 23086 - 6500K WHITE	VT-80150	48W	5200	1500x59x47

WATERPROOF FITTING F SERIES

- AC:200-240V,50Hz
- 120° Beam Angle
- >0.9 PF
- >70 CRI
- Plastic+ABS Body
- 20,000 hr lifespan

IP65 RATING

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6198 - 4500K DAY WHITE 6199 - 6000K WHITE	VT-6048	18w	1440	600x76x66	12
216198 - 4000K DAY WHITE	VT-6048-N	18w	1900	600x76x66	12
6200 - 4500K DAY WHITE 6201 - 6000K WHITE	VT-1248	36w	2880	1200x76x66	12
6184 - 4500K DAY WHITE 6185 - 6000K WHITE	VT-1548	48w	3840	1500x76x66	12

V-TAC Meaningful Innovation.

LED BATTEN FITTINGS

02 YEAR WARRANTY

WATERPROOF FITTING WITH TUBES

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Plastic+ABS Body
- 20,000 hr lifespan

IP65 RATING

TUBES INCLUDED



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6463 - 4000K DAY WHITE 6464 - 6400K WHITE	VT-6028	10w **Single Tube**	850	666x68x58	16
6465 - 4000K DAY WHITE 6466 - 6400K WHITE	VT-6029	20W **Double Tube**	1700	666x96x58	12
6459 - 4000K DAY WHITE 6460 - 6400K WHITE	VT-12028	18w **Single Tube**	1700	1276x68x58	16
6461 - 4000K DAY WHITE 6462 - 6400K WHITE	VT-15028	22w **Single Tube**	2000	1576x68x58	16
6387 - 4000K DAY WHITE 6399 - 6400K WHITE	VT-12023	36w **Double Tube**	3400	1290x116x66	10
6388 - 4000K DAY WHITE 6400 - 6400K WHITE	VT-15022	44w **Double Tube**	4000	1590x116x66	10

WATERPROOF FITTING-G SERIES

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >70 CRI
- PC Body
- 20,000 hr lifespan

IP65 RATING

LINKABLE



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6282 - 6400K WHITE	VT-6076	18w	1440	600x65x58	12
216283 - 4000K DAY WHITE 216282 - 6500K WHITE	VT-6076-N	18w	2160	600x66x58	12
216285 - 4500K DAY WHITE 216284 - 6400K WHITE	VT-1249-N	36W	4320	1200x65x58	12
6286 - 6400K WHITE	VT-1574	48w	3840	1500x65x58	12
216287 - 4500K DAY WHITE 216286 - 6400K WHITE	VT-1574-N	48W	5760	1500x65x58	12

02 YEAR WARRANTY

LED BATTEN FITTINGS

V-TAC Meaningful Innovation.

WATERPROOF FITTING-S SERIES

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- PC Body
- 20,000 hr lifespan

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6473 - 6500K WHITE	VT-1518	18w	1530	600x60x35	20
216473 - 6500K WHITE	VT-1518-N	18w	1900	600x60x35	20
6470 - 6500K WHITE	VT-1239	36w	3000	1200x60x35	20
216469 - 4000K DAY WHITE 216470 - 6500K WHITE	VT-1239-N	36w	3900	1200x60x35	20
6467 - 4000K DAY WHITE 6468 - 6500K WHITE	VT-1549	48w	4000	1500x60x35	20
216468 - 6500K WHITE	VT-1549-N	48w	5200	1500x60x35	20

WATERPROOF SUSPENSION KIT

SKU	Box Qty
8119	50

HERMETIC FITTINGS

Our hermetic fittings (tubes not included) are easy to install, yet provide praiseworthy protection from dampness and rainfall making them suitable for indoor and outdoor lighting.

SKU	Model	Body Type	Size(mm)	Box Qty
6717	VT-6028-N	Plastic+ABS	666x68x58	16
6719	VT-6029-N	Plastic+ABS	666x96x58	12
6711	VT-12028-N	Plastic+ABS	1276x68x58	16
6709	VT-12023-N	Plastic+ABS	1576x68x58	16
6713	VT-15028-N	Plastic+ABS	1290x116x66	10
6715	VT-15022-N	Plastic+ABS	1590x116x66	10

NEW HERMETIC FITTINGS

SKU	Model	Body Type	Size(mm)	Box Qty
7882	VT-12004	PS+HIPS+ABS	666x94x55	12
7883	VT-12004M	PS+HIPS+ABS	666x94x55	12
7884	VT-12005	PS+HIPS+PC	1576x94x55	12
7885	VT-12005M	PS+HIPS+PC	1576x94x55	12

V-TAC

Meaningful Innovation.

LED Highbay Lights

V-TAC's new UFO and Linear Highbays are designed for widespread, efficient illumination and resistance to harsh conditions.The UFO highbays, powered with Meanwell drivers for performance, are encased in a sturdy, IP65 rated body to ensure endurance. Two beam angle options available for even light distribution.

Key Features

- Powerful LED light source with a unique design
- Aluminium diffuser with multiple beam angle's to choose from 90°/ 120°
- Shatterproof perspex lens
- High thermal conductivity, low luminous decay, pure colors & no heavy shade
- The unique design of the heatsink fuses with the lamp frame perfectly, establishing effective heat dissipation to reduce the temperature inside the lamp itself.

LED HIGHBAY LIGHTS

05 YEAR WARRANTY

V-TAC Meaningful Innovation.

NEW HIGH LUMEN LED UFO HIGHBAY 3IN1



- AC:100-277V, 50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Die Cast Aluminium Body
- 25,000 hr lifespan

IP65 RATING | 160 LUMEN/W | IK08 RATING | LiFud Driver | 05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10467 - 3IN1	VT-90202	120W 150W 200W	27000	320x125	1

HIGH LUMEN LED UFO HIGHBAY MEANWELL DRIVER

- AC:175-265V, 50/60Hz
- 100° Beam Angle
- >0.9 PF
- >70 CRI
- Aluminium Body
- 25,000 hr lifespan

IP65 RATING | 185 LUMEN/W | DIMMABLE | MEAN WELL | 05 YEAR WARRANTY | REMOTE CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7655 - 4000K DAY WHITE	VT-9119	100w	18500	233x161mm	1
7656 - 4000K DAY WHITE 7657 - 6500K WHITE	VT-9219	200w	37000	305x221mm	1
11361	Remote Control				

V-TAC Meaningful Innovation.

LED HIGHBAY LIGHTS

02 YEAR WARRANTY

HIGH LUMEN LED UFO HIGHBAY MEANWELL DRIVER



AC:90-295V,50Hz
120° Beam Angle
>0.9 PF
>80 CRI
Die Cast Aluminium Body
50,000 hr lifespan

IP65 RATING
130 LUMEN/W
1-10V DIMMABLE
MEAN WELL Your Reliable Power Partner
05 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
5608 - 6400K WHITE	VT-9500	500w	65000	Ø360	1

NEW LED HIGHBAY LIGHTS

120 LUMEN/W
IP65 RATING

AC:175-265V, 50/60Hz
110° Beam Angle
>0.9 PF
>70 CRI
Die Cast Aluminium Body
25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7808 - 4000K DAY WHITE 7809 - 6500K WHITE	VT-92100	100W	10200	230x88	1
7810 - 4000K DAY WHITE 7811 - 6500K WHITE	VT-92150	150W	15300	260x88	1
7812 - 4000K DAY WHITE 7813 - 6500K WHITE	VT-92200	200W	20400	310x88	1

02 YEAR WARRANTY

LED HIGHBAY LIGHTS

V-TAC Meaningful Innovation.

NEW LED HIGHBAY LIGHTS

IP65 RATING

- AC:220-240V,50/60Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRI
- Die Cast Aluminium Body
- 25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10202 - 4000K DAY WHITE 10203 - 6500K WHITE	VT-90101	100W	8500	254x72.2	10
10204 - 4000K DAY WHITE 10205 - 6500K WHITE	VT-90201	200W	17000	330x72.2	

NEW LED HIGHBAY LIGHTS

IP65 RATING

- AC:220-240V,50/60Hz
- 115° Beam Angle
- >0.9 PF
- >70 CRI
- Aluminium Body
- 25,000 hr lifespan



SKU	Model	Watts	Lumens	Size(mm)
10035 - 4000K DAY WHITE 10040 - 6500K WHITE	VT-91101	100W	8700	230.4x80
10041 - 4000K DAY WHITE 10042 - 6500K WHITE	VT-91200	200W	17540	326x80

NEW LED LINEAR HIGHBAY

IP65 RATING

- AC:220-240V,50/60Hz
- 115° Beam Angle
- >0.9 PF
- >70 CRI
- Aluminium Body
- 25,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)
7892 - 4000K DAY WHITE 7893 - 6500K WHITE	VT-91100	100w	8700	510x97x53.2

V-TAC

Meaningful Innovation.

LED Street Lights

LED street lights are specifically designed to illuminate streets, roads, highways and other public areas. They have become increasingly popular in recent years thanks to the numerous advantages they have over traditional incandescent and fluorescent lights. Here are some key characteristics and benefits of LED street lights:

Key Features

- Energy Efficiency
- Longevity: LEDs have a longer lifespan compared to conventional lighting technologies.
- LED street lights are robust and resistant to shocks, vibrations, and weather conditions.
- Reduced Maintenance Costs
- LED street lights are eco-friendly, as they contain no hazardous materials like mercury, which is found in fluorescent lighting.

02 YEAR WARRANTY

LED STREET LIGHTS

V-TAC Meaningful Innovation.

NEW LED SLIM STREETLIGHTS

AC:220-240V,50/60Hz
115° Beam Angle
>0.9 PF
>70 CRI
25,000 hr lifespan

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7886 - 4000K DAY WHITE 7887 - 6500K WHITE	VT-150030ST	30W	2505	333x138.4x92	1
7888 - 4000K DAY WHITE 7889 - 6500K WHITE	VT-150050ST	50W	4270	386.5x149.4x92	1
7890 - 4000K DAY WHITE 7891 - 6500K WHITE	VT-150100ST	100W	8700	480x179.4x92	1

NEW LED SLIM STREETLIGHTS

AC:220-240V,50/60Hz
110° Beam Angle
>0.9 PF
>70 CRI
25,000 hr lifespan

IP65 RATING



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10206 - 4000K DAY WHITE 10207 - 6500K WHITE	VT-15035ST	30W	2510	266x129x37	30
10208 - 4000K DAY WHITE 10209 - 6500K WHITE	VT-15057ST	50W	4270	306x150x37	24
10210 - 4000K DAY WHITE 10211 - 6500K WHITE	VT-15110ST	100W	8700	437x200x40	12

V-TAC

Meaningful Innovation.

LED Strip Lights

Add an extensive array of lights and colors to any setting, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space required makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

Key Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

INDOOR STRIP LIGHTS

Indoor strip lights are a versatile and popular lighting solution used to enhance the ambiance, aesthetics, and functionality of indoor spaces. Indoor strip lights come in various colors, lengths, and styles, making them suitable for a wide range of applications in residential and commercial settings.
These indoor strip lights comes with an IP20 rating.

NEW MAGIC STRIP SET-5050 60 LEDS

AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width

5 METER ROLL

DUAL CONTROL APP & REMOTE

EU PLUG

IP20 RATING

SKU	Model	Watts/m
23145 - RGB	VT-5050-60-24V-M	13W

BED LIGHTS-PIR SENSOR

DC:12V	SMD LED
30 LEDs/m	120° :BA
IP20 Rating	1.2 x1 mm Width
25 Box Qty	

PIR MOTION SENSOR

DIMMABLE

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2548 - 3000K WARM WHITE	VT-8067	3W	260lm	LM
212549 - 4000K DAY WHITE	VT-8067-N	3W	260lm	LM
2550 - 3000K WARM WHITE 2551 - 4500K DAY WHITE	VT-8068	6W	520lm	

STRIP SET-5050 300 LEDS

AC:100-240V, 50/60Hz	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
20 Box Qty	10 mm Width

Included

EU PLUG

10 METER ROLL

BS PLUG

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2630 - RGB	VT-5050-300-EU-Plug	4.8W	500lm	14-16lm
2631 - RGB	VT-5050-300-BS-Plug	4.8W	500lm	14-16lm

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

STRIP SETS-5050 60 LEDS

AC:100-265V,50/60Hz	SMD LED
60 LEDs/m	1.5A /m
IP20 Rating	120° :BA
20 Box Qty	8 mm Width

EU PLUG | BS PLUG | POWER SUPPLY | 5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2546 - 6000K WHITE 2545 - 3000K WARM WHITE 2544 - RGB	VT-5050-60 -Set-BS-Plug	10W	1000lm	14-16lm
212546 - 6000K WHITE	VT-5050-60-Set-N-BS-Plug	11W	900lm	14-16lm
212558 - RGB	VT-5050-60-RGB-EU-Plug	10W	1000lm	14-16lm

STRIP-2835 60 LEDS

DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	6 mm Width

5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2559 - 3000K WARM WHITE 2560 - 4000K DAY WHITE 2561 - 6400K WHITE	VT-2835-60	4W	300lm	5-8lm
212559 - 3000K WARM WHITE 212560 - 4000K DAY WHITE 212561 - 6400K WHITE	VT-2835-60 -N	4.2W	420lm	6-7lm

NEW STRIP LIGHTS 2835 120 DOUBLE PCB



DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	3 mm Width
400 m Box Qty	

5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
23024 - 3000K WARM WHITE 23025 - 4000K DAY WHITE 23026 - 6500K WHITE	VT-2835-120-24V	8W	800lm	20-22lm

NEW STRIP LIGHTS 2835 240 DOUBLE PCB

DC:24V	SMD LED
240 LEDs/m	120° :BA
IP20 Rating	15 mm Width
400 m Box Qty	

5 METER ROLL | IP20 RATING

SKU	Model	Watts/m	Lumen/m
10554 -3IN1	VT-2835 240-24V	21W	1100lm - 3000K 2340lm - 4000K 1200lm - 6500K

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

STRIP LIGHTS 2835 120 DOUBLE PCB

10 METER ROLL

IP20 RATING

DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP20 Rating	120° :BA
800 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2622 - 3000K WARM WHITE	VT-2835-120	7.2W	600lm	5-6lm
212622 - 3000K WARM WHITE 212623 - 4000K DAY WHITE 212624 - 6400K WHITE	VT-2835 120-N	7.5W	750lm	6-7lm

NEW STRIP LIGHT-5050 60 DOUBLE PCB

30 METER ROLL

IP20 RATING

DC:24V	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
600 m Box Qty	

SKU	Model	Watts/m
6861 - RGB	VT-5050-60-24V-RGB	7W

NEW STRIP LIGHTS-3535 120 DOUBLE PCB

5 METER ROLL

IP20 RATING

DC:24V	SMD LED
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

SKU	Model	Watts/m
10556 - RGB	VT-3535-120-24V	12W

NEW STRIP LIGHT-5050 60 DOUBLE PCB

30 METER ROLL

IP20 RATING

DC:24V	SMD LED
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
600 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6859 - 3000K WARM WHITE 6860 - 4000K DAY WHITE	VT-5050-60 -24V	11W	960lm - 3000K 1000lm - 4000K	18-20lm

LED STRIP-2835 126 LEDS -HIGH LUMEN

DC:24V	SMD LED
126 LEDs/m	0.33A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150 LUMEN/W

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2593 - 3000K WARM WHITE 2594 - 4000K DAY WHITE 2595 - 6400K WHITE	VT-2835-126-24V	8W	1200lm	28-30lm
212593 - 3000K WARM WHITE 212594 - 4000K DAY WHITE 212595 - 6400K WHITE	VT-2835-126-24V-N	8W	1100lm	8-9lm

LED STRIP-4040-60

DC:12V	SMD LED
60 LEDs/m	0.66A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

REAL COLOR SERIES CRI >80

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2931 - 3000K WARM WHITE 2932 - 4000K DAY WHITE 2933 - 6400K WHITE	VT-4040-60	8W	800lm	13-14lm

LED STRIP-2835 168 LEDS-HIGH LUMEN

DC:24V	SMD LED
168 LEDs/m	0.45A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

150 LUMEN/W

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2596 - 3000K WARM WHITE 2597 - 4000K DAY WHITE 2598 - 6400K WHITE	VT-2835-168-24V	11W	1650lm	28-30lm
212596 - 3000K WARM WHITE 212597 - 4000K DAY WHITE 212598 - 6400K WHITE	VT-2835-168-24V-N	12W	1680lm	10-11lm

STRIP LIGHT-5050 RGB + CCT 5IN1

DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width

5IN1 RGB 3000K 4000K 6400K

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2895 - 5IN1	VT-5050-60-24V-CCT	14W	1400lm	23-24lm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

STRIP LIGHTS 2835 - CCT 3IN1

DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

3IN1 3000K 4000K 6400K

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2897 -3IN1	VT-2835-120--14V	14.5W	1750lm	14-15lm

LED STRIP-2835 238 LEDS-HIGH LUMEN

150 LUMEN/W

5 METER ROLL

IP20 RATING

DC:24V	SMD LED
238 LEDs/m	0.7A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2599 - 3000K WARM WHITE 2600 - 4000K DAY WHITE 2601 - 6400K WHITE	VT-2835-238-24V	17W	2550lm	28-30lm
212599 - 3000K WARM WHITE 212600 - 4000K DAY WHITE 212601 - 6400K WHITE	VT-2835-238-24V-N	18W	2430lm	10-11lm

LED STRIP LIGHTS-2835 204 LEDS

5 METER ROLL

IP20 RATING

DC:12V	SMD LED
204 LEDs/m	1.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2463 - 6000K WHITE	VT-2835-204	18W	1700lm	9-11lm
212461 - 3000K WARM WHITE 212462 - 4000K DAY WHITE 212463 - 6400K WHITE	VT-2835-204-N	17W	1700lm	8-9lm

LED STRIP-2835 128 LEDS

5 METER ROLL

IP20 RATING

DC:24V	SMD LED
128 LEDs/m	0.37A /m
IP20 Rating	120° :BA
400 m Box Qty	4 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2906 - 3000K WARM WHITE 2907 - 4000K DAY WHITE 2908 - 6400K WHITE	VT-2835-128-24V	WW-8.5W/ DW-8.5W/W-9W	1150lm 1200lm 1260lm	9-10lm

STRIP LIGHTS 2835 90-HIGH LUMEN

DC:24V	SMD LED
90 LEDs/m	0.16A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

200 LUMEN/W

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2696 - 3000K WARM WHITE 2697 - 4000K DAY WHITE 2698 - 6400K WHITE	VT-2835-90	4W	800lm	10-11lm

LED STRIP LIGHTS-2835 240 LEDS-HIGH LUMEN

DC:12V	1.66A /m
240 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212164 - 3000K WARM WHITE 212165 - 4000K DAY WHITE 212166 - 6000K WHITE	VT-2835-240-N	20W	2000lm	8-9lm

LED STRIP LIGHTS-5730 120 LEDS-HIGH LUMEN

DC:12V	1.66A /m
120 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212162 - 3000K WARM WHITE 212163 - 4000K DAY WHITE 212161 - 6400K WHITE	VT-5730-120-N	20W	2000lm	16-17lm

STRIP LIGHTS 2110 700

DC:24V	SMD LED
700 LEDs/m	0.875A /m
IP20 Rating	120° :BA
400 m Box Qty	12 mm Width

700 LED PER METRE

CRI 95

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2602 - 3000K WARM WHITE 2603 - 4000K DAY WHITE 2604 - 6400K WHITE	VT-2110 700	21W	2000lm	8-10lm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

STRIP-2216 360 LEDS

5 METER ROLL

CRI 95

IP20 RATING

DC:24V	SMD LED
360 LEDs/m	1.25A /m
IP20 Rating	120° :BA
250 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2580 - 3000K WARM WHITE 2581 - 4000K DAY WHITE 2582 - 6000K WHITE	VT-2216 360	30W	2400lm	6-7lm
212581 - 4000K DAY WHITE	VT-2216 360-N	30W	2850lm	7-8lm

COB STRIP LIGHTS IP20

5 METER ROLL

IP20 RATING

DC:24V	0.42A /m
280 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212652 - 3000K WARM WHITE 212653 - 4000K DAY WHITE 212654 - 6400K WHITE	VT-COB-280-N	10W	950lm	3-4lm

NEW COB STRIP LIGHTS IP20

30 METER ROLL

IP20 RATING

DC:24V	COB LED
320 LEDs/m	120° :BA
IP20 Rating	8 mm Width

SKU	Model	Watts/m	Lumen/m
6862 - 3000K WARM WHITE 6863 - 4000K DAY WHITE	VT-COB-320 -24V	10.5W	1050lm

COB STRIP LIGHTS IP20

5 METER ROLL

IP20 RATING

DC:24V	COB LED
420 LEDs/m	0.42A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2668 - 4000K DAY WHITE 2669 - 6400K WHITE	VT-COB-421	10W/M	1000	2-3lm
212667 - 3000K WARM WHITE	VT-COB-421-N	10W	960lm	2-3lm

COB STRIP LIGHTS IP20

CRI 95

5 METER ROLL

IP20 RATING

DC:24V	COB LED
512 LEDs/m	0.5A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2649 - 3000K WARM WHITE 2650 - 4000K DAY WHITE 2651 - 6000K WHITE	VT-512	12W	1000lm	2-3lm
212649 - 3000K WARM WHITE 212650 - 4000K DAY WHITE 212651 - 6400K WHITE	VT-512-N	13W	1050lm	2-3lm

NEW COB STRIP LIGHTS IP20

5 METER ROLL

IP20 RATING

DC:24V	COB LED
560 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 Box Qty	

SKU	Model	Watts/m	Lumen/m
10555 - 3IN1	VT-COB 560-CCT	2700K - 9W 4000K - 18W 6500K - 9W	500lm - 2700K 1135lm - 4000K 700lm - 6500K

COB STRIP LIGHTS IP20

5 METER ROLL

IP20 RATING

DC:24V	COB LED
672 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

SKU	Model	Watts/m
2880 - RGB	VT-COB 422	13W/M

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

LED STRIP LIGHTS-3528 60 LEDS

5 METER ROLL

IP20 RATING

DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
400 m Box Qty	8 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2041 - 4500K DAY WHITE 2011 - GREEN	VT-3528 -60	3.6W	400lm	5-6lm
212016 - 3000K WARM WHITE 212041 - 4000K DAY WHITE 212005 - 6400K WHITE 212015 - RED 212013 - BLUE 212011 - GREEN 212009 - YELLOW	VT-3528 -60-N	4.2W	420lm	7-8lm

LED STRIP LIGHTS-3528 120 LEDS

5 METER ROLL

IP20 RATING

DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP20 Rating	8 mm Width
400 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212025 - 3000K WARM WHITE 212042 - 4000K DAY WHITE 212002 - 6500K WHITE	VT-3528 120-N	8W	800lm	6-7lm

LED STRIP LIGHTS-5050 30 LEDS

5 METER ROLL

IP20 RATING

DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2133 - 6000K WHITE	VT-5050 30	4.8W	500lm	14 -16lm
212135 - 3000K WARM WHITE 212133 - 6400K WHITE 212124 - RGB	VT-5050 30-N	6W	500lm	16-17lm

STRIP LIGHTS 5050 60

3M TAPE ADHESIVE

5 METER ROLL

IP20 RATING

DC:12V	SMD LED
60 LEDs/m	0.9A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2608 - 3000K WARM WHITE 2609 - 6400K WHITE	VT-5050-60-3M	10.8W	1000lm	14 -16lm

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

LED STRIP LIGHTS-5050 60 LEDS

DC:12V	SMD LED
60 LEDs/m	0.9A /m
IP20 Rating	120° :BA
400 m Box Qty	10 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2126 - 6000K WHITE 2128 - RED 2137 - BLUE 2138 - GREEN 2156 - YELLOW 2547 - 2200K WARM WHITE	VT-5050-60	10.8W	1000lm	14 -16lm
212122 - 3000K WARM WHITE 212143 - 4000K DAY WHITE 212126 - 6400K WHITE 212120 - RGB 212128 - RED 212137 - BLUE 212138 - GREEN 212156 - YELLOW 212547 - 2200K WARM WHITE	VT-5050-60-N	10.8W	900lm	14-15lm

LED STRIP LIGHTS-5050 60 LEDS

DC:12V	0.66A /m
60 LEDs/m	120° :BA
IP20 Rating	10 mm Width
400 m Box Qty	

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212159 - RGB+WHITE 212552 - RGB+DAY WHITE 212553 - RGB+WARM WHITE	VT-5050-60-RGBW-N	8W	357lm	5-6lm

LED STRIP LIGHTS-5050 60 LEDS

DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width

5 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2431 - 3000K WARM WHITE 2430 - 6400K WHITE 2591 - RGB	VT-5050-60-24V-5m	9W	600lm	14-16lm
212431 - 3000K WARM WHITE 212459 - 4000K DAY WHITE 212430 - 6400K WHITE 212591 - RGB	VT-5050-60-24V-N-5m	10W	830lm	13-14lm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

LED STRIP LIGHTS-5050 60 LEDS

DC:24V	SMD LED
60 LEDs/m	0.3A /m
IP20 Rating	120° :BA
200 m Box Qty	10 mm Width

10 METER ROLL

IP20 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2592 - RGB	VT-5050-60-24V	9W	600lm	14-16lm
212592 - RGB	VT-5050-60-24V-N	7W	140lm	2-3lm

NEW NEON FLEX IP65



DC:24V	SMD LED
240 LEDs/m	360° :BA
IP65 Rating	25 mm Width
20 Box Qty	

360° LIGHT

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m
6875 - RGB	VT-561	10W
6868 - 3000K WARM WHITE 6869 - 4000K DAY WHITE 6870 - 6500K WHITE 6873 - AMBER 6872 - BLUE 6871 - GREEN 6874 - PINK	VT-551	12W

NEW NEON FLEX IP65

360° LIGHT

5 METER ROLL

DUAL CONTROL APP & REMOTE

IP65 RATING

DC:24V	SMD LED
192 LEDs/m	360° :BA
IP65 Rating	25 mm Width
10 Box Qty	

SKU	Model	Watts/m
6876 - RGB	VT-561-M	24W

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

WEATHERPROOF STRIP LIGHTS

Outdoor strip lights are a versatile and effective lighting solution designed specifically for outdoor use. These flexible and weather-resistant lighting fixtures have gained popularity for their ability to enhance the aesthetics, safety, and functionality of outdoor spaces. One of the most crucial aspects of outdoor strip lights is their ability to withstand various weather conditions. They are typically designed with a high level of weather resistance, often carrying IP ratings like IP65 or higher. This ensures they can endure rain, snow, wind, and exposure to the sun without being damaged.

NEW WP-MAGIC STRIP SET-5050 60 LEDS

AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	10 mm Width

5 METER ROLL

DUAL CONTROL APP & REMOTE

EU PLUG

IP65 RATING

SKU	Model	Watts/m
23146 - RGB	VT-5050 60--60-24V	13W

WP-STRIP-2835-SENSOR

DC:6V	SMD 2835 LED
30 LEDs/m	120° :BA
IP65 Rating	1 m mm Width
50 Box Qty	

IP65 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2573 - 2700K WARM WHITE	VT-8082	2.4W	200lm	5-6lm
212574 - 4000K DAY WHITE	VT-8082-N	2.4W	200lm	5-6lm

WP-STRIP LIGHTS 5050 60

AC:100-240V, 50/60Hz	SMD LED
60 LEDs/m	0.9A /m
IP65 Rating	120° :BA
20 Box Qty	10 mm Width

BS PLUG

5 METER ROLL

3M TAPE ADHESIVE

IP65 RATING

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2606 - 3000K WARM WHITE 2605 - RGB	VT-5050 60-S3M	9W	1000lm	14-16lm
212607 - 6500K WHITE	VT-5050 60-S3M-N	11W	1000lm	14-16lm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

WP-STRIP LIGHTS 5050 60 220V

EU PLUG

50 METER ROLL

IP66 RATING

AC:220-240V, 50/60Hz	SMD LED
60 LEDs/m	120° :BA
IP66 Rating	8 mm Width
50 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2635 - 3000K WARM WHITE 2636 - 4000K DAY WHITE 2637 - 6500K WHITE	VT-5050 60	8.5W	300lm	13-14lm

WP-STRIP LIGHTS 2835 120 220V

EU PLUG

50 METER ROLL

IP66 RATING

AC:220-240V, 50/60Hz	SMD LED
120 LEDs/m	120° :BA
IP66 Rating	8 mm Width
50 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2646 - 3000K WARM WHITE 2647 - 4000K DAY WHITE 2648 - 6500K WHITE	VT-2835 120	10W	800lm	6-7lm

NEW WP-STRIP LIGHTS 2835 60 DOUBLE PCB

30 METER ROLL

IP65 RATING

DC:12V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6855 - 3000K WARM WHITE 6856 - 4000K DAY WHITE	VT-2835-60-12V	4W	420lm	18-20lm

NEW WP-STRIP LIGHTS 2835 60 DOUBLE PCB

30 METER ROLL

IP65 RATING

DC:24V	SMD LED
60 LEDs/m	120° :BA
IP65 Rating	8 mm Width
150 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
6857 - 3000K WARM WHITE 6858 - 4000K DAY WHITE	VT-2835-60-24V	4W	420lm	18-20lm

WP-STRIP LIGHTS 2835 120 DOUBLE PCB

10 METER ROLL

IP65 RATING

DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2626 - 4000K DAY WHITE 2627 - 6000K WHITE	VT-2835 120-IP65	7.2W	600lm	5-6lm
212625 - 3000K WARM WHITE 212626 - 4000K DAY WHITE 212627 - 6400K WHITE	VT-2835 120-IP65-N	7.5W	750lm	6-7lm

WP-STRIP LIGHT-5050 RGB + CCT 5IN1

5 METER ROLL

IP65 RATING

5IN1 RGB 3000K 4000K 6400K

DC:24V	SMD LED
60 LEDs/m	0.58A /m
IP20 Rating	120º :BA
200 m Box Qty	12 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2896 -5IN1	VT-5050-60-RGB	14W	1400lm	23-24lm

WP-STRIP LIGHTS 2835 - CCT

5 METER ROLL

IP65 RATING

3IN1 3000K 4000K 6400K

DC:24V	SMD LED
120 LEDs/m	0.6A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2898 - 3IN1	VT-2835-120-IP65	14.5W	1750lm	14-15lm

NEW WP-COB STRIP LIGHTS IP20

30 METER ROLL

IP65 RATING

DC:12V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width

SKU	Model	Watts/m	Lumen/m
6864 - 3000K WARM WHITE 6865 - 4000K DAY WHITE	VT-COB-320 -12V	10W	1200lm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

NEW WP-COB STRIP LIGHTS IP20

30 METER ROLL

IP65 RATING

DC:24V	COB LED
320 LEDs/m	120° :BA
IP65 Rating	8 mm Width

SKU	Model	Watts/m	Lumen/m
6866 - 3000K WARM WHITE 6867 - 4000K DAY WHITE	VT-COB -320-24V	10.5W	1050lm

NEW WP-COB STRIP LIGHTS IP20

5 METER ROLL

IP67 RATING

DC:24V	COB LED
320 LEDs/m	120° :BA
IP67 Rating	8 mm Width

SKU	Model	Watts/m	Lumen/m
23138 - 3000K WARM WHITE 23139 - 4000K DAY WHITE 23140 - 6500K WHITE 23141 - RED 23142 - BLUE 23143 - GREEN 23144 - AMBER	VT-COB-320 -24V-IP67	10W	840lm

WP-LED STRIP LIGHTS-3528 60 LEDS

5 METER ROLL

IP65 RATING

DC:12V	SMD LED
60 LEDs/m	0.3A /m
IP65 Rating	120° :BA
400 m Box Qty	8 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2036 - RED 2034 - GREEN	VT-3528-60	3.6W	400lm	5-6lm
212032 - 3000K WARM WHITE 212043 - 4500K DAY WHITE 212031 - 6500K WHITE 212036 - RED 212035 - BLUE 212034 - GREEN	VT-352-60-N	5W	420lm	7-8lm

WP-LED STRIP LIGHTS-3528 120 LEDS

5 METER ROLL

IP65 RATING

DC:12V	0.66A /m
120 LEDs/m	120° :BA
IP65 Rating	9.2 mm Width
400 m Box Qty	

SKU	Model	Watts/m	Lumen/m	Lumen/LED
212038 - 3000K WARM WHITE 212044 - 4000K DAY WHITE 212037 - 6400K WHITE	VT-3528-120-N	8W	800lm	6-7lm

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

WP-LED STRIP LIGHTS-5050 30 LEDS

5 METER ROLL

IP65 RATING

DC:12V	SMD LED
30 LEDs/m	0.4A /m
IP65 Rating	120° :BA
400 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2144 - 6000K WHITE	VT-5050-30	4.8W	500lm	14 -16lm
212460 - 4000K DAY WHITE 212145 - 3000K WARM WHITE 212118 - RGB	VT-5050-30-N	6W - 3000K 4.8W - 4000K 4W - RGB	500lm-3000K 500lm-4000K 70lm-RGB	14 -16lm

WP-TAPE-5050 60 LEDS

5 METER ROLL

IP65 RATING

DC:24V	SMD LED
60 LEDs/m	0.375A /m
IP65 Rating	120° :BA
200 m Box Qty	10 mm Width

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2562 - 3000K WARM WHITE 2564 - 6400K WHITE	VT-5050 60-24V	9W	500lm	14-16lm
212562 - 3000K WARM WHITE 212563 - 4000K DAY WHITE 212564 - 6400K WHITE	VT-5050 60-24V-N	10W	830lm	13-14lm

WP-NEON FLEX IP68

10 METER ROLL

IP68 RATING

DC:24V	SMD LED
126 LEDs/m	0.27A /m
IP68 Rating	120° :BA
50 m Box Qty	8 mm Width

SKU	Model	Watts/m	Lumen/m
2612 - 3000K WARM WHITE 2613 - 4000K DAY WHITE 2614 - 6400K WHITE 2618 - RED 2615 - BLUE 2616 - GREEN 2617 - YELLOW	VT-554	6.5W	260lm

WP-NEON FLEX SILICON COVER

5 METER ROLL

IP65 RATING

DC:24V	SMD LED
238 LEDs/m	0.34A /m
IP65 Rating	120° :BA
200 m Box Qty	4 mm Width

SKU	Model	Watts/m	Lumen/m
2619 - 3000K WARM WHITE 2620 - 4000K DAY WHITE 2621 - 6000K WHITE	VT-560	8W	530lm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

WP-NEON FLEX-WHITE

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2512 - 6000K WHITE	VT-555W	8W	320

WP-NEON FLEX-WARM WHITE

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2513 - 3000K WARM WHITE	VT-555WW	8W	320

WP-NEON FLEX-DAY WHITE

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2514 - 4500K DAY WHITE	VT-555DW	8W	320

WP-NEON FLEX-BLUE



DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2515 - BLUE	VT-555B	8W	320

V-TAC
Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

WP-NEON FLEX-RED

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2516 - RED	VT-555R	8W	320

WP-NEON FLEX-GREEN

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2517 - GREEN	VT-555G	8W	320

WP-NEON FLEX-YELLOW

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2518 - YELLOW	VT-555Y	8W	320

WP-NEON FLEX-PINK

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2529 - PINK	VT-555P	8W	320

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

WP-NEON FLEX-VIOLET

DC:24V	SMD LED
120 LEDs/m	160° :BA
IP65 Rating	9x16.5 mm Width
50 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2531 - VIOLET	VT-555V	8W	320

WP-BACKLITE SILICON NEON FLEX

DC:24V	SMD LED
120 LEDs/m	120° :BA
IP65 Rating	8 mm Width
200 m Box Qty	

10 METER ROLL

IP65 RATING

SKU	Model	Watts/m	Lumen/m
2568 - 3000K WARM WHITE 2569 - 4000K DAY WHITE 2570 - 5000K WHITE	VT-559	13W	1000

BAR 4014 144 LEDS

DC:12V	SMD LED
IP20 Rating	1.5A /m
125 Box Qty	1 mm Height

SKU	Model	Watts/m	Lumen/m	Lumen/LED	
2537 - 6400K WHITE 2535 - 3000K WARM WHITE	VT-4014 144-2Pc	18W	1700lm	20-24lm	2 PCS PACK
2540 - 6400K WHITE 2538 - 3000K WARM WHITE	VT-4014 144-10Pc	18W	1700lm	20-24lm	10 PCS PACK

BAR 4014 144 LEDS

DC:12V	SMD LED
IP20 Rating	1.5A /m
100 Box Qty	1 mm Height

SKU	Model	Watts/m	Lumen/m	Lumen/LED
2541 - 3000K WARM WHITE	VT-4014 144-P	18W	1700lm	20-24lm

V-TAC
Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

LED STRIP SET -PLUG AND PLAY

SKU	Model	Box Qtt
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	48
2352	WP-LED Strip Set SMD5050 30 LEDs RGB IP65	50
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	50
2354	WP-LED Strip Set SMD5050 60 LEDs RGB IP65	48
2355	LED Strip Set SMD5050 60 LEDs White IP20	48
2356	WP-LED Strip Set SMD5050 60 LEDs White IP65	48

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and REMOTE CONTROL, to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip, 5 meter roll
- Controller with remote
- Driver
- Blister Pack

STRIP CONNECTORS



SKU	Model	Box Qtt
2587	Flexible Connector – LED Strip 5050 RGB+White	2500
2588	Flexible Connector – 5050 RGB+White With Pin	2000
2589	Connector – LED Strip 5050 RGB+White	3000
3500	Flexible Connector – LED Strip 3528	100
3501	Flexible Connector – LED Strip 5050	100
3502	Flexible Connector – LED Strip 5050 RGB	100
3503	Connector – LED Strip 3528	100
3504	Connector – LED Strip 5050	1000
3505	Connector – LED Strip 5050 RGB	1000
3507	Flexible Connector – LED Strip 3528 DC Female	100
3508	Flexible Connector – LED Strip 5050 DC Female	100
3512	Connector – LED Strip DC Female	100



02 YEAR WARRANTY

MOUNTING KITS FOR STRIP LIGHTS

V-TAC Meaningful Innovation.

MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8113	2873	2000x17.4x7	Black	box

MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8109	2874	2000x15.8x15.8	Black	box

MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8106	2875	2000x24.7x7	Black	box

MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qtt
VT-8108	2876	2000x23.5x10	Black	box

MOUNTING KIT WITH BLACK DIFFUSER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8114	2877	2000x19x19	Black	box

MOUNTING KIT WITH BLACK DIFFUSER

Model	SKU	Size(mm)	Color	Box Qtt
VT-8110	2878	2000x17.2x14.4	Black	box

V-TAC
Meaningful Innovation.

MOUNTING KITS FOR STRIP LIGHTS

02 YEAR WARRANTY

NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8156	10320	2000x24.7x7	Silver	100

NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8157	10321	2000x17.4x7	Silver	100

NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color	Box Qtt
VT-8158	10322	2000x15.8x15.8	Silver	100



NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8201	23173	2000x55x15	Silver



NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8202	23174	2000x20x10	Silver



NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8203	23175	2000x20x10	Silver

02 YEAR WARRANTY

MOUNTING KITS FOR STRIP LIGHTS

V-TAC Meaningful Innovation.

NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8204-S	23176	2000x30x10	Silver

NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8204-R	23177	2000x30x10	Silver



NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8206-S	23178	2000x50x20	Silver

NEW MOUNTING KIT SILVER



Model	SKU	Size(mm)	Color
VT-8206-R	23179	2000x50x20	Silver

NEW MOUNTING KIT SILVER

Model	SKU	Size(mm)	Color
VT-8208	23180	2000x60x36	Silver

MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8126	2871	2000x50x35	White	20

V-TAC
Meaningful Innovation.

MOUNTING KITS FOR STRIP LIGHTS

02 YEAR WARRANTY

MOUNTING KIT WHITE

Model	SKU	Size(mm)	Color	Box Qtt
VT-8127	2872	2000x50x75	White	10

MOUNTING KIT WITH DIFFUSER SURFACED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8136	2903	2000x7.8x9	Silver	box

MOUNTING KIT WITH DIFFUSER RECESSED

Model	SKU	Size(mm)	Color	Box Qtt
VT-8137	2904	2000x12.4x9	Silver	box

MOUNTING KIT BENDABLE SILVER

Model	SKU	Size(mm)	Color	Box Qtt
VT-8138	2909	2000x18x6	Silver	box

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8106-M	3350	2000x24.7x7	Silver	180
VT-8122-W	3368	2000x24.7x7	White	180

MOUNTING KIT

Model	SKU	Size(mm)	Color	Box Qtt
VT-8108-M	3352	2000x23.5x10	Silver	120
VT-8108-W	3367	2000x23.5x10	White	120

02 YEAR WARRANTY

MOUNTING KITS FOR STRIP LIGHTS

V-TAC Meaningful Innovation.

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8109-M	3353	2000x15.8x15.8	Silver	160
VT-8123-W	3369	2000x15.8x15.8	White	160

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8110-M	3354	2000x17.2x14.4	Silver	120
VT-8110-W	3366	2000x17.2x14.4	White	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8113-M	3355	2000x17.4x7	Silver	180
VT-8113-W	3365	2000x17.4x7	White	180

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8114-M	3356	2000x19x19	Silver	120
VT-8114-W	3364	2000x19x19	White	120

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qtt
VT-8107	3351	2000x23x15.5	Silver	120

MOUNTING KIT





Model	SKU	Size(mm)	Color	Box Qtt
VT-9327	3370	2000x16x7	Silver	200

V-TAC
Meaningful Innovation.

MOUNTING KITS FOR STRIP LIGHTS

02 YEAR WARRANTY

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8115	3357	2000x24.5x12.2	Silver	120

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8116	3358	2000x17.4x12.1	Silver	120

MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8101	3359	2000	Silver	30



MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8102	3360	2000	Silver	50



MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8103	3361	2000	Silver	40



MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8104	3362	2000	Silver	30

02 YEAR WARRANTY

MOUNTING KITS FOR STRIP LIGHTS

V-TAC Meaningful Innovation.



MOUNTING KIT-SILVER-SET



Model	SKU	Size(mm)	Color	Box Qtt
VT-8105	3363	2000	Silver	30

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8118	3371	2000x30x20	Silver	50

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-8119	3372	2000x32x20	Silver	60

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-7103-M	9986	26.5x9x1000	Matt	90

MOUNTING KIT



Model	SKU	Size(mm)	Color	Box Qtt
VT-7104	9956	19x19x2000	Silver	40

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

SINGLE COLOR CONTROLLER

SKU	Model
2911	VT-2431

- Voltage: DC:12V-24V
- Working Temperature: -10~40 °C
- Output: Max 12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB CONTROLLER

SKU	Model
2912	VT-2432

- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

RGB+W CONTROLLER

SKU	Model
2913	VT-2434

- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode

5 CHANNEL AMPLIFIER

SKU	Model
2914	VT-2435

- Voltage: DC12V/24V
- Work Temperature: -20~60°C
- Output Voltage: DC12V/24V
- Output Current: 6A/Channel
- Total output Max: 15A
- Switching Rate: 10Mbps
- Connection: Common anode

WALL CONTROLLER - 3 IN 1

SKU	Model
2915	VT-2433

- Voltage: DC12V-24V
- Output Max: 5A/Channel
- Total Output Max: 10A
- RF: 2.4GHz
- Control Distance: 30m
- Working Temperature: -20-60°C
- Panel Size: 86x86mm"
- Compatible with RGB/RGBW/RGB+CCT strips

4 ZONE CONTROLLER

SKU	Model
2916	VT-2439

- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

4 ZONE RGB+W CONTROLLER

SKU	Model
2917	VT-2437

- Voltage: 3V(2*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86x86x16mm

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

TOUCH DIMMER-WHITE

SKU	Model
2919	VT-2440-W

- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

TOUCH DIMMER-BLACK

SKU	Model
2920	VT-2440-B

- Voltage: 3V(2*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m

8 ZONE REMOTE CONTROL

SKU	Model
2921	VT-2438

- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 47x19x153mm

4 ZONE REMOTE CONTROL

SKU	Model
2918	VT-2436

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 53x21x110.5mm

TOUCH REMOTE CONTROL RGB+CCT

SKU	Model
2922	VT-2441

- Voltage: 3V(2*AAA Battery)
- Control Distance: 30m
- Size: 56x20x138mm

TOUCH REMOTE CONTROL RGB+W-WHITE

SKU	Model
2923	VT-2442-W

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

TOUCH REMOTE CONTROL RGB+W-BLACK

SKU	Model
2924	VT-2442-B

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5x21x120mm

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

STRIP-CONTROLLER-DIMMER

SKU	Model	Voltage
3300	VT-2402	DC:12/24V

STRIP-CONTROLLER-RF

SKU	Model	Voltage
3303	VT-2404	DC:12/24V

NEW CONTROLLER FOR NEON FLEX(VT-561)

SKU	Model	Voltage
7805	7805	DC:5-24V

STRIP-CONTROLLER-RF

SKU	Model	Voltage
3312	VT-2405	DC:12/24V

STRIP-CONTROLLER-INFRARED

SKU	Model	Voltage
3625	VT-2472	DC:12/24V

STRIP-CONTROLLER-RGB + CCT

SKU	Model	Voltage
2899	VT-2428	DC:12V/24V

STRIP-CONTROLLER-CCT

SKU	Model	Voltage
2901	VT-2425	DC:12V/24V

STRIP-AMPLIFIER-5050

SKU	Model	Voltage
3018	3018	DC:12V

STRIP-CONTROLLER-WI-FI RGB

SKU	Model	Voltage
3322	3322	DC:12V

STRIP CONTROLLER- WIFI - RGB + CCT

SKU	Model	Voltage
2900	VT-2429	DC:12V/24V

STRIP WIFI CONTROLLER - CCT

SKU	Model	Voltage
2902	VT-2427	DC:12V/24V

STRIP-CONTROLLER-5050

SKU	Model	Voltage
3326	3326	DC:12/24V

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

STRIP-AMPLIFIER

SKU	Model	Voltage
3327	VT-2408	DC:12/24V

STRIP-AMPLIFIER

SKU	Model	Voltage
3309	VT-2407	DC:12/24V

BED LIGHT-SENSOR

Sensing Distance:2-5m
DeLay Time:3s-6min

SKU	Model	Voltage
2554	VT-8069	DC:12V

SURFACE-TOUCH SENSOR

SKU	Model	Voltage
2556	VT-8071	DC:12V

HAND WAVE SENSOR

SKU	Model	Voltage
2557	VT-8072	DC:12V

STRIP-CONTROLLER-DIMMER-RECESSED



SKU	Model	Voltage
3341	VT-2411	DC:12V

LED SYNC CONTROLLER-DIMMER

SKU	Model	Voltage
3337	VT-2414	DC:12/24V

LED SYNC CONTROLLER-RGBW/WW

SKU	Model	Voltage
3338	VT-2424	DC:12/24V

LED SYNC CONTROLLER- RGB

SKU	Model	Voltage
3339	VT-2420	DC:12/24V

LED SYNC CONTROLLER- RGB

SKU	Model	Voltage
3340	VT-2421	DC:12/24V

STRIP DIMMER- TOUCH REMOTE CONTROL

SKU	Model	Voltage
2590	VT-5115	DC:12/24V

V-TAC
Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

NEW

2P PVC WIRE 0.5MTR/PCS,0.5MM²

SKU	Box Qty
6877	1000

NEW

3P PVC WIRE 0.5MTR/PCS,0.5MM²

SKU	Box Qty
7852	1000

NEW

4P PVC WIRE 0.5MTR/PCS,0.5MM²

SKU	Box Qty
6878	1000

NEW

22END CAP

SKU	Box Qty
6879	2000

NEW

22HEAD CAP

SKU	Box Qty
6880	2000

SILICONE GLUE

SKU	Box Qty
2638	500

POWER PLUG (EU)

SKU	Box Qty
2639	100

H07RN-7 CABLE (EU PLUG)

SKU	Box Qty
2640	50

MIDDLE CONNECTOR

SKU	Box Qty
2641	3000

FIXING CLIP + SCREWS FOR 360 NEON LIGHT

SKU	Box Qty
2642	2000

NEW

FIXING CLIP + SCREWS FOR 220V STRIP LIGHT

SKU	Box Qty
2642P	2000

FLEXIBLE CONNECTOR

SKU	Box Qty
2643	300

T SHAPE CONNECTOR

SKU	Box Qty
2644	500

L SHAPE CONNECTOR

SKU	Box Qty
2645	300

MOUNTING KIT-5CM

SKU	Box Qty
2527	2200

NEON POWER CORD

SKU	Box Qty
3331	500

NEON CONNECTOR

SKU	Box Qty
3333	3000

NEON END SAFE CAP

SKU	Box Qty
3334	2

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

PLASTIC PROFILE-1M

SKU	Box Qty
2571	50

FIXING CLIP

SKU	Box Qty
2566	1000

CONNECTOR FOR STRIP 8MM

SKU	Box Qty
2655	5000

CONNECTOR FOR STRIP 8MM DUAL HEAD

SKU	Box Qty
2657	2500

CONNECTOR FOR STRIP 10MM

SKU	Box Qty
2659	5000

CONNECTOR FOR STRIP 10MM DUAL HEAD

SKU	Box Qty
2661	2500

CONNECTOR FOR COB STRIP 8MM SINGLE HEAD

SKU	Box Qty
2663	1000

CONNECTOR FOR COB STRIP 10MM SINGLE HEAD

SKU	Box Qty
2665	1000

QUICK CONNECT WIRE FOR LED STRIP LIGHT

SKU	Box Qty
11341	1000

QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT

SKU	Box Qty
11343	500

PLUG-PIN

SKU	Box Qty
2565	1000

END CUP

SKU	Box Qty
2567	1000

CONNECTOR FOR STRIP 8MM SINGLE HEAD

SKU	Box Qty
2656	2500

L SHAPE CONNECTOR FOR STRIP 8MM

SKU	Box Qty
2658	5000

CONNECTOR FOR STRIP 10MM SINGLE HEAD

SKU	Box Qty
2660	2500

L SHAPE CONNECTOR FOR STRIP 10MM

SKU	Box Qty
2662	5000

CONNECTOR FOR COB STRIP 8MM DUAL HEAD

SKU	Box Qty
2664	1000

CONNECTOR FOR COB STRIP 10MM DUAL HEAD

SKU	Box Qty
2666	1000

QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT

SKU	Box Qty
11342	1000

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

MODULES-3 SMD-IP67

DC:12V
66lm
>75 CRI
160° Beam Angle
67x15x8.5
2000 Box Qty

IP67 RATING

SKU	Model	Watts
5116 - 6000K WHITE 5117 -RED 5118 - BLUE 5119 - GREEN	VT-50503	0.72W

MODULES-3 SMD-IP67

DC:12V
100lm
>75 CRI
120° Beam Angle
53x12x4.6
200 Box Qty

IP67 RATING

SKU	Model	Watts
5120 - 6000K WHITE 5121 -RED 5123 - GREEN	VT-28353	1W

MODULES-3 SMD-IP67

DC:12V
120-150lm
>75 CRI
120° Beam Angle
87x15x10
2000 Box Qty

IP67 RATING

SKU	Model	Watts
5124 - 3000K WARM WHITE 5127 - BLUE 5128 - GREEN	VT-28356	1.5W

MODULES-4 SMD-IP68

DC:12V
120-135lm
>75 CRI
160° Beam Angle
37x37x6.8
100 Box Qty



IP68 RATING

SKU	Model	Watts
5130 - 6000K WHITE 5129 - 3000K WARM WHITE 5131 -RED 5132 - BLUE 5133 - GREEN	VT-28358	1.44W

MODULES-3 SMD-IP67

DC:12V
20lm
>75 CRI
120° Beam Angle
68x19.5x5.7
100 Box Qty

IP67 RATING

SKU	Model	Watts
5134 - RGB	VT-50506	0.72W

MODULES-SMD-IP68

DC:12V
20lm
>75 CRI
120° Beam Angle
12x22
320 Box Qty

IP68 RATING

SKU	Model	Watts
5136 - 6000K WHITE 5141 - 4000K DAY WHITE 5135 - 3000K WARM WHITE 5137 -RED 5139 - BLUE 5140 - GREEN 5138 - YELLOW	VT-50501	0.24W

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

SLIM POWER SUPPLY

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3255	VT-20030	30W	2.5A	AC:220-240V,50Hz	DC:12V	130x50x31	36
3246	VT-20062	60W	5A	AC:85-265V,50/60Hz	DC:12V	130x50x31	36
3247	VT-20077	75W	6A	AC:85-265V,50/60Hz	DC:12V	130x50x31	60
3243	VT-20122	120W	10A	AC:85-265V,50/60Hz	DC:12V	190x50x31	80
3244	VT-20152	150W	12.5A	AC:85-265V,50/60Hz	DC:12V	200x62x31	60
3261	VT-24061	60W	2.5A	AC:85-265V,50/60Hz	DC:24V	130x50x31	36
3262	VT-24120	120W	5A	AC:85-265V,50/60Hz	DC:24V	190x50x31	80
3253	VT-20153	150W	6.5A	AC:85-265V,50/60Hz	DC:24V	200x62x31	50
3273	VT-22250	250W	10A	AC:200-265V, 50Hz	DC:24V	225x60x30	30

LED POWER SUPPLY-METAL

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3259	VT-20352	350W	30A	AC:200-240V,50/60 Hz	DC:12V	208x82x32	30
3263	VT-24350	350W	15A	AC:200-240V,50/60 Hz	DC:24V	208x82x32	30

METAL POWER SUPPLY

05 YEAR WARRANTY

NO NOISE WITHOUT FAN

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3274	VT-21360	360W	30A	AC:200-240V,50Hz	DC:12V	208x82x32	24
3275	VT-21361	360W	15A	AC:200-240V,50Hz	DC:24V	208x82x32	24

LED POWER SUPPLY-METAL

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3228	VT-20026	25W	2.1A	AC:85-265V,50/60Hz	DC:12V	115x40x25	100

LED POWER SUPPLY-TRIAC DIMMABLE

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3256	VT-20101D	100W	8.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3257	VT-20154D	150W	12.5A	AC:200-240V,50/60 Hz	DC:12V	199x62x31	50
3258	VT-20155D	150W	6.25A	AC:200-240V,50/60 Hz	DC:24V	199x62x31	50

V-TAC Meaningful Innovation.

LED STRIP LIGHTS

02 YEAR WARRANTY

RAINPROOF POWER SUPPLY

IP45 RATING

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3070	VT-21060	60W	5A	AC:200-240V,50Hz	DC:12V	125x74x42	30

LED POWER SUPPLY-RAINPROOF

IP45 RATING

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3231	VT-21151	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	207x74x42	40
3232	VT-21251	250W	20A	AC: 100-264V,50/60Hz	DC:12V	218x95x50	25
3233	VT-21401	400W	33A	AC: 100-264V,50/60Hz	DC:12V	223x118x50	20
3265	VT-26400	400W	16.6A	AC: 100-264V,50/60Hz	DC:24V	223x118x50	20

LED POWER SUPPLY-WATERPROOF

IP65 RATING

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3236	VT-22101	100W	8.0A	AC: 100-264V,50/60Hz	DC:12V	201x30.5x20	20
3101	VT-22101-24	100W	4.2A	AC: 100-264V,50/60Hz	DC:24V	192x52x37	20

LED POWER SUPPLY-WATERPROOF

IP67 RATING

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3271	VT-21030	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	150x40x30	60
3234	VT-22061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3235	VT-22075	75W	6A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3248	VT-22153	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	15

LED POWER SUPPLY-PLASTIC

05 YEAR WARRANTY

IP67 RATING

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3252	VT-22065	60W	5A	AC: 100-264V,50/60Hz	DC:12V	166x43x33	40
3251	VT-22105	100W	8.3A	AC: 100-264V,50/60Hz	DC:12V	192x52x37	25
3250	VT-22155	150W	12.5A	AC: 100-264V,50/60Hz	DC:12V	192x62x38	20

02 YEAR WARRANTY

LED STRIP LIGHTS

V-TAC Meaningful Innovation.

LED POWER SUPPLY-PLASTIC

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3237	VT-23019	18W	1.5A	AC: 100-264V,50/60Hz	DC:12V	73x27x43	120

LED POWER SUPPLY-PLASTIC

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3238	VT-23031	30W	2.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3249	VT-23043	42W	3.5A	AC:100-265V 50/60 Hz	DC:12V	119x52x32	50
3239	VT-23061	60W	5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3240	VT-23079	78W	6.5A	AC: 100-264V,50/60Hz	DC:12V	119x52x32	50
3264	VT-25060	60W	2.5A	AC: 100-264V,50/60Hz	DC:24V	119x52x32	50
3272	VT-22078	78W	3.25A	AC: 100-264V,50/60Hz	DC:24V	119x52x32	50

LED POWER SUPPLY-PLASTIC

BS PLUG

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3035	VT-23060	60W	5A	AC:100-265V 50/60 Hz	DC:12V	119x52x32	50

LED POWER SUPPLY-PLASTIC

BS PLUG

SKU	Model	Watts	Current Capacity	Input Power	Output	Dimension	Box Qty
3269	VT-23060-W	60W	5A	AC:100-264V	DC:12V	119x52x32	50

POWER SUPPLY - PLASTIC

SKU	Model	Watts	Current Capacity	Input Power	Output	Box Qty
2671	VT-23032	30W	2.5A	AC:100-240V,50/60Hz	DC:12V	100
2672	VT-23044	42W	3.5A	AC:100-240V,50/60Hz	DC:12V	100

V-TAC
Meaningful Innovation.

LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability, and remarkable light output to serve the general Commercial and Retail market.

Key Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No lead or mercury content – environmentally friendly
- Provides uniform radiance & enhances the appeal of a retail environment
- Greatly increased levels of performance and efficiency compared to older solutions such as high wattage halogen or HID light sources in retail and commercial lighting applications

03 YEAR WARRANTY

FABRIC BELT SERIES

V-TAC Meaningful Innovation.



FABRIC BELT SERIES

Imagine a perfect blend of simplicity and innovation? That's what V-TAC offers with its innovative lighting concept, inspired by the design of a belt. It's a blend of materiality and light like never before.

V-TAC offers a top-quality fabric belt that does more than just hold things together. It conducts electricity, transforming it into a conduit for light to efficiently pass through any space. It's a game-changer, and it's here to revolutionize the way professionals think about lighting design.

V-TAC empowers creative minds with a versatile toolkit to craft unique lighting experiences and cultivate distinct atmospheres using various lighting tools. This toolkit isn't the regular collection of lighting system; rather, an agent of possibilities. Within these toolkits, you'll discover an array of elements like component pieces, a collection of colours, as well as diverse textures. The magic happens when you mix and match these elements, tailoring them to the specific features of your space. For designers and architects, this is a powerhouse of creativity, offering an endless canvas to paint with light. With V-TAC, you're not just illuminating a space; you're creating it, shaping its ambiance, and carving an environment that tells a lifelong story.

NEW FABRIC BELT SERIES-LED GLOBE LIGHT

- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating

CRI 90

03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23108 - 3000K WARM WHITE	VT-41010-SB	Sandy Black	10W	900	150x147

V-TAC
Meaningful Innovation.

FABRIC BELT SERIES

03 YEAR WARRANTY

NEW FABRIC BELT SERIES-LED SPOTLIGHT

- DC:48V Input Voltage
- 38° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating

CRI 90

03 YEAR WARRANTY

DC 48V

SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23104 - 3000K WARM WHITE	VT-41012-SB	Sandy Black	12W	800	107x107
23105 - 3000K WARM WHITE	VT-41012-SW	Sandy White	12W	900	107x107

NEW FABRIC BELT SERIES-LED DOWNLIGHT

- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating

CRI 90

03 YEAR WARRANTY

DC 48V

SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23106 - 3000K WARM WHITE	VT-41112-SB	Sandy Black	12W	800	107x107
23107 - 3000K WARM WHITE	VT-41112-SW	Sandy White	12W	800	107x107

03 YEAR WARRANTY

FABRIC BELT SERIES

V-TAC Meaningful Innovation.

NEW FABRIC BELT SERIES-LED DOWNLIGHT

- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating

CRI 90

03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23109 - 3000K WARM WHITE	VT-41020-SB	Sandy Black	20W	1400	200x113
23110 - 3000K WARM WHITE	VT-41020-SW	Sandy White	20W	1700	200x113

NEW FABRIC BELT SERIES-LED DOWNLIGHT



- DC:48V Input Voltage
- 120° Beam Angle
- >90 CRI
- Aluminium Body
- 25,000 hr lifespan
- IP20 Rating

CRI 90

03 YEAR WARRANTY

DC 48V

SKU	Model	Unit Color	Watts	Lumens	Size(mm)
23111 - 3000K WARM WHITE	VT-41120-SB	Sandy Black	20W	1200	300x71
23112 - 3000K WARM WHITE	VT-41120-SW	Sandy White	20W	1100	300x71

V-TAC
Meaningful Innovation.

FABRIC BELT SERIES

03 YEAR WARRANTY

NEW FABRIC TRACK BELT

SKU	Size(mm)	Unit Color
23125	10 Meters	Begonia Red

NEW FABRIC TRACK BELT

SKU	Size(mm)	Unit Color
23126	10 Meters	Dark Grey

NEW SURFACE CANOPY



SKU	Size(mm)	Unit Color
23127	Ø205x50	Sandy Black

NEW 2 FUNCTION REMOTE SURFACE CANOPY



SKU	Size(mm)	Unit Color
23129	63x75x43	Sandy Black

03 YEAR WARRANTY

FABRIC BELT SERIES

V-TAC Meaningful Innovation.

NEW REMOTE RECESSED CANOPY



SKU	Size(mm)	Unit Color
23130	90x72	Sandy Black

NEW RECESSED WIRE CONNECTOR



SKU	Size(mm)	Unit Color
23131	65x1500	Sandy Black

NEW COUNTER WEIGHT FOR FLOOR LAMP



SKU	Size(mm)	Unit Color
23132	60x117x130	Sandy Black

NEW SUSPENSION CLIP

SKU	Size(mm)	Unit Color
23133	40x40x1200	Sandy Black

NEW BELT SUPPORT



SKU	Size(mm)	Unit Color
23135	41x7x38	Sandy Black

NEW BELT END CAP-DOUBLE WIRES



SKU	Size(mm)	Unit Color
23136	36x12.5x25	Sandy Black

NEW BELT END CAP-SINGLE WIRE



SKU	Size(mm)	Unit Color
23137	34x10.4x7.5	Sandy Black

NEW POWER SUPPLY(DRIVER)

SKU	Output Voltage	Watts
23181	DC: 48V, 2.08A	100W

LED MAGNETIC TRACKLIGHTS

LED Magnetic Tracklights

Magnetic track lights uniquely utilize magnets' fast adsorption characteristics and are made up by combining the magnetic track and light. The track itself comes in multiple variations, with surface mounted, recessed, suspended and borderless embedding options available. The light has anti-glare line light, anti-glare high power light, soft light lamp, suspension light, and decorative lamp. The light can be used alone or assembled at will. Lighting effect can achieve point, line, the surface combination can meet the needs of various lighting effects. Its convenient installation, fashionable style, and can greatly enhance the decorative effect, in line with the modern architectural design concept, is a fashionable, high-end LED lights leading the trend in the future, is the ideal choice of office, exhibition hall, exclusive stores, hotels, villas, and clubs.

LED MAGNETIC TRACKLIGHTS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

NEW LED MAGNETIC TRACK LIGHTS FLEXIBLE TUBE

- DC:48V Input Voltage
- 200° Beam Angle
- >80 CRi
- Silicone Body

DIMMABLE

SKU	Model	Unit Color	Watts	Lumens	Size(mm)
10277 - 3000K WARM WHITE 10278 - 4000K DAY WHITE	VT-42112	Black	11W	1320	1000
10279 - 3000K WARM WHITE 10280 - 4000K DAY WHITE	VT-42024	Black	23W	2850	2000

NEW MAGNETIC TRACKLIGHTS-GRILLE LIGHT

- DC:48V Input Voltage
- 39° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10234 - 3000K WARM WHITE 10233 - 4000K DAY WHITE 10235 - 6400K WHITE	VT-4225	Black	5W	550	160x26x24	100
10237 - 3000K WARM WHITE 10236 - 4000K DAY WHITE 10238 - 6400K WHITE	VT-4212	Black	12W	1100	273x26x24	50
10240 - 3000K WARM WHITE 10239 - 4000K DAY WHITE 10241 - 6400K WHITE	VT-4222	Black	22W	1900	501x26x24	50

V-TAC Meaningful Innovation.

LED MAGNETIC TRACKLIGHTS

03 YEAR WARRANTY

NEW MAGNETIC TACKLIGHT-ADJUSTABLE ANGLE

- DC:48V Input Voltage
- 34° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10258 - 3000K WARM WHITE 10257 - 4000K DAY WHITE 10259 - 6400K WHITE	VT-4205	Black	5W	600	145x33x52	30
10261 - 3000K WARM WHITE 10260 - 4000K DAY WHITE 10262 - 6400K WHITE	VT-42012	Black	12W	1300	260x33x52	30

NEW MAGNETIC LINEAR TRACK LIGHTS

- DC:48V Input Voltage
- 82° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

DC 48V



SKU	Model	Unit Color	Watts	Lumens	Size(mm)	Box Qty
10243 - 3000K WARM WHITE 10242 - 4000K DAY WHITE 10244 - 6400K WHITE	VT-4211	Black	14W	1500	278x26x24	50
10246 - 3000K WARM WHITE 10245 - 4000K DAY WHITE 10247 - 6400K WHITE	VT-4218	Black	18W	2000	385x26x24	50
10249 - 3000K WARM WHITE 10248 - 4000K DAY WHITE 10250 - 6400K WHITE	VT-42022	Black	22W	2500	615x26x24	50

LED MAGNETIC TRACKLIGHTS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

NEW MAGNETIC TACKLIGHT-L SHAPE



03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 82° Beam Angle
- >80 CRi
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10267 - 3000K WARM WHITE 10266 - 4000K DAY WHITE 10268 - 6400K WHITE	VT-42025	25W	2850	280x255x24	20

NEW MAGNETIC TACKLIGHT-PENDANT

03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 30° Beam Angle
- >80 CRi
- Aluminium+PC Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10264 - 3000K WARM WHITE 10263 - 4000K DAY WHITE 10265 - 6400K WHITE	VT-4214	14W	1600	40x128x1155	35

NEW COB MAGNETIC TACKLIGHTS

03 YEAR WARRANTY

DC 48V

- DC:48V Input Voltage
- 34° Beam Angle
- >80 CRi
- Aluminium Body
- 20,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10252 - 3000K WARM WHITE 10251 - 4000K DAY WHITE 10253 - 6400K WHITE	VT-42010	11W	1300	46x128x176	30
10255 - 3000K WARM WHITE 10254 - 4000K DAY WHITE 10256 - 6400K WHITE	VT-4221	20W	2200	56x128x210	30

V-TAC Meaningful Innovation.

LED MAGNETIC TRACKLIGHTS

03 YEAR WARRANTY

MAGNETIC LINEAR SPOTLIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

UGR<19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7958 | 3000K WARM WHITE 7959 | 4000K DAY WHITE	VT-4141	1W	35	45x35x59mm	40

MAGNETIC LINEAR SPOTLIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

UGR<19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7960 | 3000K WARM WHITE 7961 | 4000K DAY WHITE	VT-4143	3W	240	106x35x59mm	36

MAGNETIC LINEAR TRACK LIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

UGR<19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7962 | 3000K WARM WHITE 7963 | 4000K DAY WHITE	VT-4210	10W	700	137x35x180mm	16

LED MAGNETIC TRACKLIGHTS

03 YEAR WARRANTY

V-TAC Meaningful Innovation.

MAGNETIC LINEAR TRACK LIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

UGR<19

- DC:24V Input Voltage
- 30° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7964 | 3000K WARM WHITE 7965 | 4000K DAY WHITE	VT-4220	20W	1200	270x35x180mm	8

MAGNETIC SPOTLIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

UGR<19

- DC:24V Input Voltage
- 36° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7966 | 3000K WARM WHITE 7967 | 4000K DAY WHITE	VT-4215	15W	900	166x100x55mm	16

MAGNETIC PENDANT LIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

UGR<19

- DC:24V Input Voltage
- 36° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7968 | 3000K WARM WHITE 7969 | 4000K DAY WHITE	VT-4315	15W	1000	300x55mm	12

V-TAC Meaningful Innovation.

LED MAGNETIC TRACKLIGHTS

03 YEAR WARRANTY

MAGNETIC LINEAR LIGHT

03 YEAR WARRANTY

CRI 90

DC 24V

- DC:24V Input Voltage
- 100° Beam Angle
- >90 CRi
- Aluminium Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7954 | 3000K WARM WHITE 7955 | 4000K DAY WHITE	VT-4121	20W	1600	652x35x59mm	12
7956 | 3000K WARM WHITE 7957 | 4000K DAY WHITE	VT-4131	30W	2700	970x35x59mm	12

Accessories for DC:48V

NEW

Drivers-100W - DC:48V

SKU	Box Qty
10272	50

NEW

Drivers-200W -DC:48V

SKU	Box Qty
10273	50

NEW

I Shape Straight Connector

SKU	Box Qty
10269	200

NEW

I Shape Right Angle Turn Connector

SKU	Box Qty
10270	200

NEW

L Shape Connector

SKU	Box Qty
10271	30

NEW

Ultra Thin Magnetic Track Rail-1M

SKU	Box Qty
10232	25

03 YEAR WARRANTY

LED MAGNETIC TRACKLIGHTS

V-TAC Meaningful Innovation.

Accessories for DC:24V

Track Rail-0.5M

SKU	Box Qty
7950	9

Track Rail-1M

SKU	Box Qty
7951	9

Track Rail-1.5M

SKU	Box Qty
7953	6

Track Rail-2M

SKU	Box Qty
7952	6

Recessed Kit for Magnetic Tracklight

SKU	Box Qty
7970	75

Track Connector

SKU	Box Qty
7971	180

90'D Corner Connector

SKU	Box Qty
7972	27

Outer Corner Connector

SKU	Box Qty
7973	27

Cross Connector

SKU	Box Qty
7974	36

T Type Connector

SKU	Box Qty
7975	36

Pendant Track Rail Accessory

SKU	Box Qty
7977	150

Track Cover

SKU	Box Qty
7978	200

Live End Connector

SKU	Box Qty
7979	200

100W Transformer - DC:24V

SKU	Box Qty
11144	30

200W Transformer - DC:24V

SKU	Box Qty
11145	30

V-TAC
Meaningful Innovation.

LED TRACK LIGHTS

05 YEAR WARRANTY

COB TRACK LIGHTS



05 YEAR WARRANTY

CRI 95

- AC:220-240V,50/60Hz Input Voltage
- 24° Beam Angle
- >0.9 PF
- >95 CRI
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1300 - 6400K WHITE	VT-4615W	15w	1300	Ø180x97x155	20
1294 - 6400K WHITE	VT-4635W	30w	2700	180x140x215	20

COB TRACK LIGHTS



05 YEAR WARRANTY

CRI 95

- AC:220-240V,50/60Hz Input Voltage
- 24° Beam Angle
- >0.9 PF
- >95 CRI
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1303 - 6400K WHITE	VT-4615B	15w	1300	180x97x155	20
1297 - 6400K WHITE	VT-4635B	30w	2700	180x140x215	20

SMART COB TRACK LIGHTS



DIMMABLE

SMART V-TAC SMART PHONE APP

3-IN-1 COLOR CHANGING

- AC:220-240V,50/60Hz Input Voltage
- 18°-48° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- 30,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1456 - 3 IN 1	VT-7715-W	15w	650	215x141x60	20
1458 - 3 IN 1	VT-7735-W	35w	2350	215x183x93	20

02 YEAR WARRANTY

LED TRACK LIGHTS

V-TAC Meaningful Innovation.

NEW COB 4 LINE TRACK LIGHTS



CRI 90

3-IN-1 COLOR CHANGING

AC:220-240V, 50Hz Input Voltage

35° Beam Angle

>90 CRI

ABS+Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8078 - 3IN1	VT-47030-B	30W	2900	253x71x71	20
8842 - 3IN1	VT-47050-B	40W	3150	293x80x80	

NEW COB 4 LINE TRACK LIGHTS



CRI 90

3-IN-1 COLOR CHANGING

AC:220-240V, 50Hz Input Voltage

35° Beam Angle

>90 CRI

ABS+Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8142 - 3IN1	VT-47030-W	30W	2900	253x71x71	20
8843 - 3IN1	VT-47050-W	40W	3150	293x80x80	

NEW COB 4 LINE TRACK LIGHTS



3-IN-1 COLOR CHANGING

AC:220-240V, 50Hz Input Voltage

35° Beam Angle

>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)
10371 - 3IN1	VT-4633	30W	3000	105x150x141

NEW COB 4 LINE TRACK LIGHTS



AC:220-240V, 50Hz Input Voltage

30° Beam Angle

>80 CRI

Aluminium Body

20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10281 - 4000K DAY WHITE	VT-4235-B	35W	3000	91x151x159	20

V-TAC Meaningful Innovation.

LED TRACK LIGHTS

02 YEAR WARRANTY

COB 4 LINE TRACK LIGHTS



CRI 95

- AC:100-240V,50/60Hz Input Voltage
- 25° Beam Angle
- >0.9 PF
- >95 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1235 - 5000K WHITE	VT-4535	33w	1800	112x165x205	8
1238 - 5000K WHITE	VT-4545	45w	2300	123x165x218	8

COB 4 LINE TRACK LIGHTS



- AC:220-240V,50/60Hz Input Voltage
- 24° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1255 - 3000K WARM WHITE 1256 - 4500K DAY WHITE 1257 - 6000K WHITE	VT-4536W	35w	3500	92x165x192	20
211255 - 3000K WARM WHITE 211256 - 4000K DAY WHITE 211257 - 6500K WHITE	VT-4536W-N	35w	3000	92x165x192	20

COB 4 LINE TRACK LIGHTS



- AC:220-240V,50/60Hz Input Voltage
- 24° Beam Angle
- >0.9 PF
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1285 - 3000K WARM WHITE 1286 - 4000K DAY WHITE 1287 - 6000K WHITE	VT-4536B	35w	3500	92x165x192	20
211285 - 3000K WARM WHITE 211286 - 4000K DAY WHITE 211287 - 6000K WHITE	VT-4536B-N	35w	3000	92x165x192	20

NEW

Track Fitting-GU10

- AC:220-240V, 50/60Hz
- PC+Aluminium Body

SKU	Box Qty
6783	20

NEW

Track Fitting-GU10

- AC:220-240V, 50/60Hz
- PC+Aluminium Body

SKU	Box Qty
6784	20

02 YEAR WARRANTY

LED TRACK LIGHTS

V-TAC Meaningful Innovation.

Connector 4I

SKU	Box Qty
3522	50

Connector 4I

SKU	Box Qty
3523	50

Connector 4T

SKU	Box Qty
3524	25

Connector 4T

SKU	Box Qty
3525	25

Connector 4X

SKU	Box Qty
3526	10

4 Wired Y Series Connector

SKU	Box Qty
3655	100

4 Wired Y Series Connector

SKU	Box Qty
3656	100

End Cap White

SKU	Box Qty
3657	200

End Cap Black

SKU	Box Qty
3658	200

4 Wired Y Series Adaptor

SKU	Box Qty
3659	50

4 Wired Y Series Adaptor

SKU	Box Qty
3660	50

Connector 4X

SKU	Box Qty
3527	10

Connector 4L

SKU	Box Qty
3528	25

Connector 4L

SKU	Box Qty
3529	25

Flexible Joint 4 Line

SKU	Box Qty
3559	20

Flexible Joint 4 Line

SKU	Box Qty
3560	20

Hanging Trackline Kit 1 Meter

SKU	Box Qty
3565	100

Hanging Trackline Kit 1 Meter

SKU	Box Qty
3566	100

4 Core Track 1 Meter

SKU	Box Qty
9944	10

4 Core Track 1 Meter

SKU	Box Qty
9945	10

4 Core Track 1.5 Meter

SKU	Box Qty
9952	10

4 Core Track 1.5 Meter

SKU	Box Qty
9953	10

4 Core Track 2 Meter

SKU	Box Qty
9954	10

4 Core Track 2 Meter

SKU	Box Qty
9955	10

V-TAC

Meaningful Innovation.

COB Downlights

Swap out antiquated CFL Lights with high-quality for achieve long-lasting and energy-efficient lighting. Choose from a wide range of 3w to 40w variations.

Key Features

- Innumerable styles & elegant appearance
- flicker-free
- Premium quality power drivers with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance

02 YEAR WARRANTY

COB DOWNLIGHTS

V-TAC Meaningful Innovation.

NEW COB DOWNLIGHT

3-IN-1 COLOR CHANGING

CRI 90

AC:100-240V,50/60Hz

25° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10578 - 3IN1	VT-2512-B	12W	785	Ø120x43	Ø105	20
10580 - 3IN1	VT-2520-B	20W	1408	Ø165x50	Ø150	20
10582 - 3IN1	VT-2532-B	28W	2500	Ø200x58	Ø180	10

NEW COB DOWNLIGHT

3-IN-1 COLOR CHANGING

CRI 90

AC:100-240V,50/60Hz

25° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
10579 - 3IN1	VT-2512-W	12W	785	Ø120x43	Ø105	20
10581 - 3IN1	VT-2520-W	20W	1408	Ø165x50	Ø150	20
10583 - 3IN1	VT-2532-W	28W	2500	Ø200x58	Ø180	10

NEW COB DOWNLIGHT-SURFACE

3-IN-1 COLOR CHANGING

CRI 90

AC:100-240V,50/60Hz

90° Beam Angle

>0.7 PF

>90 CRI

IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)
23156 - 3IN1	VT-2825-B	20W	1408	Ø148x75
23158 - 3IN1	VT-2833-B	28W	2500	Ø178x87

V-TAC
Meaningful Innovation.

COB DOWNLIGHTS

02 YEAR WARRANTY

NEW COB DOWNLIGHT-SURFACE

3-IN-1 COLOR CHANGING

CRI 90

- AC:100-240V,50/60Hz
- 90° Beam Angle
- >0.7 PF
- >90 CRI
- IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)
23155 - 3IN1	VT-2825-W	20W	1408	Ø148x75
23157 - 3IN1	VT-2833-W	28W	2500	Ø178x87

LED DUAL WALL LIGHT

- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1489 - 3000K WARM WHITE	VT-2963	3+6W	180+500	140x30	30
211489 - 3000K WARM WHITE	VT-2963-N	3+6W	180+500	140x30	30

LED DUAL WALL LIGHT

- AC:100-240V,50/60Hz
- 120° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211488 - 3000K WARM WHITE	VT-2953-N	3+6W	180+500	300x50x35	30

02 YEAR WARRANTY

LED DOWNLIGHTS

V-TAC Meaningful Innovation.

LED WALL LIGHT

- AC:100-240V,50/60Hz
- 30° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211485 - 3000K WARM WHITE	VT-2903-N	3W	150	80x80x25	40

LED WALL LIGHT

- AC:100-240V,50/60Hz
- 30° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211486 - 3000K WARM WHITE	VT-2913-N	3W	180	90x60x30	40

LED WALL LIGHT WITH SWITCH & USB PORT

- AC:100-240V,50/60Hz
- 30° Beam Angle
- >0.6 PF
- >80 CRI
- Die Cast Aluminium Body
- IP20 Rating

03 YEAR WARRANTY

CREE LED POWERED

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211487 - 3000K WARM WHITE	VT-2943-N	3W	150	120x120x45	20

V-TAC Meaningful Innovation.

COB DOWNLIGHTS

02 YEAR WARRANTY

HIGH LUMEN REFLECTOR COB DOWNLIGHTS

120 LUMEN/W

AC:220-240V,50Hz
120° Beam Angle
>0.5 PF
>80 CRI
PKW Body
20,000 hr lifespan
IP20 Rating



Cutting Size
Ø105mm

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
1100 - 6000K WHITE	VT-2610	10w **Regular Lumen**	730	Ø135x71	Ø105	27
1270 - 3000K WARM WHITE 1271 - 4000K DAY WHITE 1272 - 6400K WHITE	VT-26101	10w	1200	Ø135x71	Ø120	27
1273 - 3000K WARM WHITE 1274 - 4000K DAY WHITE 1275 - 6400K WHITE	VT-26201	20w	2400	Ø180x83	Ø167	18
1276 - 3000K WARM WHITE	VT-26301	30w	3600	Ø220x103	Ø207	12
211276 - 3000K WARM WHITE 211277 - 4000K DAY WHITE 211278 - 6500K WHITE	VT-26301-N	30w	3100	Ø220x103	Ø207	12
1453 - 3000K WARM WHITE 1279 - 4000K DAY WHITE 1280 - 6400K WHITE	VT-26451	40w	4800	Ø220x103	Ø207	12
211279 - 4000K DAY WHITE 211280 - 6400K WHITE	VT-26451-N	40w	4200	Ø220x103	Ø207	12

LED DOWNLIGHT



AC:220-240V,50/60Hz
50° Beam Angle
>0.5 PF
>80 CRI
PC Body
IP20 Rating



SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7610 - 3000K WARM WHITE 7611 - 4000K DAY WHITE 7612 - 6000K WHITE	VT-8407	7W	560	Ø90x46	Ø75	50

02 YEAR WARRANTY

LED DOWNLIGHTS

V-TAC Meaningful Innovation.

LED FIRE RATED DOWNLIGHT WITH WHITE BEZEL



Quick CONNECTOR

Fire Rated 30-60-90 MIN

DIMMABLE

IP65 RATING

FLICKER FREE

- AC:200-240V,50/60Hz
- 60° Beam Angle
- >0.9 PF
- Aluminium+Iron Body
- IP65 Rating

SKU	Model	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty
7614 - 4IN1	VT-DL0508	5W/8W	5W-540lm | 8W-840lm	Ø90x45	Ø65	48
11357	Black Bezel					300
11358	Satin Nickel Bezel					300
11359	Chrome Bezel					300
11367	Insulation Cover					100

COB FIRE RATED DOWNLIGHT WITH WHITE BEZEL

Quick CONNECTOR

Fire Rated 30-60-90 MIN

05 YEAR WARRANTY

IP65 RATING

SMART V-TAC CCT AND DIMMING VIA SMART PHONE APP

- AC:220-240V,50Hz
- 38° Beam Angle
- Aluminium Body
- 30,000 hr lifespan
- IP65 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1424 - 3 IN 1	VT-7710	10w	850	Ø83x57	40
1425	1425	Black Bezel			100
1426	1426	Brush Nickel Bezel			100
1427	1427	Chrome Bezel			100

V-TAC
Meaningful Innovation.

LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Key Features

- flicker-free
- No UV radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0–100% in 0.01 seconds
- Extreme weather toleration (-20°C to +45°C)

02 YEAR WARRANTY

LED DOME LIGHTS

V-TAC Meaningful Innovation.

NEW LED DOME LIGHTS -WHITE FRAME

IP44 RATING

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76151 - 3000K WARM WHITE 76161 - 4000K DAY WHITE 76171 - 6500K WHITE	VT-8618W-RD-N	Round	18W	1830	Ø250x63
76181 - 3000K WARM WHITE 76191 - 4000K DAY WHITE 76201 - 6500K WHITE	VT-8624W-RD-N	Round	24W	2500	Ø295x60
76211 - 3000K WARM WHITE 76221 - 4000K DAY WHITE 76231 - 6500K WHITE	VT-8630W-RD-N	Round	36W	3820	Ø350x61
76241 - 3000K WARM WHITE 76251 - 4000K DAY WHITE 76261 - 6500K WHITE	VT-8618W-SQ-N	Square	18W	1830	250x250x65
76271 - 3000K WARM WHITE 76281 - 4000K DAY WHITE 76291 - 6500K WHITE	VT-8624W-SQ-N	Square	24W	2500	295x295x65
76301 - 3000K WARM WHITE 76311 - 4000K DAY WHITE 76321 - 6500K WHITE	VT-8630W-SQ-N	Square	48W	5160	420x420x65

NEW LED DOME LIGHTS - BLACK FRAME

IP44 RATING

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76331 - 3000K WARM WHITE 76341 - 4000K DAY WHITE 76351 - 6500K WHITE	VT-8618B-RD-N	Round	18W	1830	Ø250x63
76361 - 3000K WARM WHITE 76371 - 4000K DAY WHITE 76381 - 6500K WHITE	VT-8624B-RD-N	Round	24W	2500	Ø295x60
76391 - 3000K WARM WHITE 76401 - 4000K DAY WHITE 76411- 6500K WHITE	VT-8630B-RD-N	Round	36W	3820	Ø350x61
76421 - 3000K WARM WHITE 76431 - 4000K DAY WHITE 76441 - 6500K WHITE	VT-8618B-SQ-N	Square	18W	1830	250x250x65
76451 - 3000K WARM WHITE 76461 - 4000K DAY WHITE 76471 - 6500K WHITE	VT-8624B-SQ-N	Square	24W	2500	295x295x65
76481 - 3000K WARM WHITE 76491 - 4000K DAY WHITE 76501 - 6500K WHITE	VT-8630B-SQ-N	Square	48W	5160	420x420x65

V-TAC
Meaningful Innovation.

LED DOME LIGHTS

02 YEAR WARRANTY

NEW LED DOME LIGHTS WITH SENSOR - WHITE FRAME

REMOTE CONTROL

IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76591 - 3000K WARM WHITE 76601 - 4000K DAY WHITE 76611 - 6500K WHITE	VT-8618S-W-RD-N	Round	18W	1830	Ø295x60
76621 - 3000K WARM WHITE 76631 - 4000K DAY WHITE 76641 - 6500K WHITE	VT-8624S-W-RD-N	Round	24W	2500	Ø350x61
76651 - 4000K DAY WHITE	VT-8630S-W-RD-N	Round	36W	3820	Ø420x65
76661 - 4000K DAY WHITE	VT-8618SW-SQ-N	Square	18W	1830	295x295x65
76681 - 4000K DAY WHITE	VT-8630SW-SQ-N	Square	36W	3820	420x420x65

NEW LED DOME LIGHTS WITH SENSOR - BLACK FRAME

REMOTE CONTROL

IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50/60Hz
- >80 CRI
- PP+PMMA Body
- 20,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
76691 - 4000K DAY WHITE	VT-8618S-B-RD-N	Round	18W	1830	Ø295x60
76701 - 4000K DAY WHITE	VT-8624S-B-RD-N	Round	24W	2500	Ø350x61
76711 - 4000K DAY WHITE	VT-8630S-B-RD-N	Round	36W	3820	Ø420x65
76721 - 4000K DAY WHITE	VT-8618S-B-SQ-N	Square	18W	1830	295x295x65
76741 - 4000K DAY WHITE	VT-8630S-B-SQ-N	Square	36W	3820	420x420x65

02 YEAR WARRANTY

LED DOME LIGHTS

V-TAC Meaningful Innovation.

LED DOME LIGHTS -WHITE FRAME

IP44 RATING

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7615 - 3000K WARM WHITE 7616 - 4000K DAY WHITE 7617 - 6500K WHITE	VT-8618W-RD	Round	18W	1800	Ø225
7618 - 3000K WARM WHITE 7619 - 4000K DAY WHITE 7620 - 6500K WHITE	VT-8624W-RD	Round	24W	2400	Ø295
7621 - 3000K WARM WHITE 7622 - 4000K DAY WHITE 7623 - 6500K WHITE	VT-8630W-RD	Round	30W	3000	Ø420
7624 - 3000K WARM WHITE 7625 - 4000K DAY WHITE 7626 - 6500K WHITE	VT-8618W-SQ	Square	18W	1800	225x225
7627 - 3000K WARM WHITE 7628 - 4000K DAY WHITE 7629 - 6500K WHITE	VT-8624W-SQ	Square	24W	2400	295x295
7630 - 3000K WARM WHITE 7631 - 4000K DAY WHITE 7632 - 6500K WHITE	VT-8630W-SQ	Square	30W	3000	420x420

LED DOME LIGHTS - BLACK FRAME

IP44 RATING

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7642 - 3000K WARM WHITE 7643 - 4000K DAY WHITE 7644 - 6500K WHITE	VT-8618B-SQ	Square	18W	1800	225x225
7645 - 3000K WARM WHITE 7646 - 4000K DAY WHITE 7647 - 6500K WHITE	VT-8624B-SQ	Square	24W	2400	295x295
7648 - 3000K WARM WHITE 7649 - 4000K DAY WHITE 7650 - 6500K WHITE	VT-8630B-SQ	Square	30W	3000	420x420
7633 - 3000K WARM WHITE 7634 - 4000K DAY WHITE 7635 - 6500K WHITE	VT-8618B-RD	Round	18W	1800	Ø225
7636 - 3000K WARM WHITE 7637 - 4000K DAY WHITE 7638 - 6500K WHITE	VT-8624B-RD	Round	24W	2400	Ø295
7639 - 3000K WARM WHITE 7640 - 4000K DAY WHITE 7641 - 6500K WHITE	VT-8630B-RD	Round	30W	3000	Ø420

V-TAC Meaningful Innovation.

LED DOME LIGHTS

02 YEAR WARRANTY

LED DOME LIGHTS WITH SENSOR - WHITE FRAME

IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7659 - 3000K WARM WHITE 7660 - 4000K DAY WHITE 7661 - 6500K WHITE	VT-8618S-W-RD	Round	18W	1800	Ø225
7662 - 3000K WARM WHITE 7663 - 4000K DAY WHITE 7664 - 6500K WHITE	VT-8624S-W-RD	Round	24W	2400	Ø295
7665 - 4000K DAY WHITE	VT-8630S-W-RD	Round	30W	3000	Ø420
7666 - 4000K DAY WHITE	VT-8618S-W-SQ	Square	18W	1800	225x225
7667 - 4000K DAY WHITE	VT-8624S-W-SQ	Square	24W	2400	295x295
7668 - 4000K DAY WHITE	VT-8630S-W-SQ	Square	30W	3000	420x420

LED DOME LIGHTS WITH SENSOR - BLACK FRAME

IP44 RATING

MICROWAVE SENSOR

- AC:220-240V,50Hz
- 120° Beam Angle
- >0.7 PF
- >80 CRI
- PC Body
- 25,000 hr lifespan
- IP44 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)
7669 - 4000K DAY WHITE	VT-8618S-B-RD	Round	18W	1800	Ø225
7670 - 4000K DAY WHITE	VT-8624S-B-RD	Round	24W	2400	Ø295
7671 - 4000K DAY WHITE	VT-8630S-B-RD	Round	30W	3000	Ø420
7672 - 4000K DAY WHITE	VT-8618S-B-SQ	Square	18W	1800	225x225
7673 - 4000K DAY WHITE	VT-8624S-B-SQ	Square	24W	2400	295x295
7674 - 4000K DAY WHITE	VT-8630S-B-SQ	Square	30W	3000	420x420

02 YEAR WARRANTY

LED DOME LIGHTS

V-TAC Meaningful Innovation.

LED DOME LIGHT STARRY COVER

3-IN-1 COLOR CHANGING

CCT EASY TOGGLE SWITCH (3000K 4000K 6400K)

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Shape	Watts	Lumens	Size(mm)	Box Qty
217602 - 3IN1	VT-8412-S-N		12w	1200	260x55	5
7604 - 3IN1	VT-8418-S	Round	18w	1080	Ø310x55	5
217604 - 3IN1	VT-8418-S-N		18w	1800	Ø310x55	5
217606 - 3IN1	VT-8424-S-N	Round	24w	2600	Ø350x55	5
217608 - 3IN1	VT-8436-S-N		36w	3900	Ø500x80	5

LED DOME LIGHT MILKY COVER

3-IN-1 COLOR CHANGING

CCT EASY TOGGLE SWITCH (3000K 4000K 6400K)

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
217603 - 3IN1	VT-8412-M-N	12w	1200	Ø260x55	5
217605 - 3IN1	VT-8418-M-N	18w	1800	Ø310x55	5
217607 - 3IN1	VT-8424-M-N	24w	2600	Ø350x55	5
217609 - 3IN1	VT-8436-M-N	36w	3900	Ø500x80	5

LED DOME LIGHT WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- PMMA+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
76011 - 3IN1	VT-8473	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø480x75	6

V-TAC Meaningful Innovation.

LED DOME LIGHTS

02 YEAR WARRANTY

LED DOME LIGHT STARRY COVER WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114741- 3IN1	VT-8401-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø465x75	10
14551- 3IN1	VT-8555	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø565x75	5
2114551- 3IN1	VT-8555-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø565x75	5
14951 - 3IN1	VT-8472	3000K- 36W 4000K- 72W 6400K- 36W	3000K | 2520 4000K | 5040 6400K | 2520	Ø670x75	5
2114951- 3IN1	VT-8472-N	3000K- 36W 4000K- 72W 6400K- 36W	7200	Ø670x80	5

LED DOME LIGHT DIAMOND COVER WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114931 - 3IN1	VT-8404-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø388.5x75	5
14921 - 3IN1	VT-8557	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø500x75	5
2114921- 3IN1	VT-8557-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x75	5

02 YEAR WARRANTY

LED DOME LIGHTS

V-TAC Meaningful Innovation.

LED DOME LIGHT WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
14941 - 3IN1	VT-8405	3000K- 20W 4000K- 40W 6400K- 20W	3000K | 1400 4000K | 2800 6400K | 1400	Ø393x75	5
2114941- 3IN1	VT-8405-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø393x80	5
14911 - 3IN1	VT-8556	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø493.9x75	5
2114911 - 3IN1	VT-8556-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø493.9x75	5

LED DOME LIGHT WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRI
- Plastic+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
14761- 3IN1	VT-8402	3000K- 20W 4000K- 40W 6400K- 20W	3000K | 1400 4000K | 2800 6400K | 1400	Ø410x75	10
2114761- 3IN1	VT-8402-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø410x75	10
14751- 3IN1	VT-8502	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø510x75	6
2114751- 3IN1	VT-8502-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø510x80	6

V-TAC
Meaningful Innovation.

LED DOME LIGHTS

02 YEAR WARRANTY

LED DOME LIGHT WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:220-240V, 50/60Hz
- 360° Beam Angle
- Plastic+Metal Body
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2114601- 3IN1	VT-8403-N	3000K- 20W 4000K- 40W 6400K- 20W	4000	Ø395x80	5
2114611- 3IN1	VT-8503-N	3000K- 30W 4000K- 60W 6400K- 30W	6000	Ø500x90	5

LED DOME LIGHT WITH REMOTE CONTROL

AUTO OFF TIMING

DIMMABLE WITH REMOTE

COLOR CHANGING WITH REMOTE

- AC:175-265V,50/60Hz
- 120° Beam Angle
- >0.9 PF
- >80 CRi
- Plastic+Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
14621- 3IN1	VT-8504	3000K- 30W 4000K- 60W 6400K- 30W	3000K | 2100 4000K | 4200 6400K | 2100	Ø500x85	6
2114621- 3IN1	VT-8504-N	3000K- 30W 4000K- 60W 6500K- 30W	3000K | 2100 4000K | 4200 6500K | 2100	Ø500x85	5

NEW LED ROUND DOMELIGHTS-BULKHEAD

IP54 RATING

- AC:220-240V,50/60Hz
- 110° Beam Angle
- >0.7 PF
- >80 CRi
- 25,000 hr lifespan
- IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
10195 - 3000K WARM WHITE 10196 - 4000K DAY WHITE 10197 - 6500K WHITE	VT-8095	12W	1160	151x38	80
10198 - 3000K WARM WHITE 10199 - 4000K DAY WHITE 10200 - 6500K WHITE	VT-8096	18W	1820	195x38	40

02 YEAR WARRANTY

LED DOME LIGHTS

V-TAC Meaningful Innovation.

LED OVAL DOME LIGHTS

IP54 RATING

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >70 CRi
- PC+PC Body
- 20,000 hr lifespan
- IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1267 - 3000K WARM WHITE 1268 - 6400K WHITE	VT-8014-OV-B	8w	560	Ø126x76	10
1350 - 3000K WARM WHITE 4973 - 4000K DAY WHITE 1269 - 6400K WHITE	VT-8010-B	12w	840	Ø242x96	10
1264 - 3000K WARM WHITE 1263 - 4000K DAY WHITE 1265 - 6400K WHITE	VT-8014-OV-W	8w	560	Ø126x76	10

LED ROUND DOME LIGHTS

IP54 RATING

- AC:200-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >70 CRi
- PC+PC Body
- 20,000 hr lifespan
- IP54 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
4999 - 3000K WARM WHITE 1259 - 4000K DAY WHITE 4997 - 6400K WHITE	VT-8014-RD-W	8w	560	Ø180x82	10
4998 - 3000K WARM WHITE 5050 - 4000K DAY WHITE	VT-8015-W	12w	840	Ø220x105	10
1261 - 3000K WARM WHITE 1262 - 6400K WHITE	VT-8014-RD-B	8w	560	Ø180x82	10
1349 - 3000K WARM WHITE 5052 - 4000K DAY WHITE	VT-8015-B	12w	840	Ø220x105	10

NEW LED DOME LIGHTS WITH SENSOR

Detection Range:	180°/ 360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Wall 5-15 Meters,Ceiling 2-8 Meters Adjustable
Ambient Light:	5lux,15lux,50lux,2000lux optional
Body Type:	PC
Dimension:	300x87
Time Delay:	10s,90s,3min,10min optional

IP66 RATING

MICROWAVE SENSOR

3-IN-1 COLOR CHANGING

SKU	Model	Shape	Watts	Lumens	Size(mm)
23160 - 3IN1	VT-8222	Round	20W	1850	300x87

V-TAC

Meaningful Innovation.

LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

Key Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle on select models
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED ROTATABLE WALL LIGHTS

AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2934 - 3000K WARM WHITE 2935 - 4000K DAY WHITE	VT-11020-W	17W	2520	White	212x165x100	12
2936 - 3000K WARM WHITE 2937 - 4000K DAY WHITE	VT-11020-B	17W	2520	Black	212x165x100	12

NEW LED ROTATABLE WALL LIGHTS-SENSOR

AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2938 - 3000K WARM WHITE 2939 - 4000K DAY WHITE	VT-11020S-W	17W	2520	White	212x165x100	12
2940 - 3000K WARM WHITE 2941 - 4000K DAY WHITE	VT-11020S-B	17W	2520	Black	212x165x100	12

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW LED ROTATABLE WALL LIGHTS

AC:220-240V,50/60Hz
350° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2942 - 3000K WARM WHITE 2943 - 4000K DAY WHITE	VT-11020-SQ-W	17W	2520	White	178x170x160	12
2944 - 3000K WARM WHITE 2945 - 4000K DAY WHITE	VT-11020-SQ-B	17W	2520	Black	178x170x160	12

NEW LED ROTATABLE WALL LIGHTS-SENSOR

AC:220-240V,50/60Hz
350° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2946 - 3000K WARM WHITE 2947 - 4000K DAY WHITE	VT-11020S-SQ-W	17W	2520	White	178x170x160	12
2948 - 3000K WARM WHITE 2949 - 4000K DAY WHITE	VT-11020S-SQ-B	17W	2520	Black	178x170x160	12

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED ROTATABLE WALL LIGHTS

AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2950 - 3000K WARM WHITE 2951 - 4000K DAY WHITE	VT-11020-RD-W	17W	2480	White	160x206x160	12
2952 - 3000K WARM WHITE 2953 - 4000K DAY WHITE	VT-11020-RD-B	17W	2480	Black	160x206x160	12

NEW LED ROTATABLE WALL LIGHTS-SENSOR

AC:220-240V,50/60Hz

350° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2954 - 3000K WARM WHITE 2955 - 4000K DAY WHITE	VT-11020S-RD-W	17W	2480	White	160x206x160	12
2956 - 3000K WARM WHITE 2957 - 4000K DAY WHITE	VT-11020S-RD-B	17W	2480	Black	160x206x160	12

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW LED ROTATABLE WALL LIGHTS-SWITCH

AC:220-240V,50Hz

120° Beam Angle

>90 CRI

Aluminium Body

IP20 IP Rating

IP20 RATING

ADJUSTABLE ANGLE

CRI 90



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10447 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-W	5W	600	White	153x183x185	20
10448 - 3000K+4000K WARM WHITE+DAY WHITE	VT-1180-B	5W	600	Black	153x183x185	20

NEW LED ROTATABLE WALL LIGHTS-2WAY

AC:220-240V,50/60Hz

90° Beam Angle

Aluminium+Glass Body

IP44 IP Rating

IP44 RATING

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10473 - 3000K WARM WHITE 23049 - 4000K DAY WHITE	VT-1186-B	6W	620	Black	172x105x253	4
10474 - 3000K WARM WHITE 23050 - 4000K DAY WHITE	VT-1186-W	6W	620	White	172x105x253	4

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED SINGLE HEAD ROTATABLE WALL LIGHTS

AC:220-240V,50/60Hz
350° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8286 - 3000K WARM WHITE	VT-816-W	6W	660	White	110x54x97	20
218286 - 3000K WARM WHITE 218287 - 4000K DAY WHITE	VT-816-W-N	6W	800	White	110x54x97	20
8288 - 3000K WARM WHITE 8289 - 4000K DAY WHITE	VT-816-B	6W	660	Black	110x54x97	20
218288 - 3000K WARM WHITE 218289 - 4000K DAY WHITE	VT-816-B-N	6W	800	Black	110x54x97	20
8290 - 3000K WARM WHITE	VT-816-G	6W	660	Grey	110x54x97	20
218291 - 4000K DAY WHITE	VT-816-G-N	6W	800	Grey	110x54x97	20

LED DOUBLE HEAD ROTATABLE WALL LIGHTS

AC:110-240V,50/60Hz
350° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING

ADJUSTABLE ANGLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8292 - 3000K WARM WHITE	VT-814-W	12W	1320	White	230x54x97	20
218292 - 3000K WARM WHITE	VT-814-W-N	12W	1444	White	230x54x97	20
8293 - 3000K WARM WHITE	VT-814-B	12W	1320	Black	230x54x97	20
8294 - 3000K WARM WHITE	VT-814-G	12W	1320	Grey	230x54x97	20

V-TAC
Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED UP-DOWN WALL LIGHTS

AC:220-240V,50Hz
120° Beam Angle
>0.45 PF
>80 CRI
Aluminium Body
IP54 IP Rating

IP54 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8684 - 4000K DAY WHITE	VT-815-B	10W	800	Black	200x130x100	20
218684 - 4000K DAY WHITE	VT-815-B-N	10W	1280	Black	200x130x100	20
8683 - 4000K DAY WHITE	VT-815-W	10W	800	White	200x130x100	20
218683 - 4000K DAY WHITE	VT-815-W-N	10W	1280	White	200x130x100	20

LED WALL LIGHTS

AC:220-240V,50/60Hz
41° Beam Angle
>0.4 PF
>80 CRI
Nylon Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8561 - 6400K WHITE 8563 - 3000K WARM WHITE	VT-844-B	4W	150	Black	83x123x30	10
218561 - 3000K WARM WHITE 218563 - 6500K WHITE	VT-844-B-N	4W	400	Black	83x123x30	10
8562 - 3000K WARM WHITE 8560 - 6400K WHITE	VT-844-W	4W	150	White	83x123x30	10
218560 - 3000K WARM WHITE 218562 - 6500K WHITE	VT-844-W-N	4W	400	White	83x123x30	10

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED WALL LIGHTS

AC:220-240V,50/60Hz
128° Beam Angle
>0.6 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
8609 - 3000K WARM WHITE	VT-831-CRD	7W	400	Round	133x133x67	20
218609 - 3000K WARM WHITE	VT-831-CRD-N	7W	610	Round	133x133x67	20
218610 - 3000K WARM WHITE	VT-831-CSQ-N	7W	670	Square	133x133x67	20
8537 - 3000K WARM WHITE 8538 - 4000K DAY WHITE	VT-827-RD	12W	650	Round	169x100	20
218537 - 3000K WARM WHITE 218538 - 4000K DAY WHITE	VT-827-RD-N	12W	1155	Round	169x100	20
8539 - 3000K WARM WHITE 8540 - 4000K DAY WHITE	VT-827-SQ	12W	650	Square	169x100	20
218539 - 3000K WARM WHITE 218540 - 4000K DAY WHITE	VT-827-SQ-N	12W	1160	Square	169x100	20

LED WALL LIGHTS

AC:220-240V,50/60Hz
128° Beam Angle
>0.6 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Shape	Size(mm)	Box Qty
8611 - 3000K WARM WHITE	VT-831-RD	7W	550	Round	133x133x67	20
8612 - 3000K WARM WHITE	VT-831-SQ	7W	550	Square	133x133x67	20
218612 - 3000K WARM WHITE	VT-831-SQ-N	7W	610	Square	133x133x67	20
8541 - 3000K WARM WHITE 8542 - 4000K DAY WHITE	VT-828-RD	12W	900	Round	169x100	20
8543 - 3000K WARM WHITE 8544 - 4000K DAY WHITE	VT-828-SQ	12W	900	Square	169x100	20
218543 - 3000K WARM WHITE 218544 - 4000K DAY WHITE	VT-828-SQ-N	12W	1250	Square	169x100	20

V-TAC Meaningful Innovation.

LED BOLLARD LAMPS

02 YEAR WARRANTY

LED CONCRETE LAWN LAMP

- AC:220-240V,50/60Hz
- 24° Beam Angle
- >0.5 PF
- >80 CRI
- Concrete Body
- IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8698 - 3000K WARM WHITE	VT-898-D	12W	720	Dark Grey	495x180x120	1
8699 - 3000K WARM WHITE	VT-898-L	12W	720	Light Grey	495x180x120	1

LED OUTDOOR BOLLARD LAMP

- AC:100-240V,50/60Hz
- 72° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8316 - 3000K WARM WHITE 8317 - 4000K DAY WHITE 8318 - 6400K WHITE	VT-830-W	10W	450	White	108x250	8
128317 - 4000K DAY WHITE 128318 - 6400K WHITE	VT-830-W-N	10W	1000	White	108x250	8
8319 - 3000K WARM WHITE 8320 - 4000K DAY WHITE 8321 - 6400K WHITE	VT-830-G	10W	450	Grey	108x250	8
128319 - 3000K WARM WHITE 128320 - 4000K DAY WHITE 128321 - 6400K WHITE	VT-830-G-N	10W	1000	Grey	108x250	8
8322 - 3000K WARM WHITE 8323 - 4000K DAY WHITE 8324 - 6400K WHITE	VT-830-B	10W	450	Black	108x250	8
128322 - 3000K WARM WHITE 128323 - 4000K DAY WHITE 128324 - 6400K WHITE	VT-830-B-N	10W	1000	Black	108x250	8

02 YEAR WARRANTY

LED BOLLARD LAMPS

V-TAC Meaningful Innovation.

LED OUTDOOR BOLLARD LAMP

AC:100-240V,50/60Hz
72° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8325 - 3000K WARM WHITE 8326 - 4000K DAY WHITE 8327 - 6400K WHITE	VT-820-W	10W	450	White	108x800	4
128325 - 3000K WARM WHITE 128326 - 4000K DAY WHITE	VT-820-W-N	10W	1000	White	108x800	4
8328 - 3000K WARM WHITE 8329 - 4000K DAY WHITE 8330 - 6400K WHITE	VT-820-G	10W	450	Grey	108x800	4
8331 - 3000K WARM WHITE 8332 - 4000K DAY WHITE 8333 - 6400K WHITE	VT-820-B	10W	450	Black	108x800	4
128333 - 6400K WHITE	VT-820-B-N	10W	1000	Black	108x800	4

LED OUTDOOR BOLLARD LAMP

AC:220-240V,50/60Hz
180° Beam Angle
>0.5 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8682 - 4000K DAY WHITE	VT-896-B	7W	750	Black	150x95x805	20
218682 - 4000K DAY WHITE	VT-896-B-N	6W	810	Black	150x95x805	20
8681 - 4000K DAY WHITE	VT-896-G	7W	750	Grey	150x95x805	20
218681 - 4000K DAY WHITE	VT-896-G-N	6W	810	Grey	95x150x805	20

V-TAC Meaningful Innovation.

LED BOLLARD LIGHTS

SAMSUNG LED Illuminated

LED BOLLARD LIGHTS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Die Cast Aluminium+PC Body
- IP65 IP Rating

03 YEAR WARRANTY | IP65 RATING | SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20116 | 3000K WARM WHITE 20117 | 4000K DAY WHITE 20118 | 6400K WHITE	VT-33-White	10W	900	White	163x57x800mm	5

LED BOLLARD LIGHTS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRi
- Die Cast Aluminium+PC Body
- IP65 IP Rating

03 YEAR WARRANTY | IP65 RATING | SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20113 | 3000K WARM WHITE 20115 | 6400K WHITE	VT-33-Black	10W	650	Black	163x57x800mm	5
2120114 | 4000K DAY WHITE	VT-33-Black-N	10W	650	Black	163x57x800mm	5

LED WALL LIGHT

- AC:200-240V,50/60Hz
- 110° Beam Angle
- >0.5 PF
- >80 CRi
- PC Body
- IP54 IP Rating

03 YEAR WARRANTY | IP54 RATING | SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
780 | 3000K WARM WHITE 781 | 4000K DAY WHITE	VT-7-06	10W	800	White	300x55x194mm	20

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED UP-DOWN WALL LIGHTS

- AC:220-240V,50Hz
- Up150° / Down150° Beam Angle
- >0.6 PF
- >80 CRI
- Aluminium Body
- IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8615 - 3000K WARM WHITE	VT-846-B	6W	540	Black	170x40x80	20
218615 - 3000K WARM WHITE 218616 - 4000K DAY WHITE	VT-846-B-N	6W	630	Black	170x40x80	20
8613 - 3000K WARM WHITE 8614 - 4000K DAY WHITE	VT-846-W	6W	540	White	170x40x80	20
218613 - 3000K WARM WHITE 218614 - 4000K DAY WHITE	VT-846-W-N	5W	630	White	170x40x80	20
8619 - 3000K WARM WHITE 8620 - 4000K DAY WHITE	VT-848-B	8W	800	Black	220x48x90	20
218619 - 3000K WARM WHITE 218620 - 4200K DAY WHITE	VT-848-B-N	8W	940	Black	220x48x90	20
8617 - 3000K WARM WHITE 8618 - 4000K DAY WHITE	VT-848-W	8W	800	White	220x48x90	20
218617 - 3000K WARM WHITE 218618 - 4000K DAY WHITE	VT-848-W-N	8W	940	White	220x48x90	20

NEW LED WALL LIGHTS

- AC:220-240V, 50Hz
- 167° Beam Angle
- >80 CRI
- PC Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10284 - 3000K WARM WHITE 10285 - 4000K DAY WHITE	VT-732-B	8W	750	Brown	120x120x92	20

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW LED WALL LIGHTS

AC:220-240V, 50Hz
167° Beam Angle
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10282 - 3000K WARM WHITE 10283 - 4000K DAY WHITE	VT-708	8W	750	Brown	120x120x92	20

LED WALL LIGHTS

AC:100-240V,50/60Hz
140° Beam Angle
>0.5 PF
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8334 - 3000K WARM WHITE 8335 - 4000K DAY WHITE 8336 - 6400K WHITE	VT-822-W	12W	750	White	130x160	20
218334 - 3000K WARM WHITE 218335 - 4000K DAY WHITE	VT-822-W-N	12W	1350	White	130x160	20
8337 - 3000K WARM WHITE 8338 - 4000K DAY WHITE 8339 - 6400K WHITE	VT-822-G	12W	750	Grey	130x160	20
218337 - 3000K WARM WHITE 218338 - 4200K DAY WHITE	VT-822-G-N	12W	1250	Grey	130x160	20
8340 - 3000K WARM WHITE 8341 - 4000K DAY WHITE 8342 - 6400K WHITE	VT-822-B	12W	750	Black	130x160	20
218341 - 4200K DAY WHITE	VT-822-B-N	12W	1350	Black	130x160	20

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED UP-DOWN WALL LIGHTS



AC:220-240V,50/60Hz

Adjustable 5°-120° Beam Angle

>0.45 PF

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7088 - 4000K DAY WHITE	VT-759-W	6W	660	White	100x100x100	20
217079 - 3000K WARM WHITE 217088 - 4000K DAY WHITE	VT-759-W-N	5W	700	White	100x100x100	20
7078 - 3000K WARM WHITE	VT-759-B	6W	660	Black	100x100x100	20
217078 - 3000K WARM WHITE 217087 - 4000K DAY WHITE	VT-759-B-N	5W	700	Black	100x100x100	20
217080 - 3000K WARM WHITE 217089 - 4000K DAY WHITE	VT-759-G-N	5W	700	Grey	100x100x100	20

NEW LED UP-DOWN WALL LIGHTS

AC:200-240V, 50Hz

Adjustable 5°-120° Beam Angle

>80 CRI

Aluminium Body

IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6820 - 3000K WARM WHITE	VT-759-12-C	11W	1360	Corten	100x100x100	20
8527 - 3000K WARM WHITE 8528 - 4000K DAY WHITE	VT-759-12-W	12W	1100	White	100x100x100	20
218527 - 3000K WARM WHITE 218528 - 4000K DAY WHITE	VT-759-12-W-N	11W	1360	White	100x100x100	20
8529 - 3000K WARM WHITE 8530 - 4000K DAY WHITE	VT-759-12-B	12W	1100	Black	100x100x100	20
218529 - 3000K WARM WHITE 218530 - 4000K DAY WHITE	VT-759-12-B-N	11W	1360	Black	100x100x100	20
218531 - 3000K WARM WHITE 218532 - 4000K DAY WHITE	VT-759-12-G-N	11W	1360	Grey	100x100x100	20

V-TAC
Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW LED UP-DOWN WALL LIGHTS

- AC:200-240V, 50Hz
- 90° Beam Angle
- >80 CRI
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10443 - 3000K WARM WHITE 10444 - 4000K DAY WHITE	VT-1179-W	5W	465	White	90x70x130	20
10445 - 3000K WARM WHITE 10446 - 4000K DAY WHITE	VT-1179-B	5W	465	Black	90x70x130	20
23007 - 3000K WARM WHITE	VT-7504-B	10W	950	Black	135x100	10
23008 - 3000K WARM WHITE	VT-7504-W	10W	950	White	135x100	10

LED 4 SIDES LIGHT WALL LIGHTS



- AC:220-240V,50/60Hz
- 4*60° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium+Acrylic Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8209 - 3000K WARM WHITE	VT-704-W	4W	440	White	150x150x50	20
218209 - 3000K WARM WHITE 218210 - 4000K DAY WHITE	VT-704-W-N	4W	428	White	150x150x50	20
8211 - 3000K WARM WHITE 8212 - 4000K DAY WHITE	VT-704-B	4W	440	Black	150x150x50	20
218211 - 3000K WARM WHITE	VT-704-B-N	4W	428	Black	150x150x50	20

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED 4 SIDES LIGHT WALL LIGHTS

AC:220-240V,50/60Hz
4*60° Beam Angle
>0.5 PF
>80 CRI
Aluminium+Acrylic Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8213 - 3000K WARM WHITE 8214 - 4000K DAY WHITE	VT-706-W	4W	440	White	150x50	20
8215 - 3000K WARM WHITE 8216 - 4000K DAY WHITE	VT-706-B	4W	440	Black	150x50	20
218215 - 3000K WARM WHITE	VT-706-B-N	4W	428	Black	150x50	20

LED 4 SIDES LIGHT WALL LIGHTS

AC:220-240V,50/60Hz
4*90° Beam Angle
>0.45 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8551 - 3000K WARM WHITE 8552 - 4000K DAY WHITE	VT-834-W	4W	440	White	Ø112	20
8553 - 3000K WARM WHITE 8554 - 4000K DAY WHITE	VT-834-B	4W	440	Black	Ø112	20
218553 - 3000K WARM WHITE 218554 - 4000K DAY WHITE	VT-834-B-N	4W	428	Black	Ø112	20

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED WALL LIGHTS



- AC:220-240V,50/60Hz
- 120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8280 - 3000K WARM WHITE 8281 - 4000K DAY WHITE	VT-825-W	5W	550	White	170x170x75	20
218280 - 3000K WARM WHITE	VT-825-W-N	5W	568	White	170x170x75	20
218282 - 3000K WARM WHITE 218283 - 4000K DAY WHITE	VT-825-B-N	5W	568	Black	170x170x75	20
8284 - 3000K WARM WHITE	VT-825-G	5W	550	Grey	170x170x75	20
218284 - 3000K WARM WHITE 218285 - 4000K DAY WHITE	VT-825-G-N	5W	645	Grey	170x170x75	20

LED UP-DOWN WALL LIGHTS

- AC:220-240V,50/60Hz
- Up15°-Down120° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8295 - 3000K WARM WHITE	VT-826-W	6W	660	White	90x200x90	20
218295 - 3000K WARM WHITE 218296 - 4000K DAY WHITE	VT-826-W-N	6W	476	White	90x200x90	20
8297 - 3000K WARM WHITE	VT-826-B	6W	660	Black	90x200x90	20
218297 - 3000K WARM WHITE 218298 - 4000K DAY WHITE	VT-826-B-N	6W	476	Black	90x200x90	20
218299 - 3000K WARM WHITE 218300 - 4000K DAY WHITE	VT-826-G-N	6W	476	Grey	90x200x90	20

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED UP-DOWN WALL LIGHTS

AC:220-240V,50/60Hz
Adjustable 0°-120° Beam Angle
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2975 - 3000K WARM WHITE 2976 - 4000K DAY WHITE	VT-8125-W	24W	2720	White	200x100x100	10
2977 - 3000K WARM WHITE 2978 - 4000K DAY WHITE	VT-8125-B	24W	2720	Black	200x100x100	10
2979 - 3000K WARM WHITE 2980 - 4000K DAY WHITE	VT-8125-G	24W	2720	Grey	200x100x100	10

LED UP-DOWN WALL LIGHTS

AC:220-240V,50/60Hz
Adjustable 5°-120° Beam Angle
>0.45 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217082 - 3000K WARM WHITE 217091 - 4000K DAY WHITE	VT-756-W-N	5W	700	White	140x115x100	20
7081 - 3000K WARM WHITE 7090 - 4000K DAY WHITE	VT-756-B	6W	660	Black	140x115x100	20
217081 - 3000K WARM WHITE 217090 - 4000K DAY WHITE	VT-756-B-N	5W	700	Black	140x115x100	20
7083 - 3000K WARM WHITE 7092 - 4000K DAY WHITE	VT-756-G	6W	660	Grey	140x115x100	20

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED CEILING-BLADE LIGHTS

- AC:220-240V,50/60Hz
- 360° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8217 - 3000K WARM WHITE 8218 - 4000K DAY WHITE	VT-707-W	7W	770	White	110x120x170	20
8219 - 3000K WARM WHITE 8220 - 4000K DAY WHITE	VT-707-B	7W	770	Black	110x120x170	20

LED UP-DOWN WALL LIGHTS

- AC:220-240V,50/60Hz
- Up-Down 90° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8302 - 4000K DAY WHITE	VT-836-W	6W	660	White	112x112x93	20
218301 - 3000K WARM WHITE 218302 - 4000K DAY WHITE	VT-836-W-N	6W	476	White	112x112x93	20
8303 - 3000K WARM WHITE 8304 - 4000K DAY WHITE	VT-836-B	6W	660	Black	112x112x93	20
8306 - 4000K DAY WHITE	VT-836-G	6W	660	Grey	112x112x93	20
218305 - 3000K WARM WHITE 218306 - 4000K DAY WHITE	VT-836-G-N	6W	476	Grey	112x112x93	20

02 YEAR WARRANTY

COB WALL LIGHTS

V-TAC Meaningful Innovation.

NEW COB UP-DOWN WALL LIGHTS

AC:100-265V,50/60Hz
60° Beam Angle
>0.5 PF
>80 CRi
Aluminium Body
IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23028 - 3000K WARM WHITE 23030 - 4000K DAY WHITE	VT-2503-B	2W	200	Black	50x40x40	100
23029 - 3000K WARM WHITE 23031 - 4000K DAY WHITE	VT-2503-W	2W	200	White	50x40x40	100

NEW COB UP-DOWN WALL LIGHTS

AC:100-265V,50/60Hz
60° Beam Angle
>0.5 PF
>80 CRi
Aluminium Body
IP54 IP Rating

IP54 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10584 - 3000K WARM WHITE 10586 - 4000K DAY WHITE	VT-2502-B	2W	200	Black	42x40	100
10585 - 3000K WARM WHITE 10587 - 4000K DAY WHITE	VT-2502-W	2W	200	White	42x40	100

NEW COB 4 SIDES LIGHT WALL LIGHTS



AC:100-265V,50/60Hz
60° Beam Angle
>0.5 PF
>80 CRi
Aluminium Body
IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10588 - 3000K WARM WHITE 10590 - 4000K DAY WHITE	VT-2544-B	4W	390	Black	50x50x30	100
10589 - 3000K WARM WHITE 10591 - 4000K DAY WHITE	VT-2544-W	4W	390	White	50x50x30	100

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED CEILING & WALL LIGHTS

AC:220-240V,50/60Hz
360° Beam Angle
>0.55 PF
>80 CRI
Aluminium Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7525 - 4000K DAY WHITE	VT-741	6W	660	White	Ø135	20
217524 - 3000K WARM WHITE	VT-741-N	5W	710	White	Ø135	20
7526 - 3000K WARM WHITE	VT-743	9W	990	White	Ø180	20
217527 - 4000K DAY WHITE	VT-743-N	8W	1280	White	Ø180	20

NEW LED CEILING & WALL LIGHTS



AC:220-240V,50Hz
105° Beam Angle
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING

DIMMABLE



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7853 - 3IN1	VT-83012-B	12W	1200	Black	160x160x60	20
7854 - 3IN1	VT-83012-W	12W	1200	White	160x160x60	20

NEW LED CEILING & WALL LIGHTS





AC:220-240V,50/60Hz
105° Beam Angle
>80 CRI
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6787 - 3000K WARM WHITE 6788 - 4000K DAY WHITE	VT-8612-B	12W	1200	Black	160x160x60	50
6785 - 3000K WARM WHITE 6786 - 4000K DAY WHITE	VT-8612-W	12W	1200	White	160x160x60	50

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED UP-DOWN WALL LIGHTS

AC:220-240V,50Hz
340° Beam Angle
>80 CRI
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10559 - 3000K WARM WHITE 10560 - 4000K DAY WHITE	VT-1189	12W	1250	Black	160x65x200	

NEW LED UP-DOWN WALL LIGHTS

AC:200-240V,50Hz
100° Beam Angle
>80 CRI
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10564 - 3000K WARM WHITE 23027 - 4000K DAY WHITE	VT-1192	15W	1950	Black	160x165x164	

NEW LED OUTDOOR WALL LIGHTS

AC:220-240V,50Hz
140° Beam Angle
>80 CRI
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10558 - 3000K WARM WHITE	VT-1188	20W	2300	Black	200x50x400	

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW LED OUTDOOR WALL LIGHTS

AC:200-240V,50Hz
350° Beam Angle
>80 CRI
IP54 IP Rating

IP54 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10562 - 3000K WARM WHITE 10563 - 4000K DAY WHITE	VT-1191	15W	1650	Black	330x150x44	

NEW LED LINEAR WALL LIGHTS

AC:220-240V,50Hz
150° Beam Angle
>90 CRI
Aluminium Body
IP65 IP Rating

CRI 90

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10427 - 3000K WARM WHITE 10428 - 4000K DAY WHITE	VT-1173-B	10W	1250	Black	510x60x50	20
10429 - 3000K WARM WHITE 10430 - 4000K DAY WHITE	VT-1173-A	10W	1250	Anthracite	510x60x50	20
10431 - 3000K WARM WHITE 23022 - 4000K DAY WHITE	VT-1176-B	16W	2035	Black	1010x60x50	10
10434 - 3000K WARM WHITE 10435 - 4000K DAY WHITE	VT-1176-A	16W	2035	Anthracite	1010x60x50	10
10436 - 3000K WARM WHITE 10437 - 4000K DAY WHITE	VT-1178-B	23W	2875	Black	1410x60x50	10
10438 - 3000K WARM WHITE 10439 - 4000K DAY WHITE	VT-1178-A	23W	2875	Anthracite	1410x60x50	10

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED OUTDOOR WALL LIGHTS

AC:220-240V,50/60Hz

>90 CRI

Aluminium Body

IP65 IP Rating

CRI 90

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6828 - 3000K WARM WHITE 6829 - 4000K DAY WHITE	VT-11117-C	17W	2160	Corten	85x54x625	10
6830 - 3000K WARM WHITE 6831 - 4000K DAY WHITE	VT-11117-B	17W	2160	Black	85x54x625	10

NEW LED OUTDOOR WALL LIGHTS

AC:220-240V,50/60Hz

120° Beam Angle

>90 CRI

Aluminium Body

IP65 IP Rating

CRI 90

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6832 - 3000K WARM WHITE 6833 - 4000K DAY WHITE	VT-11112-W	12W	1400	White	16x72x650	10
6834 - 3000K WARM WHITE 6835 - 4000K DAY WHITE	VT-11112-B	12W	1400	Black	16x72x650	10

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED OUTDOOR SOFT LIGHTS

- AC:100-240V,50/60Hz
- 90° Beam Angle
- >0.9 PF
- >80 CRI
- PC Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8239 - 3000K WARM WHITE 8240 - 4000K DAY WHITE	VT-8056	9W	400	Grey	173x81x46	20
218239 - 3000K WARM WHITE 218240 - 4200K DAY WHITE 218241 - 6500K WHITE	VT-8056-N	9W	850	Grey	173x81x46	20
8242 - 3000K WARM WHITE 8243 - 4000K DAY WHITE 8244 - 6400K WHITE	VT-8057	12W	600	Grey	230x100x90	20
218242 - 3000K WARM WHITE 218243 - 4200K DAY WHITE 218244 - 6500K WHITE	VT-8057-N	12W	1150	Grey	230x100x90	20

LED OUTDOOR SOFT LIGHTS

- AC:100-240V,50/60Hz
- 130° Beam Angle
- >0.9 PF
- >80 CRI
- PC Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8245 - 3000K WARM WHITE 8246 - 4000K DAY WHITE 8247 - 6400K WHITE	VT-8058	12W	500	Grey	230x110x76	20
218245 - 3000K WARM WHITE 218246 - 4200K DAY WHITE 218247 - 6500K WHITE	VT-8058-N	12W	1160	Grey	230x110x76	20

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED OUTDOOR SOFT LIGHTS



- AC:220-240V, 50/60Hz
- 110° Beam Angle
- >0.9 PF
- >80 CRI
- PC Body
- IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6807 - 3000K WARM WHITE 6808 - 4000K DAY WHITE 6809 - 6400K WHITE	VT-8054-B	12W	1250	Black	265x120x81	20
6813 - 3000K WARM WHITE 6814 - 4000K DAY WHITE 6815 - 6400K WHITE	VT-8054-W	12W	1250	White	265x120x81	20
8233 - 3000K WARM WHITE 8234 - 4000K DAY WHITE 8235 - 6400K WHITE	VT-8054	12W	600	Grey	265x120x81	20
218233 - 3000K WARM WHITE 218234 - 4200K DAY WHITE 218235 - 6500K WHITE	VT-8054-N	12W	1150	Grey	265x120x81	20
6810 - 3000K WARM WHITE 6811 - 4000K DAY WHITE 6812 - 6400K WHITE	VT-8055-B	20W	2045	Black	319x170x114	20
6816 - 3000K WARM WHITE 6817 - 4000K DAY WHITE 6818 - 6400K WHITE	VT-8055-W	20W	2045	White	319x170x114	20
8236 - 3000K WARM WHITE 8237 - 4000K DAY WHITE 8238 - 6400K WHITE	VT-8055	20W	1000	Grey	319x170x114	20
218236 - 3000K WARM WHITE 218237 - 4200K DAY WHITE 218238 - 6500K WHITE	VT-8055-N	20W	2050	Grey	319x170x114	20

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED CEILING & WALL LIGHTS

AC:220-240V,50/60Hz
150° Beam Angle
>0.5 PF
>80 CRi
Aluminium Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218232 - 4000K DAY WHITE	VT-705-N	5W	645	White	175x80x96	20

LED ROTATABLE WALL LIGHT

AC:110-240V,50/60Hz
10-360° Beam Angle
>0.45 PF
>80 CRi
Aluminium Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
217093 - 4000K DAY WHITE	VT-757-N	5W	645	White	140x105x140	20

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED WALL LIGHTS

- AC:110-240V, 50/60Hz
- 360° Beam Angle
- >0.45 PF
- >80 CRi
- Aluminium Body
- IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218309 - 3000K WARM WHITE	VT-811-B-N	10W	1070	Black	300x215x60	20

NEW LED WALL LIGHTS

- AC:220-240V, 50Hz
- >90 CRI
- Aluminium Body
- IP20 IP Rating

CRI 90



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6840 - 3000K WARM WHITE 6841 - 4000K DAY WHITE	VT-11120-C	20W	2400	Corten	420x60x290	5
6842 - 3000K WARM WHITE 6843 - 4000K DAY WHITE	VT-11120-B	20W	2400	Black	420x60x290	5

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED WALL LIGHTS

- AC:100-240V,50/60Hz
- 360° Beam Angle
- >0.5 PF
- >80 CRi
- Aluminium+Acrylic Body
- IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
218202 - 3000K WARM WHITE	VT-712-W-N	11W	1368	White	260x125x55	20
218204 - 3000K WARM WHITE	VT-712-B-N	11W	1368	Black	260x125x55	20

ADJUSTABLE LED WALL LIGHTS

- AC:220-240V,50/60Hz
- Adjustable 5°-90° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP44 IP Rating

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8533 - 3000K WARM WHITE 8534 - 4000K DAY WHITE	VT-819-W	18W	1800	White	600x100x42	10
218533 - 3000K WARM WHITE 218534 - 4000K DAY WHITE	VT-819-W-N	16W	2150	White	600x100x42	10

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED WALL LIGHTS

- AC:220-240V,50/60Hz
- 150° Beam Angle
- >0.5 PF
- >80 CRI
- Aluminium Body
- IP20 IP Rating

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8535 - 3000K WARM WHITE	VT-821-W	20W	2000	White	610x90x35	20
218535 - 3000K WARM WHITE 218536 - 4000K DAY WHITE	VT-821-W-N	17W	2470	White	610x90x35	20

NEW LED WALL LIGHT WITH SWITCH

- AC:220-240V, 50Hz
- 38° Beam Angle
- >80 CRi
- Aluminium Body
- IP20 IP Rating

With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10286 - 3000K WARM WHITE 10287 - 4000K DAY WHITE	VT-402-B	2W	150	Black	145x150x60	50
10288 - 3000K WARM WHITE 10289 - 4000K DAY WHITE	VT-402-W	2W	150	White	145x150x60	50

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW LED SINGLE HEAD WALL LIGHTS

- AC:220-240V, 50Hz
- 38° Beam Angle
- >80 CRi
- Aluminium Body
- IP20 IP Rating

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10290 - 3000K WARM WHITE 10291 - 4000K DAY WHITE	VT-412-B	2W	150	Black	140x60x60	50
10292 - 3000K WARM WHITE 10293 - 4000K DAY WHITE	VT-412-W	2W	150	White	140x60x60	50

LED WALL LIGHT WITH SWITCH

- AC:220-240V,50/60Hz
- 100° Beam Angle
- >0.5 PF
- >80 CRi
- Plastic+Metal Body
- IP20 IP Rating

With Switch



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8675 - 3000K WARM WHITE 8677 - 4000K DAY WHITE	VT-805-N-W	4.5W	360	White	100x94x45	24
218675 - 3000K WARM WHITE 218677 - 4000K DAY WHITE	VT-805-N-W-N	4.5W	420	White	100x94x45	12
8676 - 3000K WARM WHITE 8678 - 4000K DAY WHITE	VT-805-N-B	4.5W	360	Black	100x94x45	24
218676 - 3000K WARM WHITE 218678 - 4000K DAY WHITE	VT-805-N-B-N	4.5W	420	Black	100x94x45	12

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED SINGLE HEAD WALL LIGHTS

AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRi
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8262 - 3000K WARM WHITE 8264 - 4000K DAY WHITE	VT-805-W	4.5W	360	White	100x94x45	12
218262 - 3000K WARM WHITE 218264 - 4000K DAY WHITE	VT-805-W-N	4.5W	420	White	100x94x45	12
8263 - 3000K WARM WHITE 8265 - 4000K DAY WHITE	VT-805-B	4.5W	360	Black	100x94x45	12
218263 - 3000K WARM WHITE 218265 - 4000K DAY WHITE	VT-805-B-N	4.5W	420	Black	100x94x45	12

LED DOUBLE HEAD WALL LIGHTS

AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8268 - 4000K DAY WHITE	VT-810-W	9W	720	White	400x100x94	12
218266 - 3000K WARM WHITE	VT-810-W-N	9W	820	White	400x100x94	12
8267 - 3000K WARM WHITE 8269 - 4000K DAY WHITE	VT-810-B	9W	720	Black	400x100x94	12
218269 - 4000K DAY WHITE	VT-810-B-N	9W	840	Black	400x100x94	12

V-TAC
Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED TRIPPLE HEAD WALL LIGHTS

AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8270 - 3000K WARM WHITE 8272 - 4000K DAY WHITE	VT-813-W	13.5W	1080	White	600x100x94	12
218270 - 3000K WARM WHITE 218272 - 4000K DAY WHITE	VT-813-W-N	13.5W	1260	White	600x100x94	12
8273 - 4000K DAY WHITE	VT-813-B	13.5W	1080	Black	600x100x94	12
218271 - 3000K WARM WHITE 218273 - 4000K DAY WHITE	VT-813-B-N	13.5W	1260	Black	600x100x94	12

LED SINGLE HEAD WALL LIGHTS

AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8250 - 3000K WARM WHITE 8252 - 4000K DAY WHITE	VT-806-W	6W	480	White	100x93	24
218250 - 3000K WARM WHITE 218252 - 4000K DAY WHITE	VT-806-W-N	5W	580	White	100x93	24
8251 - 3000K WARM WHITE 8253 - 4000K DAY WHITE	VT-806-B	6W	480	Black	100x93	24
218251 - 3000K WARM WHITE 218253 - 4000K DAY WHITE	VT-806-B-N	5W	580	Black	100x93	24

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED DOUBLE HEAD WALL LIGHTS

AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8256 - 4000K DAY WHITE	VT-812-W	12W	960	White	405x100x93	12
218254 - 3000K WARM WHITE 218256 - 4000K DAY WHITE	VT-812-W-N	10W	1160	White	405x100x93	12
8255 - 3000K WARM WHITE 8257 - 4000K DAY WHITE	VT-812-B	12W	960	Black	405x100x93	12
218255 - 3000K WARM WHITE 218257 - 4000K DAY WHITE	VT-812-B-N	10W	1160	Black	405x100x93	12

LED TRIPPLE HEAD WALL LIGHTS

AC:220-240V,50/60Hz
100° Beam Angle
>0.5 PF
>80 CRI
Plastic+Metal Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
8258 - 3000K WARM WHITE 8260 - 4000K DAY WHITE	VT-818-W	18W	1440	White	605x100x93	12
218258 - 3000K WARM WHITE 218260 - 4000K DAY WHITE	VT-818-W-N	15W	1740	White	605x100x93	12
8259 - 3000K WARM WHITE 8261 - 4000K DAY WHITE	VT-818-B	18W	1440	Black	605x100x93	12
218259 - 3000K WARM WHITE 218261 - 4000K DAY WHITE	VT-818-B-N	15W	1740	Black	605x100x93	12

V-TAC Meaningful Innovation.

CABINET LIGHTS WITH SENSOR

02 YEAR WARRANTY

NEW CABINET LIGHTS WITH SENSOR

DC:5V, 1A

180° Beam Angle

Aluminium Body

IP20 IP Rating

3M TAPE ADHESIVE

PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
2961 - 3000K WARM WHITE 2958 - 4000K DAY WHITE	VT-8141-S	1.5W	110	Silver	300x40x9	50
2960 - 3000K WARM WHITE 2959 - 4000K DAY WHITE	VT-8141-B	1.5W	110	Black	300x40x9	50
2965 - 3000K WARM WHITE 2962 - 4000K DAY WHITE	VT-8142-S	2W	160	Silver	400x40x9	50
2964 - 3000K WARM WHITE 2963 - 4000K DAY WHITE	VT-8142-B	2W	160	Black	400x40x9	50
2969 - 3000K WARM WHITE 2966 - 4000K DAY WHITE	VT-8143-S	2.5W	260	Silver	600x40x9	30
2968 - 3000K WARM WHITE 2967 - 4000K DAY WHITE	VT-8143-B	2.5W	260	Black	600x40x9	30

02 YEAR WARRANTY

LED STEP LIGHTS

V-TAC Meaningful Innovation.

NEW LED STEP LIGHTS



- AC:220-240V,50Hz
- 270° Beam Angle
- >80 CRI
- Aluminium Body
- IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10376 - 3000K WARM WHITE	VT-1128	3W	180	White	58x58x45	100

NEW LED STEP LIGHTS

- AC:220-240V,50Hz
- 270° Beam Angle
- >80 CRI
- Aluminium Body
- IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10377 - 3000K WARM WHITE	VT-1129	5W	380	White	84x84x50	50

NEW LED STEP LIGHTS





- AC:220-240V,50Hz
- 270° Beam Angle
- >80 CRI
- Aluminium Body
- IP65 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10378 - 3000K WARM WHITE	VT-1130	3W	180	White	58x103x45	100

V-TAC Meaningful Innovation.

LED STEP LIGHTS

02 YEAR WARRANTY

LED STEP LIGHT WITH SENSOR



AC:100-240V, 50/60Hz
45° Beam Angle
>0.5 PF
>80 CRI
Die cast Aluminium Body
IP20 IP Rating

PIR MOTION SENSOR



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
5570 - 4000K DAY WHITE	VT-8035	3W	100	White	85x85x42	100

LED STEP LIGHTS

AC:85-265V,50/60Hz
83° Beam Angle
>0.5 PF
>80 CRI
Die Cast Aluminium Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
121284 - 4000K DAY WHITE	VT-1143-N	3W	110	White	84x84x43	100

LED STEP LIGHTS

AC:100-240V,50/60Hz
15° Beam Angle
>0.5 PF
>80 CRi
Aluminium Body
IP20 IP Rating



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211209 - 3000K WARM WHITE 211210 - 4000K DAY WHITE	VT-1109	3W	270	White	80x80x51	100
211207 - 3000K WARM WHITE 211208 - 4000K DAY WHITE	VT-1109RD	3W	270	White	Ø80x51	100

02 YEAR WARRANTY

LED STEP LIGHTS

V-TAC Meaningful Innovation.

LED STEP LIGHTS

AC:100-240V,50/60Hz
55° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211326 - 4000K DAY WHITE	VT-1162-W	3W	110	White	230x80x28	50
211329 - 3000K WARM WHITE 211328 - 4000K DAY WHITE	VT-1162-B	3W	110	Black	230x80x28	50
211331 - 3000K WARM WHITE 211330 - 4000K DAY WHITE	VT-1162-G	3W	110	Grey	230x80x28	50

LED STEP LIGHTS

AC:100-240V,50/60Hz
55° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
211315 - 3000K WARM WHITE 211314 - 4000K DAY WHITE	VT-1142-W	3W	80	White	150x27	50
211317 - 3000K WARM WHITE 211316 - 4000K DAY WHITE	VT-1142-B	2W	80	Black	150x27	50
211319 - 3000K WARM WHITE	VT-1142-G	2W	80	Grey	150x27	50

V-TAC Meaningful Innovation.

LED STEP LIGHTS

02 YEAR WARRANTY

LED STEP LIGHTS

- AC:100-240V,50/60Hz
- 55° Beam Angle
- >0.5 PF
- >80 CRi
- PC Body
- IP65 IP Rating

IP65 RATING



SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1321 - 3000K WARM WHITE 1320 - 4000K DAY WHITE	VT-1152-W	2W	60	White	124x124x27	50
1323 - 3000K WARM WHITE 1322 - 4000K DAY WHITE	VT-1152-B	2W	60	Black	124x124x27	50
211323 - 3000K WARM WHITE 211322 - 4000K DAY WHITE	VT-1152-B-N	2W	70	Black	124x124x27	50
1325 - 3000K WARM WHITE 1324 - 4000K DAY WHITE	VT-1152-G	2W	60	Grey	124x124x27	50

LED STEP LIGHTS

- AC:100-240V,50/60Hz
- 90° Beam Angle
- >0.5 PF
- >80 CRI
- PC Body
- IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1398 - 3000K WARM WHITE 1399 - 4000K DAY WHITE	VT-1172-B	3W	210	Black	151x72x154	20
1400 - 3000K WARM WHITE 1401 - 4000K DAY WHITE	VT-1172-G	3W	210	Grey	151x72x154	20
1402 - 3000K WARM WHITE	VT-1172-W	3W	210	White	151x72x154	20
121402 - 3000K WARM WHITE 121403 - 4000K DAY WHITE	VT-1172-W-N	3W	70	White	151x72x154	20

02 YEAR WARRANTY

LED STEP LIGHTS

V-TAC Meaningful Innovation.

LED STEP LIGHTS



AC:100-240V,50/60Hz
90° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1404 - 3000K WARM WHITE 1405 - 4000K DAY WHITE	VT-1182-B	3W	210	Black	Ø166x94	20

LED STEP LIGHTS

AC:100-240V,50/60Hz
90° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1406 - 3000K WARM WHITE 1407 - 4000K DAY WHITE	VT-1182-G	3W	210	Grey	Ø166x94	20

LED STEP LIGHTS

AC:100-240V,50/60Hz
90° Beam Angle
>0.5 PF
>80 CRi
PC Body
IP65 IP Rating

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
1408 - 3000K WARM WHITE 1409 - 4000K DAY WHITE	VT-1182-W	3W	210	White	Ø166x94	20

V-TAC
Meaningful Innovation.

LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Complete with easily readable legends, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset in many applications including but not limited to offices, hotels, hospitals and residential areas.

Key Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- Universal (wall, side or ceiling) mounting
- Low energy consumption only 2.0 watts at 120V
- LED indicator light and push button test switch
- LEDs mounted on print circuit board
- 24 hours recharge after more than 3 Hours discharge
- Efficient thermal management technology
- Corrosion free mounting clamps
- High performance Ni-Cd batteries made for Longevity & low maintenance
- Reliable Emergency backup of 3 hours

02 YEAR WARRANTY

EMERGENCY LIGHTS

V-TAC Meaningful Innovation.

NEW SELF TEST LED EMERGENCY LIGHTS

24 hr CHARGING TIME

SELF TEST

04 YEAR WARRANTY

SKU	Model	Watts	Lumens	Box Qty
7817 - 6500K WHITE	7817	4W	80	10
7818	Legend -Arrow Down			10
7819	Legend -Arrow Left			10
7820	Legend -Arrow Right			10

Input Voltage:	AC:220-240V
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Wall Mounted
Emergency Operation Time:	>3 Hours
Battery:	LiFePo4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Legends:	Arrow Up Legend
Mode Of Operation:	Maintained
Size:	330x30x186

NEW SELF TEST LED EMERGENCY LIGHTS

IP65 RATING

SELF TEST

24 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
7687 - 6400K WHITE	VT-996	3W	130	20

No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	LiFePO4, 3.2V 1.5Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

NEW SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL

IP65 RATING

SELF TEST

24 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
7688 - 6400K WHITE	VT-997	3W	120	20
11368	Remote Control for VT-997			

No. Of LED:	18 SMD LEDs
Input Voltage:	AC:200-240V, 50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-CD SC, 3.6V 1.2Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	350x110x56

NEW 4IN1 SELF TEST LED EMERGENCY EXIT LIGHT RF CONTROL

4IN1

SELF TEST

- CEILING
- HANGING
- SIDEWALL
- WALL MOUNTING

SKU	Model	Watts	Lumens	Box Qty
7675 - 6000K WHITE	VT-995	2.5W	100	20
11362	Remote Control for VT-995			

No. Of LED:	20 SMD LEDs
Input Voltage:	AC:200-240V,50/60Hz
Protection Rating:	IP20
Material :	PC+PMMA
Exit Lamp Type:	Ceiling, Hanging, Sidewall and Wall Mounting
Viewing Distance:	30 Meters From Both Sides
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd AA, 3.6V, 0.6Ah
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	350x29x195

LED EMERGENCY LIGHTS BULKHEAD

IP65 RATING

12 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
83111 - 6400K WHITE	VT-543	3w	140	12

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC Cover
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1200mAh
Recharging Time:	12 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Size:	346x107x60

LED EMERGENCY LIGHTS BULKHEAD

IP65 RATING

24 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
8437 - 6400K WHITE	VT-533	3w	140	10
8027	Legend -Arrow Up			100

No. Of LED:	16 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained & Non Maintained
Size:	346x104x58

02 YEAR WARRANTY

EMERGENCY LIGHTS

V-TAC Meaningful Innovation.

LED EMERGENCY LIGHTS TWIN SPOTLIGHT

IP65 RATING

24 hr CHARGING TIME

SKU	Model	Watts	Lumens	Box Qty
80981 - 6000K WHITE	VT-526	6W	300	5

No. Of LED:	2x6 SMD LEDs
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Charging Indicator:	Green Light Indicator Test
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Size:	296x75x272

LED EMERGENCY LIGHTS DOWNLIGHT

SKU	Model	Watts	Lumens	Box Qty
8274 - 5500K WHITE	VT-503	3W	140	20

Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	Poly Carbonate & Aluminium
Exit Lamp Type:	Ceiling Recessed
Emergency Operation Time:	>3 Hours
Battery:	3.6V 1800mAh Ni-cd Battery
Charging Indicator:	Green Light Indicator Test
Mode Of Operation:	Non Maintained
Size:	38.5x22x25

V-TAC

Meaningful Innovation.

Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

Key Feature

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

02 YEAR WARRANTY

MOTION SENSORS

V-TAC Meaningful Innovation.

NEW INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
23161	VT-80300	White	50

IP65 RATING

05 YEAR WARRANTY

Sensor Type:	Infrared
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.12m (<24°C)
Ambient Light:	<3—2000LUX (adjustable)
IP Rating:	IP65
Dimension:	119.5x80x51.5mm
Time Delay:	10sec±3sec to 15min±2min(adjustable)
Rated Load:	Max. 300W (LED)

NEW INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
23162	VT-81000	White	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 30m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
IP Rating:	IP20
Dimension:	103x53.5mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 1000W(LED)

NEW MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
23163	VT-81001	White	50

Sensor Type:	Microwave
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) adjustable
Ambient Light:	<3-2000LUX (adjustable)
IP Rating:	IP20
Dimension:	115x24.3mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max 1000W(LED)

NEW MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
23164	VT-80301	White	50

Sensor Type:	Microwave
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-12m(radius) adjustable
Ambient Light:	<3-2000LUX (adjustable)
IP Rating:	IP20
Dimension:	119.5x80x51.5mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	Max 300W(LED)

V-TAC Meaningful Innovation.

MOTION SENSORS

02 YEAR WARRANTY

NEW MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
23165	VT-80360	White	50

Sensor Type: Microwave
Detection Range: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: 1-8m(radius) adjustable
Ambient Light: <3-2000LUX (adjustable)
IP Rating: IP20
Dimension: 80x66.6mm
Time Delay: Min.10sec±3sec, Max. 12min±1min
Rated Load: Max 300W(LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
6606	VT-8091-W	White	100
6607	VT-8091-B	Black	100

Sensor Type: Infrared
Detection Range: 360°
Voltage: AC:110-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: Ø76x20.2mm
Time Delay: 10sec±3sec to 7min±2min(adjustable)
Rated Load: Max.200W(AC:220-240V)/100W(AC:110-130V) LED

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
6608	VT-8092-W	White	100
6609	VT-8092-B	Black	100

Sensor Type: Infrared
Detection Range: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.8m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP20
Dimension: Ø50x62mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 400W (LED)

INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
6611	VT-8093-W	White	50
6610	VT-8093-B	Black	50

IP65 RATING

Sensor Type: Infrared
Detection Range: 180°/360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.12m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 76x92x62.5mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 600W (LED)

02 YEAR WARRANTY

MOTION SENSORS

V-TAC Meaningful Innovation.

INFRARED SENSOR-IP65

SKU	Model	Unit Color	Box Qty
6613	VT-8094-W	White	50
6612	VT-8094-B	Black	50

IP65 RATING

ADJUSTABLE FOR CORNER



Sensor Type: Infrared
Detection Range: 240°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max.10m (<24°C)
Ambient Light: <3—2000LUX (adjustable)
Body Type: PC
IP Rating: IP65
Dimension: 125.2x71.4x72.7mm
Time Delay: 10sec±3sec to 15min±2min(adjustable)
Rated Load: Max. 600W (LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
5086	VT-8027-W	White	50
5087	VT-8027-B	Black	50

Sensor Type: Infrared
Detection Range: 360°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 8m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP20
Dimension: 115x25mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 1000W(LED)

INFRARED SENSOR-MOVING HEAD-IP44

SKU	Model	Unit Color	Box Qty
5088	VT-8028-W	White	50
5089	VT-8028-B	Black	50



Sensor Type: Infrared
Detection Range: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 12m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP44
Dimension: 445X345X19mm
Time Delay: Min. 10sec±3sec, Max. 15min±2min
Rated Load: Max 400W(LED)

INFRARED SENSOR-IP44

SKU	Model	Unit Color	Box Qty
4967	VT-8003-W	White	50
5077	VT-8003-B	Black	50

Sensor Type: Infrared
Detection Range: 180°
Voltage: AC:220-240V,50/60Hz
Detection Distance: Max. 12m(<24°C)
Ambient Light: <3-2000LUX(adjustable)
Body Type: PC
IP Rating: IP44
Dimension: 86.4x60.4x98mm
Time Delay: Min. 10sec±3sec, Max. 7min±2min
Rated Load: Max 300W(LED)

V-TAC
Meaningful Innovation.

MOTION SENSORS

02 YEAR WARRANTY

INFRARED SENSOR

IP65 RATING

SKU	Model	Unit Color	Box Qty
15011	VT-8083-B	Black	50
15001	VT-8083-W	White	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max.20m(<24°C)
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC
IP Rating:	IP65
Dimension:	86.5x172.5x56mm
Time Delay:	Min.10sec±3sec, Max. 30min±2min
Rated Load:	1000w(LED)

MICROWAVE SENSOR

SKU	Model	Unit Color	Box Qty
15031	VT-8084-B	Black	50
15021	VT-8084-W	White	50

Sensor Type:	Microwave
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5-15m
Ambient Light:	<3-2000LUX (adjustable)
Body Type:	PC+Glass
IP Rating:	IP20
Dimension:	95x50x95mm
Time Delay:	Min.10sec±3sec, Max. 12min±1min
Rated Load:	300w(LED)

MICROWAVE SENSOR-IP65

IP65 RATING

SKU	Model	Unit Color	Box Qty
5571	VT-8036-W	White	100
5572	VT-8036-B	Black	100

Sensor Type:	Microwave
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m/10m
Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 200W(LED)

INFRARED SENSOR



SKU	Model	Unit Color	Box Qty
5090	VT-8029	White	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

02 YEAR WARRANTY

MOTION SENSORS

V-TAC Meaningful Innovation.

INFRARED SENSOR-MOVING HEAD

SKU	Model	Unit Color	Box Qty
5091	VT-8030	White	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 8m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	98x73x82mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 400W(LED)

INFRARED SENSOR

SKU	Model	Unit Color	Box Qty
4968	VT-8004	White	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR-E27

SKU	Model	Unit Color	Box Qty
4982	VT-8005	White	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	55.5x116.5mm
Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Rated Load:	Max 60W(LED)

INFRARED SENSOR-IP44

SKU	Model	Unit Color	Box Qty
1354	VT-8048	White	50

Sensor Type:	Infrared
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x86.4x60.4mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Rated Load:	Max 300W(LED)X20

V-TAC Meaningful Innovation.

MOTION SENSORS

02 YEAR WARRANTY

INFRARED SENSOR

SKU	Model	Box Qty
1355	VT-8049	50

Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 12m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

INFRARED SENSOR

SKU	Model	Box Qty
1356	VT-8051	50



Sensor Type:	Infrared
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	Max. 6m(<24°C)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Rated Load:	Max 300W(LED)

DAY LIGHT SENSOR - 1-10V

SKU	Model	Box Qty
1369	VT-8059	100

Sensor Type:	Day Light
Detection Range:	360°
Voltage:	DC:1-10V
Body Type:	PC
IP Rating:	IP20

Daylight Sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1–10V Power source and using with LED dimmable driver.
The illumination level of lamps will get darker when ambient light gets brighter.
When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient, then gradually back to 100% level when it is getting darker

MOTION SENSORS

SKU	Model	Box Qty
5084	VT-8025	100



Sensor Type:	Infrared
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	5cm/6cm(<24°C)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Rated Load:	Max 200W(LED)

MOTION SENSORS

SKU	Model	Box Qty
5085	VT-8026	100



Sensor Type:	Infrared
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Detection Distance:	5cm/6cm(<24°C)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Rated Load:	Max 200W(LED)

02 YEAR WARRANTY

MOTION SENSORS

V-TAC Meaningful Innovation.

MOTION SENSORS

SKU	Model	Box Qty
5078	VT-8018	100



Sensor Type:	Microwave
Detection Range:	180° / 360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) adjustable
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	37x25x61.5mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Rated Load:	Max 300W(LED)

MOTION SENSORS

SKU	Model	Box Qty
5081	VT-8019	100

Sensor Type:	Photocell
Detection Range:	360°
Voltage:	AC:220-240V,50Hz
Ambient Light:	<5-15LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Rated Load:	Max 500W(LED)

MOTION SENSORS

SKU	Model	Box Qty
5082	VT-8022	100



IP65 RATING

Sensor Type:	Infrared
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	3/6m(<24°C)
Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP65
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Rated Load:	Max 400W(LED)

MOTION SENSORS

SKU	Model	Box Qty
1446	VT-8077	100



Sensor Type:	Microwave
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	1-8m(radius) Adjustable
Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Rated Load:	Max 300W(LED)

MOTION SENSORS

SKU	Model	Box Qty
5083	VT-8023	100



Sensor Type:	Microwave
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Detection Distance:	5m-15m(adjustable)
Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Rated Load:	Max 300W(LED)

V-TAC

Meaningful Innovation.

Outdoor Lights & Fittings

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

Key Feature

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

02 YEAR WARRANTY

OUTDOOR LIGHTS

V-TAC Meaningful Innovation.

UNDERGROUND LIGHT- OBLIQUE ANGLE

IP67 RATING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	20°
PF	>0.5
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
218621 - 4000K DAY WHITE	VT-7679-N	8w	350	Ø150X153mm	12

UNDERGROUND LIGHT

IP67 RATING

Voltage/Frequency	AC:220-240V,50Hz
Beam Angle	40°
PF	>0.7
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
218622 - 4000K DAY WHITE	VT-7681-N	10w	850	Ø150X153mm	12

UNDERGROUND LIGHT

IP67 RATING

12V

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211463 - 3000K WARM WHITE	VT-1141-N	0.5w	5	Ø26X82mm	50

UNDERGROUND LIGHT

IP67 RATING

12V

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
2879 - 3000K WARM WHITE 1464 - 6500K WHITE	VT-1151	1w	50	Ø48X82mm	50
211464 - 6500K WHITE	VT-1151-N	1w	50	Ø48X82mm	50

V-TAC
Meaningful Innovation.

OUTDOOR LIGHTS

02 YEAR WARRANTY

UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING

12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211465 - 3000K WARM WHITE 211467 - 6500K WHITE	VT-1161-W-N	1w	50	Ø60X93mm	50

UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING

12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1468 - 6500K WHITE	VT-1161-B	1w	10	Ø60X93mm	50
211466 - 3000K WARM WHITE	VT-1161-B-N	1w	50	Ø60X93mm	50

UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING

12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1471 - 6500K WHITE	VT-1171-W	1w	10	Ø60X93mm	50
211469 - 3000K WARM WHITE	VT-1171-W-N	1w	50	Ø60X93mm	50

UNDERGROUND LIGHT

Voltage/Frequency	DC:12V
Beam Angle	90°
PF	>0.4
CRI	>80



IP67 RATING

12V

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
211470 - 3000K WARM WHITE 211472 - 6500K WHITE	VT-1171-B-N	1w	50	Ø60X93mm	50

02 YEAR WARRANTY

OUTDOOR LIGHTS

V-TAC Meaningful Innovation.

NEW POOL LIGHTS-PAR56

IP68 RATING

110 LUMEN/W

Voltage/Frequency	AC/DC:12V
Beam Angle	120°
PF	
CRI	



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8024 - 6500K WHITE	VT-12118	18W	2000	178x110mm	18
8025 - 6500K WHITE	VT-12125	25W	2850	178x110mm	18
8026 - 6500K WHITE	VT-12135	35W	4100	178x110mm	18

POOL LIGHTS-PAR56

IP68 RATING

Voltage/Frequency	AC/DC:12V,50Hz
Beam Angle	120°
PF	
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7556 - 3000K WARM WHITE 7557 - BLUE 7555 - 6400K WHITE	VT-1258	8w	800	178x114mm	12
7560 - 3000K WARM WHITE 7561 - BLUE 7559 - 6500K WHITE	VT-1262	12w	1200	178x114mm	12

POOL LIGHTS-PAR56-RGB

IP68 RATING

Voltage/Frequency	AC/DC:12V,50Hz
Beam Angle	120°
PF	
CRI	>80



SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7558 - RGB	VT-1268	8w	800	178x114mm	12
7562 - RGB	VT-1263	12w	1200	178x114mm	12

V-TAC Meaningful Innovation.

OUTDOOR FITTINGS

02 YEAR WARRANTY

WALL FITTINGS-E27

SKU	Model	Box Qty
93573	VT-967	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 130x100x228mm

IP44 RATING

WALL FITTINGS-E27

SKU	Model	Box Qty
93574	VT-968	10

Material: PC
Holder: 2xE27
IP Rating: IP44
Dimension: 150x91x228mm

IP44 RATING

NEW UP-DOWN WALL FITTING

SKU	Model	Box Qty
2970	VT-11015-W	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm

IP54 RATING

NEW UP-DOWN WALL FITTING

SKU	Model	Box Qty
2971	VT-11015-B	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm

IP54 RATING

NEW UP-DOWN WALL FITTING

SKU	Model	Box Qty
6819	VT-11015-C	20

Material: Aluminium
Holder: 2xGU10
IP Rating: IP54
Dimension: 65x95.8x160mm

IP54 RATING

WALL FITTING

SKU	Model	Box Qty
7502	VT-7621PIR	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x67x163mm

PIR MOTION SENSOR

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7503	VT-7622PIR	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x67x220mm

UP & DOWN LIGHTS

PIR MOTION SENSOR

WALL FITTING

SKU	Model	Box Qty
7501	VT-7621	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 93x85x118mm

02 YEAR WARRANTY

OUTDOOR FITTINGS

V-TAC Meaningful Innovation.

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7500	VT-7622	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm

UP & DOWN LIGHTS

WALL FITTING

SKU	Model	Box Qty
7505	VT-7631	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 110x60x125mm

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7504	VT-7632	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 110x60x178mm

UP & DOWN LIGHTS

WALL FITTING

SKU	Model	Box Qty
7506	VT-7641	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP44
Dimension: 105x76x118mm

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7507	VT-7642	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 105x76x207mm

UP & DOWN LIGHTS

WALL FITTING

SKU	Model	Box Qty
7508	VT-7651RD	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7509	VT-7652RD	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm

UP & DOWN LIGHTS

WALL FITTING

SKU	Model	Box Qty
7510	VT-7651SQ	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

V-TAC Meaningful Innovation.

OUTDOOR FITTINGS

02 YEAR WARRANTY

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7511	VT-7652SQ	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7512	VT-7662	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7569	VT-7622-B	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm

UP & DOWN LIGHTS

WALL FITTING

SKU	Model	Box Qty
7539	VT-7651SQ-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

WALL FITTING

SKU	Model	Box Qty
7540	VT-7651RD-W	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 92x68x80mm

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7541	VT-7652SQ-W	16

Material: Aluminium
Holder: 2XGU10
IP Rating: IP44
Dimension: 92x68x150mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7542	VT-7652RD-W	16

Material: Aluminium
Holder: 2xGU10
IP Rating: IP44
Dimension: 92x68x80mm

UP & DOWN LIGHTS

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7543	VT-7662-W	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 85x87x250mm

UP & DOWN LIGHTS

02 YEAR WARRANTY

OUTDOOR FITTINGS

V-TAC Meaningful Innovation.

UP-DOWN WALL FITTING

SKU	Model	Box Qty
7570	VT-7622-W	16

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 93x85x163mm

UP & DOWN LIGHTS

WALL FITTING

SKU	Model	Box Qty
7553	VT-7611	24

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 100x66x92mm

WALL FITTING

SKU	Model	Box Qty
7554	VT-7612	6

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 1170x50mm

WALL FITTING

SKU	Model	Box Qty
8626	VT-841	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x120mm

UP-DOWN WALL FITTING

SKU	Model	Box Qty
8627	VT-842	24

Material: Aluminium+Glass
Holder: GU10
IP Rating: IP44
Dimension: 63x99x170mm

UP & DOWN LIGHTS

SENSOR UP-DOWN WALL FITTING

SKU	Model	Box Qty
5157	VT-7632S	12

Material: Stainless Steel
Holder: 2XGU10
IP Rating: IP44
Dimension: 60x110x215mm

UP & DOWN LIGHTS

UNDERGROUND FITTINGS-MR16

SKU	Model	Box Qty
8567	VT-7678-1	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm

IP67 RATING

UNDERGROUND FITTINGS-MR16

SKU	Model	Box Qty
8568	VT-7678-2	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm

IP67 RATING

V-TAC Meaningful Innovation.

OUTDOOR FITTINGS

02 YEAR WARRANTY

UNDERGROUND FITTINGS-MR16

SKU	Model	Box Qty
8566	VT-7678-3	12

Material: Stainless Steel
Holder: MR16
IP Rating: IP67
Dimension: D:87x128mm

IP67 RATING

NEW UNDERGROUND FITTINGS

SKU	Model
10374	VT-1127RD

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x102mm

IP67 RATING

NEW UNDERGROUND FITTINGS

SKU	Model
10375	VT-1127SQ

Material: Stainless Steel
Holder: GU10
IP Rating: IP67
Dimension: 80x80x102mm

IP67 RATING

UNDERGROUND FITTINGS

SKU	Model	Box Qty
7515	VT-7677RD	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm

IP65 RATING

UNDERGROUND FITTINGS

SKU	Model	Box Qty
7516	VT-7677SQ	24

Material: Stainless Steel
Holder: GU10
IP Rating: IP65
Dimension: 110x110x120mm

IP65 RATING

GARDEN SPIKE-SINGLE HEAD

SKU	Model	Box Qty
7044	VT-728	12

Material: ABS
Holder: E27
IP Rating: IP44
Dimension: 450x27mm

GARDEN SPIKE-DOUBLE HEAD

SKU	Model	Box Qty
7045	VT-729	12

Material: ABS
Holder: E27
IP Rating: IP44
Dimension: 450x205mm

GARDEN SPIKE

SKU	Model	Box Qty
7517	VT-769	12

Material: Aluminium
Holder: GU10
IP Rating: IP44
Dimension: 95x95x335mm

02 YEAR WARRANTY

OUTDOOR FITTINGS

V-TAC Meaningful Innovation.

NEW GARDEN SPIKE BLACK-IP65

SKU	Model
10372	VT-1119

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x88x245mm

IP65 RATING

NEW GARDEN SPIKE BLACK-IP65

SKU	Model
10373	VT-1126

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 75x106x245mm

IP65 RATING

NEW GARDEN SPIKE BLACK-IP65

SKU	Model	Box Qty
7571	VT-7701	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x92x270mm

IP65 RATING

NEW GARDEN SPIKE BLACK-IP65

SKU	Model	Box Qty
7572	VT-7704	20

Material: Aluminium
Holder: GU10
IP Rating: IP65
Dimension: 100x130x270mm

IP65 RATING

V-TAC

Meaningful Innovation.

LED Garden Lights and Fittings

V-TAC presents an elegant series of garden lighting, makes your garden glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors, and ceilings with our modern designs.

Key Feature

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

02 YEAR WARRANTY

GARDEN LIGHTS

V-TAC Meaningful Innovation.

NEW 2IN1 BOLLARD LAMPS

Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	24°
CRI	>90

IP65 RATING

CRI 90

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
6836 - 3000K WARM WHITE 6837 - 4000K DAY WHITE	VT-11107-W	6W	520	White	120x180x1025mm	10
6838 - 3000K WARM WHITE 6839 - 4000K DAY WHITE	VT-11107-B	6W	520	Black	120x180x1025mm	10

NEW BOLLARD LAMPS-ADJUSTABLE HEAD

Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	90°
CRI	>80

IP44 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
10475 - 3000K WARM WHITE 23051 - 4000K DAY WHITE	VT-1187-B	4W	390	Black	129x159x1000mm	4
10476 - 3000K WARM WHITE 23052 - 4000K DAY WHITE	VT-1187-W	4W	390	White	129x159x1000mm	4

GARDEN LIGHT 2IN1 (LAMP POST + SPIKE)

Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	100°
PF	>0.5
CRI	>80

03 YEAR WARRANTY

IP65 RATING

SAMSUNG LED Illuminated

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
20316 | 3000K WARM WHITE 20317 | 4000K DAY WHITE 20318 | 6400K WHITE	VT-907	7W	420	Black	200x714mm	20

V-TAC
Meaningful Innovation.

GARDEN LIGHTS

02 YEAR WARRANTY

NEW 2IN1 BOLLARD LAMPS

Voltage/Frequency	AC:220-240V, 50/60Hz
Beam Angle	180°
CRI	>90

IP65 RATING

CRI 90

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
23021 - 3000K WARM WHITE 10426 - 4000K DAY WHITE	VT-1160	12W	1265	Anthracite	150x800mm	10

GARDEN SPIKE LIGHT

Voltage/Frequency	AC:100-240V,50/60Hz
Beam Angle	30°
PF	>0.6
CRI	>80

IP65 RATING

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
7546 - GREEN	VT-857-B	12w	720	Black	73x255mm	50
217544 - 3000K WARM WHITE 217545 - 4000K DAY WHITE	VT-857-B-N	12w	3000K - 880lm 4000K - 875lm	Black	73x255mm	50
7549 - GREEN	VT-857-W	12w	720	White	73x255mm	50
217547 - 3000K WARM WHITE 217548 - 4000K DAY WHITE	VT-857-W-N	12w	3000K - 920lm 4000K - 970lm	White	73x255mm	50
7552 - GREEN	VT-857-G	12w	720	Grey	73x255mm	50
217550 - 3000K WARM WHITE 217551 - 4000K DAY WHITE	VT-857-G-N	12w	3000K - 875lm 4000K - 930lm	Grey	73x255mm	50

BOLLARD LAMPS

Voltage/Frequency	AC:100-240V 50/60Hz
Beam Angle	350°
PF	>0.9
CRI	>80

IP54 RATING

IK08 RATING

PIR MOTION SENSOR

SKU	Model	Watts	Lumens	Unit Color	Size(mm)	Box Qty
5155 - 4000K DAY WHITE	VT-909	9W	500	Dark Grey	200x80x300mm	8

02 YEAR WARRANTY

GARDEN LIGHTS

V-TAC Meaningful Innovation.

GARDEN SPIKE

SKU	Model	Box Qty
7518	VT-770	8

Material: Stainless Steel
Max.Watts: 35w
Holder: GU10
IP Rating: IP44
Dimension: 60x60x420mm

NEW WALL FITTINGS-E27

SKU	Model	Box Qty
10470	VT-1183	6

Material: Plastic+Stainless Steel
Max.Watts: 18W
Holder: E27
IP Rating: IP44
Dimension: 400x76mm

IP44 RATING

WALL FITTINGS-E27



SKU	Model	Box Qty
8623	VT-832	12

Material: Stainless Steel+PC
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x375mm

03 YEAR WARRANTY

WALL FITTINGS-E27



SKU	Model	Box Qty
8624	VT-833	12

Material: Stainless Steel+PC
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x140x335mm

NEW BOLLARD LAMPS

SKU	Model	Box Qty
10471	VT-1184	4

Material: Plastic+Stainless Steel
Max.Watts: 18W
Holder: E27
IP Rating: IP44
Dimension: 76x119x450mm

IP44 RATING

NEW BOLLARD LAMPS

SKU	Model	Box Qty
10472	VT-1185	4

Material: Plastic+Stainless Steel
Max.Watts: 18W
Holder: E27
IP Rating: IP44
Dimension: 76x119x1000mm

IP44 RATING

BOLLARD LAMPS

SKU	Model	Box Qty
8958	VT-838-S45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

BOLLARD LAMP

SKU	Model	Box Qty
8625	VT-838-S80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

V-TAC Meaningful Innovation.

GARDEN LAMPS

02 YEAR WARRANTY

BOLLARD LAMPS

SKU	Model	Box Qty
8962	VT-838-S110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

NEW BOLLARD LAMPS

SKU	Model
23061	VT-1195

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP65
Dimension: 155x155x790mm

IP65 RATING

BOLLARD LAMPS

SKU	Model	Box Qty
8593	VT-838-B45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

BOLLARD LAMPS

SKU	Model	Box Qty
8978	VT-838-B80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

BOLLARD LAMPS

SKU	Model	Box Qty
8594	VT-838-B110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

BOLLARD LAMPS

SKU	Model	Box Qty
8959	VT-838-G45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

BOLLARD LAMPS

SKU	Model	Box Qty
8961	VT-838-G80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm

BOLLARD LAMPS

SKU	Model	Box Qty
8963	VT-838-G110	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 76x110x1100mm

02 YEAR WARRANTY

GARDEN LAMPS

V-TAC Meaningful Innovation.

WALL FITTINGS GU10



SKU	Model	Box Qty
7563	VT-7613	6

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 121x80x220mm

IP54 RATING

BOLLARD LAMPS GU10



SKU	Model	Box Qty
7564	VT-7614	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x500mm

IP54 RATING

BOLLARD LAMPS GU10



SKU	Model	Box Qty
7565	VT-7615	4

Material: Aluminium+clear PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x80x800mm

IP54 RATING

WALL FITTINGS GU10



SKU	Model	Box Qty
7566	VT-7616	6

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 121x80x220mm

IP54 RATING

BOLLARD LAMPS GU10

SKU	Model	Box Qty
7567	VT-7617	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x500mm

IP54 RATING

BOLLARD LAMPS GU10



SKU	Model	Box Qty
7568	VT-7618	4

Material: Aluminium+opal PC diffuser
Max.Watts: 35W
Holder: GU10
IP Rating: IP54
Dimension: 80x800mm

IP54 RATING

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8985	VT-838-BS45	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x450mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8984	VT-838-BS80	6

Material: Stainless Steel+PC Diffuser
Max.Watts: 60w
Detection Angle: 100°
Detection Range: 2-8M
Ambient Light: 2-200Lux
Time Delay: 5sec to 5min
Holder: E27
IP Rating: IP44
Dimension: 76x110x800mm

PIR MOTION SENSOR

V-TAC Meaningful Innovation.

GARDEN LAMPS

02 YEAR WARRANTY

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8983	VT-838-BS110	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60w
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x1100mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8964	VT-838-SE45	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x450mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8960	VT-838-SS80	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x800mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8967	VT-838-SE110	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x1100mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8965	VT-838-GS45	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x450mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8966	VT-838-GS80	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x800mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR

SKU v	Model	Box Qty
8968	VT-838-GS110	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x1100mm

PIR MOTION SENSOR

BOLLARD LAMPS WITH SENSOR AND SOCKET

SKU v	Model	Box Qty
8979	VT-838-BSS60	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60w
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x600mm

2 EU PLUG SOCKETS

PIR MOTION SENSOR

02 YEAR WARRANTY

GARDEN LAMPS

V-TAC Meaningful Innovation.

BOLLARD LAMPS WITH SENSOR AND SOCKET

2 EU PLUG SOCKETS

PIR MOTION SENSOR

SKU v	Model	Box Qty
8976	VT-838-GS60	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x600mm

BOLLARD LAMPS WITH SENSOR AND SOCKET

2 EU PLUG SOCKETS

PIR MOTION SENSOR

SKU v	Model	Box Qty
8977	VT-838-SS60	6

Material:	Stainless Steel+PC Diffuser
Max.Watts:	60W
Detection Angle:	100°
Detection Range:	2-8M
Ambient Light:	2-200Lux
Time Delay:	5sec to 5min
Holder:	E27
IP Rating:	IP44
Dimension:	76x110x600mm

NEW WALL LAMPS E14

SKU	Model
10561	VT-1190

Material:	Iron
Max.Watts:	30W
Holder:	E14
IP Rating:	IP65
Dimension:	200x168x350mm

IP65 RATING

WALL LAMP

SKU	Model	Box Qty
8517	VT-837-B	10

Material:	Aluminium+Clear Glass
Max.Watts:	60W
Holder:	E27
IP Rating:	IP44
Dimension:	113x236x113mm



WALL LAMP

SKU	Model	Box Qty
7513	VT-7670	12

Material:	Stainless Steel+PC
Max.Watts:	14W
Holder:	E27
IP Rating:	IP44
Dimension:	250x90x100mm



WALL LAMP

SKU	Model	Box Qty
7077	VT-754-MW	10

Material:	Aluminium+Glass
Max.Watts:	60W
Holder:	E27
IP Rating:	IP44
Dimension:	245x180x93mm



WALL LAMP

SKU	Model	Box Qty
8628	VT-835	6

Material:	Stainless Steel+PC
Max.Watts:	40w
Holder:	E27
IP Rating:	IP44
Dimension:	148x165x245mm



WALL LAMP

SKU	Model	Box Qty
10422	VT-1158	20

Material:	Aluminium+Iron+Glass
Max.Watts:	60W
Holder:	E27
IP Rating:	IP44
Dimension:	250x305x340mm

V-TAC Meaningful Innovation.

GARDEN LAMPS

02 YEAR WARRANTY

WALL LAMP

SKU	Model	Box Qty
7519	VT-760-B	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm



WALL LAMP

SKU	Model	Box Qty
7520	VT-760-W	12

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 225x400x148mm



NEW WALL LAMP

SKU	Model	Box Qty
10420	VT-1150	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x280x260mm

NEW WALL LAMP

SKU	Model	Box Qty
11823	VT-1223	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x325x250mm

NEW WALL LAMP

SKU	Model	Box Qty
11824	VT-1224	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x240x365mm

WALL LAMP

SKU	Model	Box Qty
7521	VT-761-B	8

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x445x185mm



WALL LAMP

SKU	Model	Box Qty
7522	VT-761-W	8

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 245x445x185mm



NEW WALL LAMP

SKU	Model
23060	VT-1194

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP54
Dimension: 170x220x215mm

IP54 RATING

02 YEAR WARRANTY

GARDEN LAMPS

V-TAC Meaningful Innovation.

NEW WALL LAMP

SKU	Model	Box Qty
10417	VT-1149-B	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 93x116x234mm

NEW WALL LAMP

SKU	Model	Box Qty
23020	VT-1149-W	8

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 93x116x234mm

WALL LAMP

SKU	Model	Box Qty
8686	VT-843	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 235x225mm

WALL LAMP

SKU	Model	Box Qty
7068	VT-750-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 208x360x170mm

NEW CEILING LAMP

SKU	Model	Box Qty
11825	VT-1226	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x870mm

CEILING LAMP

SKU	Model	Box Qty
7072	VT-752-B	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm

CEILING LAMP

SKU	Model	Box Qty
7073	VT-752-W	10

Material: Aluminium+Glass
Max.Watts: 40W
Holder: E27
IP Rating: IP44
Dimension: 170x840mm

CEILING LAMP

SKU	Model	Box Qty
7058	VT-735	10

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x740mm

V-TAC
Meaningful Innovation.

GARDEN LAMPS

02 YEAR WARRANTY

STAND LAMP

SKU	Model	Box Qty
7059	VT-736	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x600mm



CEILING LAMP

SKU	Model	Box Qty
7529	VT-850	8

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x890mm



POLE LAMP

SKU	Model	Box Qty
8629	VT-839	6

Material: Stainless Steel+PC
Max.Watts: 40w
Holder: E27
IP Rating: IP44
Dimension: Ø148X800mm



NEW POLE LAMP

SKU	Model	Box Qty
10421	VT-1157	1

Material: Aluminium+Iron+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x360x1050mm

NEW POLE LAMP

SKU	Model	Box Qty
10423	VT-1159	8

Material: Aluminium+Iron+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x975mm

NEW POLE LAMP

SKU	Model	Box Qty
11827	VT-1231	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x970mm

POLE LAMP

SKU	Model	Box Qty
7530	VT-851	1

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 250x1110mm

NEW STAND LAMP

SKU	Model	Box Qty
11826	VT-1230	8

Material: Aluminium+Plastic
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 200x330mm

02 YEAR WARRANTY

GARDEN LAMPS

V-TAC Meaningful Innovation.

STAND LAMP

SKU	Model	Box Qty
7057	VT-734	10

Material: Aluminium+PC
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 170x290mm



POLE LAMP

SKU	Model	Box Qty
8687	VT-845	10

Material: Aluminium+Glass
Max.Watts: 60W
Holder: E27
IP Rating: IP44
Dimension: 175x950mm



POLE LAMP

SKU	Model	Box Qty
8688	VT-847	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 522x2320mm



NEW STAND LAMP

SKU	Model	Box Qty
11828	VT-1232	1

Material: Aluminium+Plastic
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 515x1990mm

STAND LAMP

SKU	Model	Box Qty
7061	VT-738	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 480x1410mm



STAND LAMP

SKU	Model	Box Qty
7062	VT-739	1

Material: Aluminium+Glass
Max.Watts: 60Wx2
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm



STAND LAMP

SKU	Model	Box Qty
7063	VT-740	1

Material: Aluminium+Glass
Max.Watts: 60Wx3
Holder: E27
IP Rating: IP44
Dimension: 500x1990mm



V-TAC

Meaningful Innovation.



Decorative Lights

Offering cutting edge designs as per your mood. From warm to bright task lighting, Our selection of mirror lights, LED pendant lights, and chandeliers will light up any decor.

Key Feature

- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

02 YEAR WARRANTY

LED PENDANTS

V-TAC Meaningful Innovation.

NEW LED PENDANTS

AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7992 - 3000K WARM WHITE	VT-7794-G	8.5W	850	100x1620	Light Grey	10
7993 - 3000K WARM WHITE	VT-7794-W	8.5W	850	100x1620	White	10
7994 - 3000K WARM WHITE	VT-7794-B	8.5W	850	100x1620	Brown	10

NEW PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF

AC:220-240V,50/60Hz

120° Beam Angle

>80 CRI

20,000 hr lifespan

IP20 Rating

TOUCH ON/OFF

ADJUSTABLE HEIGHT

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7995 - 3000K WARM WHITE	VT-7795-G	8.5W	850	100x1600	Light Grey	10
7996 - 3000K WARM WHITE	VT-7795-W	8.5W	850	100x1600	White	10
7997 - 3000K WARM WHITE	VT-7795-B	8.5W	850	100x1600	Brown	10

V-TAC
Meaningful Innovation.

LED PENDANTS

02 YEAR WARRANTY

NEW LED PENDANTS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7998 - 3000K WARM WHITE	VT-7796-B	8.5W	850	120x1620	Black	10
7999 - 3000K WARM WHITE	VT-7796-W	8.5W	850	120x1620	White	10
8000 - 3000K WARM WHITE	VT-7796-CG	8.5W	850	120x1620	Champagne Gold	10

NEW PENDANT LIGHT-ADJUSTABLE HEIGHT-TOUCH ON/OFF

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

TOUCH ON/OFF

ADJUSTABLE HEIGHT

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8001 - 3000K WARM WHITE	VT-7797-B	8.5W	850	120x1600	Black	10
8002 - 3000K WARM WHITE	VT-7797-W	8.5W	850	120x1600	White	10
8003 - 3000K WARM WHITE	VT-7797-CG	8.5W	850	120x1600	Champagne Gold	10

02 YEAR WARRANTY

LED PENDANTS

V-TAC Meaningful Innovation.

NEW LED PENDANTS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10084 - 3000K WARM WHITE 10083 - 4000K DAY WHITE	VT-7832-B	9W	1000	300x1400	Black
10085 - 3000K WARM WHITE 10086 - 4000K DAY WHITE	VT-7832-BG	9W	1000	300x1400	Black+Gold

NEW LED PENDANTS-ADJUSTABLE UP DOWN FUNCTION

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal Body
- 20,000 hr lifespan
- IP20 Rating

ADJUSTABLE HEIGHT

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23101 - 3000K WARM WHITE	VT-7832M-WB	9W	1000	300x1370	White+Black
23102 - 3000K WARM WHITE	VT-7832M-W	9W	1000	300x1370	White
23103 - 3000K WARM WHITE	VT-7832M-WG	9W	1000	300x1370	White+Grey

V-TAC
Meaningful Innovation.

LED PENDANTS

02 YEAR WARRANTY

NEW LED PENDANTS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10078 - 3000K WARM WHITE 10077 - 4000K DAY WHITE	VT-7830-B	9W	1000	100x1230	Black
10080 - 3000K WARM WHITE 10079 - 4000K DAY WHITE	VT-7830-W	9W	1000	100x1230	White

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10046 - 3000K WARM WHITE 10045 - 4000K DAY WHITE	VT-7821-B	24W	3000	800x200x1040	Black
10048 - 3000K WARM WHITE 10047 - 4000K DAY WHITE	VT-7821-W	24W	3000	800x200x1040	White

02 YEAR WARRANTY

LED PENDANTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10074 - 3000K WARM WHITE 10091 - 4000K DAY WHITE	VT-7829-W	13W	1500	100x70x1530	White
10076 - 3000K WARM WHITE 10075 - 4000K DAY WHITE	VT-7829-B	13W	1500	100x70x1530	Black

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14998 - 3000K WARM WHITE 14999 - 4000K DAY WHITE	VT-7917-B	12W	1300	280x1960	Black	1
15000 - 3000K WARM WHITE 15338 - 4000K DAY WHITE	VT-7917-W	12W	1300	280x1960	White	1

V-TAC Meaningful Innovation.

LED PENDANTS

02 YEAR WARRANTY

LED PENDANTS

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3936 - 3000K WARM WHITE	VT-7444-G	7w	400	Ø250xH190mm	Gold	8

LED PENDANTS

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3937 - 3000K WARM WHITE 3931 - 4000K DAY WHITE	VT-7444-WH	7w	400	Ø250xH190mm	White	8

LED PENDANTS

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3938 - 3000K WARM WHITE 3932 - 4000K DAY WHITE	VT-7666-G	7w	400	Ø340xH190mm	Gold	4

02 YEAR WARRANTY

LED PENDANTS

V-TAC Meaningful Innovation.

LED PENDANTS

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3939 - 3000K WARM WHITE 3933 - 4000K DAY WHITE	VT-7666-WH	7w	400	Ø340xH190mm	White	4

LED PENDANTS

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal Finish Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3934 - 3000K WARM WHITE 3928 - 4000K DAY WHITE	VT-7333-G	7w	400	Ø120xH190mm	Gold	12

NEW LED PENDANTS

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10082 - 3000K WARM WHITE 10081 - 4000K DAY WHITE	VT-7831	9W	1000	200x1300	Black

V-TAC
Meaningful Innovation.

LED PENDANTS

02 YEAR WARRANTY

LED PENDANTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V
- 120° Beam Angle
- >80 CRI
- PC + Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40101 - 3000K WARM WHITE	VT-7910	105w	6300	910x2000mm	White	1

NEW LED PENDANTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V, 50/60Hz
- >80 CRI
- Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6903 - 3000K WARM WHITE 6904 - 4000K DAY WHITE	VT-7755	48W	5000	485x1030	White	5

NEW LED PENDANTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V, 50/60Hz
- >80 CRI
- Steel+PS Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6962 - 4000K DAY WHITE	VT-7793-W	90W	11000	1000x1000	White	1

02 YEAR WARRANTY

LED PENDANTS

V-TAC Meaningful Innovation.

NEW LED PENDANTS

- AC:220-240V, 50Hz
- >80 CRI
- Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6931 - 4000K DAY WHITE	VT-7765	12w	1280	240x500	Black	5

NEW LED PENDANTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23099 - 3000K WARM WHITE	VT-7581	25W	3000	500x1220	White

LED PENDANTS

- AC:100-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Steel+PC Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3874 - 3000K WARM WHITE	VT-40-1	40w	2800	400X210X1000mm	1

V-TAC
Meaningful Innovation.

LED PENDANTS

02 YEAR WARRANTY

LED PENDANTS-COLOR CHANGING

COLOR CHANGING WITH REMOTE

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3959 -3IN1	VT-7605	38w	3300	600x2000mm	White	1
213959 -3IN1	VT-7605-N	36W	3900	600x2000mm	White	1
3960 -3IN1	VT-7750	82w	7300	795x2000mm	White	1

LED PENDANTS-COLOR CHANGING

COLOR CHANGING WITH REMOTE

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3963 -3IN1	VT-7607	42w	3400	600x600x2000mm	White	1

LED PENDANTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V
- 120° Beam Angle
- >80 CRI
- PC + Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40011 - 3000K WARM WHITE	VT-7390	72w	6500	ø390x2000mm	White	1

02 YEAR WARRANTY

LED PENDANTS

V-TAC Meaningful Innovation.

NEW LED PENDANTS-TRIAC DIMMABLE

AC:220-240V, 50/60Hz
>80 CRI
Steel+PS Body
20,000 hr lifespan
IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6957 - 4000K DAY WHITE	VT-7760-B	50W	6100	600x1000	Black	5
6958 - 4000K DAY WHITE	VT-7760-W	50W	6100	600x1000	White	5
6959 - 4000K DAY WHITE	VT-7760-C	50W	6100	600x1000	Corten	5

LED PENDANTS-TRIAC DIMMABLE

AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Iron+Acrylic Body
30,000 hr lifespan
IP20 Rating

DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3992 -3000K WARM WHITE	VT-25-1-W	20w	1500	450mm	White	1
3993 -3000K WARM WHITE	VT-25-1-B	20w	1500	450mm	Black	1
3994 -3000K WARM WHITE	VT-25-1-C	20w	1500	450mm	Coffee	1

V-TAC
Meaningful Innovation.

LED PENDANTS

02 YEAR WARRANTY

LED PENDANTS-TRIAC DIMMABLE

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Iron+Acrylic Body
- 30,000 hr lifespan
- IP20 Rating

DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3995 -3000K WARM WHITE	VT-32-1-W	30w	2250	600mm	White	1
3996 -3000K WARM WHITE	VT-32-1-B	30w	2250	600mm	Black	1
3997 -3000K WARM WHITE	VT-32-1-C	30w	2250	600mm	Coffee	1

NEW LED PENDANTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23098 - 3000K WARM WHITE	VT-7580	20W	2400	425x1100	Coffee
23097 - 3000K WARM WHITE	VT-7579	30W	3600	625x1100	Coffee

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10044 - 3000K WARM WHITE 10043 - 4000K DAY WHITE	VT-7820	38W	4560	974x260x1100	Black

NEW DESIGNER SOFT LIGHTS

AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10052 - 3000K WARM WHITE 10051 - 4000K DAY WHITE	VT-7823	19W	2160	400x1080	Black

NEW DESIGNER SOFT LIGHTS

AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10054 - 3000K WARM WHITE 10053 - 4000K DAY WHITE	VT-7824	57W	6840	1510x910x1080	Black

V-TAC
Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

DESIGNER SOFT LIGHTS

AC:220-240V,50Hz
120° Beam Angle
>80 CRI
Aluminium+Acrylic Body
25,000 hr lifespan

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3986 - 3000K WARM WHITE	VT-101-2-W	115w	8050	600/400	White	1
213986 - 3000K WARM WHITE	VT-101-2-W-N	113W	6300	600x1200mm	White	1
213987 - 3000K WARM WHITE	VT-101-2-B-N	113W	6300	600x1200mm	Black	1
213988 - 3000K WARM WHITE	VT-101-2-C-N	113W	6300	600x1200mm	Coffee	1

DESIGNER SOFT LIGHTS

AC:180-240V,50/60Hz
120° Beam Angle
>80 CRI
Aluminium+Acrylic Body
25,000 hr lifespan
IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213989 - 3000K WARM WHITE	VT-82-3-W-N	86W	4550	600x1200mm	White	1
213990 - 3000K WARM WHITE	VT-82-3-B-N	86W	4550	600x1200mm	Black	1
213991 - 3000K WARM WHITE	VT-82-3-C-N	86W	4550	600x1200mm	Coffee	1

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15345 - 3000K WARM WHITE	VT-7924	46W	4900	800x1660	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Metal+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23096 - 3000K WARM WHITE	VT-7578	50W	5850	625x1100	Coffee

NEW DESIGNER SOFT LIGHTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14986 - 3000K WARM WHITE 14987 - 4000K DAY WHITE	VT-7908	48W	5150	840x1200	White	1

V-TAC
Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SOFT LIGHTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14988 - 3000K WARM WHITE 14989 - 4000K DAY WHITE	VT-7909	48W	5150	600x1230	White	5

NEW DESIGNER SOFT LIGHTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14992 - 3000K WARM WHITE 14993 - 4000K DAY WHITE	VT-7914	48W	5150	1160x1180	White	1

NEW DESIGNER SOFT LIGHTS-TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14996 - 3000K WARM WHITE 14997 - 4000K DAY WHITE	VT-7916	48W	5150	900x1200	White	1

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Steel+Silicone
- Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15340 - 3000K WARM WHITE	VT-7919	49W	5220	700x1200	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8012 - 3000K WARM WHITE	VT-7799-B	20W	2540	500x1000	Black	5
8013 - 3000K WARM WHITE	VT-7799-W	20W	2540	500x1000	White	5
8014 - 3000K WARM WHITE	VT-7799-PG	20W	2540	500x1000	Paint Gold	5

V-TAC
Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 270° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8010 - 3000K WARM WHITE	VT-7798-B	24W	3240	720x300	Black	1
8011 - 3000K WARM WHITE	VT-7798-CG	24W	3240	720x300	Champagne Gold	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
8020 - 3000K WARM WHITE	VT-7817-B	18W	2260	700x1000	Black
8021 - 3000K WARM WHITE	VT-7817-PG	18W	2260	700x1000	Paint Gold

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 270° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8022 - 3000K WARM WHITE	VT-7818-B	16W	1820	860x300	Black	5
8023 - 3000K WARM WHITE	VT-7818-PG	16W	1820	860x300	Paint Gold	5

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
8017 - 3000K WARM WHITE	VT-7816-B	32W	3880	600x1000	Black	5
8018 - 3000K WARM WHITE	VT-7816-W	32W	3880	600x1000	White	5
8019 - 3000K WARM WHITE	VT-7816-PG	32W	3880	600x1000	Paint Gold	5

V-TAC
Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SOFT LIGHTS-TRIAC DIMMABLE

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Aluminum+PC Body
- 20,000 hr lifespan
- IP20 Rating

TRIAC DIMMABLE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6906 - 3000K WARM WHITE	VT-7756	45W	4470	1140x160x1580	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6933 - 4000K DAY WHITE	VT-7766	30W	3200	890x250	Black	1

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6935 - 4000K DAY WHITE	VT-7767	15W	1500	915x215	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6937 - 4000K DAY WHITE	VT-7768	12W	1280	915x1000	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6939 - 4000K DAY WHITE	VT-7769	12W	1200	905x1000	Black	1

V-TAC Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6941 - 4000K DAY WHITE	VT-7770	24W	2500	1525x1000	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Aluminum+Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6943 - 4000K DAY WHITE	VT-7771	23W	2130	1230x1100	Black	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Wood+PVC Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
23100 - 4000K DAY WHITE	VT-7532	12W	1440	800x1100	Wood

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

DESIGNER BEND GLASS HANGING PENDANT

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+Glass Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3898 - 4000K DAY WHITE	VT-7020	18w	1350	985x55x800mm	Chrome+Glass	6

DESIGNER SLEEK PENDANT CHROME

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3892 - 4000K DAY WHITE	VT-7036	36w	2700	1820x55x800mm	Chrome	12

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10088 - 3000K WARM WHITE 10060 - 4000K DAY WHITE	VT-7827	19W	2160	800x1150	Black

V-TAC Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SOFT LIGHTS

AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10050 - 3000K WARM WHITE 10049 - 4000K DAY WHITE	VT-7822	30W	3450	1200x120x1150	White

NEW DESIGNER SOFT LIGHTS

AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10056 - 3000K WARM WHITE 10055 - 4000K DAY WHITE	VT-7825	24W	2760	790x200x1080	White

NEW DESIGNER SOFT LIGHTS



AC:220-240V, 50/60Hz
120° Beam Angle
>80 CRI
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10087 - 3000K WARM WHITE 10057 - 4000K DAY WHITE	VT-7826	20W	2500	1000x600x475	Black+Brass

02 YEAR WARRANTY

DESIGNER HANGING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color
10090 - 3000K WARM WHITE 10089 - 4000K DAY WHITE	VT-7828	32W	4000	430x370x1120	White+Wood

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Steel Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15339 - 3000K WARM WHITE	VT-7918	28W	2700	1020x1210	Gold	1

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15341 - 3000K WARM WHITE	VT-7920	46W	4900	500x1500	Gold	1

V-TAC Meaningful Innovation.

DESIGNER HANGING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SOFT LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15343 - 3000K WARM WHITE	VT-7922	42W	4480	970x840	Gold	1

NEW DESIGNER SOFT LIGHTS



- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15344 - 3000K WARM WHITE	VT-7923	45W	4800	1200x1580	Black	1

02 YEAR WARRANTY

DESIGNER CEILING LIGHTS

V-TAC Meaningful Innovation.

LED CEILING LIGHTS

TRIAC DIMMABLE

- AC:220-240V, 50/60Hz
- 120° Beam Angle
- >80 CRI
- Acrylic+Aluminium Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3910 - 3000K WARM WHITE 3911 - 4000K DAY WHITE	VT-85-3	85w	6400	ø600x60mm	1

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15346 - 3000K WARM WHITE	VT-7925	49W	5220	600x105	Black	1

LED CEILING LIGHTS

TRIAC DIMMABLE

- AC:220-240V
- 120° Beam Angle
- >80 CRI
- PC + Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
40051 - 3000K WARM WHITE	VT-7352	25w	2100	ø350x168mm	White	1
40061 - 3000K WARM WHITE	VT-7503	40w	3100	ø500x215mm	White	1

V-TAC Meaningful Innovation.

DESIGNER CEILING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6986 - 4000K DAY WHITE	VT-7779B-RD	18W	1280	350x62	Black	5
6988 - 4000K DAY WHITE	VT-7780B-RD	24W	2500	400x62	Black	5
6908 - 4000K DAY WHITE	VT-7757B-RD	38W	4050	450x62	Black	5
6911 - 4000K DAY WHITE	VT-7758B-RD	42W TRIAC Dimmable	4400	500x62	Black	5

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6990 - 4000K DAY WHITE	VT-7781B-SQ	18W	1490	350x350x62	Black	3
6992 - 4000K DAY WHITE	VT-7782B-SQ	24W	2450	400x400x62	Black	5
6914 - 4000K DAY WHITE	VT-7757B-SQ	38W	4000	450x450x62	Black	5
6917 - 4000K DAY WHITE	VT-7758B-SQ	48W TRIAC Dimmable	4480	500x500x62	Black	5

02 YEAR WARRANTY

DESIGNER CEILING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6987 - 4000K DAY WHITE	VT-7779W-RD	18W	1280	350x62	White	5
6989 - 4000K DAY WHITE	VT-7780W-RD	24W	2500	400x62	White	5
6909 - 4000K DAY WHITE	VT-7757W-RD	38W	4050	450x62	White	5
6912 - 4000K DAY WHITE	VT-7758W-RD	42W TRIAC Dimmable	4400	500x62	White	5

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+PMMA Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6991 - 4000K DAY WHITE	VT-7781W-SQ	18W	1490	350x350x62	White	3
6993 - 4000K DAY WHITE	VT-7782W-SQ	24W	2450	400x400x62	White	5
6915 - 4000K DAY WHITE	VT-7757W-SQ	38W	4000	450x450x62	White	5
6918 - 4000K DAY WHITE	VT-7758W-SQ	48W TRIAC Dimmable	4480	500x500x62	White	5

V-TAC
Meaningful Innovation.

DESIGNER CEILING LIGHTS

02 YEAR WARRANTY

NEW SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

REMOTE CONTROL | 3-IN-1 COLOR CHANGING | SMART APP CONTROL

- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15358 - 3IN1	VT-7960	95W	9900	520x500	White	5

NEW SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

REMOTE CONTROL | 3-IN-1 COLOR CHANGING | SMART APP CONTROL



- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15357 - 3IN1	VT-7959	120W	12800	500x500	White	5

NEW SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

REMOTE CONTROL | 3-IN-1 COLOR CHANGING | SMART APP CONTROL

- AC:220-240V,50Hz
- >80 CRI
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15359 - 3IN1	VT-7961	125W	13100	500x500	White	5

02 YEAR WARRANTY

DESIGNER CEILING LIGHTS

V-TAC Meaningful Innovation.

NEW SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL



AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

REMOTE CONTROL

3-IN-1 COLOR CHANGING

SMART APP CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15360 - 3IN1	VT-7962	130W	13600	620x620	White	5

NEW SMART DECORATIVE CEILING LAMP-3IN1-REMOTE CONTROL

AC:220-240V,50Hz

>80 CRI

20,000 hr lifespan

IP20 Rating

REMOTE CONTROL

3-IN-1 COLOR CHANGING

SMART APP CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15356 - 3IN1	VT-7958	150W	15500	510x510	White	5

V-TAC Meaningful Innovation.

DESIGNER CEILING LIGHTS

02 YEAR WARRANTY

DESIGNER SERIES COLOR CHANGING

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- PC+Iron Body
- 30,000 hr lifespan
- IP20 Rating

COLOR CHANGING WITH REMOTE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213966 -3IN1	VT-7308-N	20W	2150	300x85mm	White	1
3967 -3IN1	VT-7462	32w	3100	460x100mm	White	1
3969 -3IN1	VT-7752	82w	7300	750x130mm	White	1
213969 -3IN1	VT-7752-N	78W	8500	750x130mm	White	1

DESIGNER SERIES COLOR CHANGING

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

COLOR CHANGING WITH REMOTE

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3970 -3IN1	VT-7309	26w	2600	300x300x80mm	White	1
213970 -3IN1	VT-7309-N	25W	2500	300x300x80mm	White	1
213971 -3IN1	VT-7463-N	40W	4000	460x460x95mm	White	1
3973 -3IN1	VT-7753	80w	6600	750x750x125mm	White	1

02 YEAR WARRANTY

DESIGNER CEILING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6994 - 4000K DAY WHITE	VT-7783B	24W	2560	310x60	Black	5
6920 - 4000K DAY WHITE	VT-7761B	38W	4050	465x60	Black	5

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6995 - 4000K DAY WHITE	VT-7783W	24W	2560	310x60	White	5
6921 - 4000K DAY WHITE	VT-7761W	38W	4050	465x60	White	5

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6996 - 4000K DAY WHITE	VT-7784B	24W	2560	250x160	Black	5
6923 - 4000K DAY WHITE	VT-7762B	54W TRIAC Dimmable	5330	530x200	Black	4

V-TAC
Meaningful Innovation.

DESIGNER CEILING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6997 - 4000K DAY WHITE	VT-7784W	24W	2560	250x160	White	5
6924 - 4000K DAY WHITE	VT-7762W	54W TRIAC Dimmable	5330	530x200	White	4

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6926 - 4000K DAY WHITE	VT-7763B	20W	2130	250x130	Black	5

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
6927 - 4000K DAY WHITE	VT-7763W	20W	2130	250x130	White	5
6998 - 4000K DAY WHITE	VT-7785W	24W	2560	310x115	White	5
6929 - 4000K DAY WHITE	VT-7764W	43W	4580	520x165	White	1

02 YEAR WARRANTY

DESIGNER CEILING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Steel+Acrylic Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7000 - 3000K WARM WHITE	VT-7787	20W	2130	450x300x105	Black	5

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Steel+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7001 - 3000K WARM WHITE	VT-7788	12W	1280	945x60	Black	5

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz

>80 CRI

Aluminum+Silicone Body

20,000 hr lifespan

IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7002 - 3000K WARM WHITE	VT-7789	24W	2560	525x185x80	Black	5

V-TAC
Meaningful Innovation.

DESIGNER CEILING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SERIES SURFACE LIGHT



AC:220-240V,50/60Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7003 - 3000K WARM WHITE	VT-7790	24W	2500	125x445	Black	4

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7004 - 3000K WARM WHITE	VT-7791	24W	2560	610x120x360	Black	4

NEW DESIGNER SERIES SURFACE LIGHT

AC:220-240V,50Hz
>80 CRI
Aluminum+Steel+Silicone Body
20,000 hr lifespan
IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7005 - 3000K WARM WHITE	VT-7792	20W	2130	460x410x125	Black	4

02 YEAR WARRANTY

DESIGNER CEILING LIGHTS

V-TAC Meaningful Innovation.

NEW DESIGNER SERIES SURFACE LIGHT

TRIAC DIMMABLE

- AC:220-240V,50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14990 - 3000K WARM WHITE 14991 - 4000K DAY WHITE	VT-7911	48W TRIAC Dimmable	5150	620x100	Black	1

NEW DESIGNER SERIES SURFACE LIGHT



- AC:220-240V,50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14994 - 3000K WARM WHITE 14995 - 4000K DAY WHITE	VT-7915	38W	4100	880x105	Black	1

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15342 - 3000K WARM WHITE	VT-7921	46W	4900	645x550x420	Black	1

V-TAC Meaningful Innovation.

DESIGNER CEILING LIGHTS

02 YEAR WARRANTY

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15347 - 3000K WARM WHITE	VT-7926	47W	5010	905x670x100	Black	1

NEW DESIGNER SERIES SURFACE LIGHT

- AC:220-240V,50Hz
- >80 CRI
- Steel+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14984 - 3000K WARM WHITE 14985 - 4000K DAY WHITE	VT-7907	37W	4000	495	White	1

NEW DESIGNER SERIES SURFACE LIGHT- TWO FRAME



- AC:220-240V,50Hz
- >80 CRI
- Aluminum+Steel+Acrylic Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
7006 - 3000K WARM WHITE	VT-7786	14W	1490	340x95x160	Satin Nickel	5

02 YEAR WARRANTY

ACCESSORIES

V-TAC Meaningful Innovation.

NEW STEEL CANOPY-SURFACE-3 HOLES-RED COPPER

SKU	Model
15349	15349

Material: Steel
Unit Color: Red Copper
Dimension: 300x25
Box Qty: 10

NEW STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE

SKU	Model
15350	15350

Material: Steel
Unit Color: Matt White
Dimension: 300x25
Box Qty: 10

NEW STEEL CANOPY-SURFACE-4 HOLES-RED COPPER

SKU	Model
15351	15351

Material: Steel
Unit Color: Red Copper
Dimension: 300x25
Box Qty: 10

NEW STEEL CANOPY-SURFACE-4 HOLES-MATT WHITE

SKU	Model
15352	15352

Material: Steel
Unit Color: Matt White
Dimension: 300x25
Box Qty: 10

NEW MAGNETISM CANOPY-SURFACE-8 HOLES-MATT WHITE

SKU	Model
15355	15355

Material: Steel
Unit Color: Matt White
Dimension: 150x36
Box Qty: 20

NEW STEEL CANOPY-SURFACE-3 HOLES-MATT WHITE

SKU	Model
15353	15353

Material: Steel
Unit Color: Matt White
Dimension: 800x70x43
Box Qty: 10

NEW STEEL CANOPY-SURFACE-9 HOLES-MATT WHITE

SKU	Model
15354	15354

Material: Steel
Unit Color: Matt White
Dimension: 800x600x20
Box Qty: 2

V-TAC Meaningful Innovation.

LED MIRROR LIGHTS

02 YEAR WARRANTY

MIRROR LIGHTS

AC:200-240V,50/60Hz

120° Beam Angle

>80 CRI

IP44 Rating

ANTI-FOG WITH DEMISTER PAD

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40441 - 6400K WHITE	VT-8505	17w	600	H:500xW:390xT:35mm	1
40451 - 6400K WHITE	VT-8700	30w	750	H:700xW:500xT:35mm	1
2140451 - 6400K WHITE	VT-8700-N	35w	95	H:700xW:500xT:35mm	1
40471 - 6400K WHITE	VT-8800	38w	700	H:800xW:600xT:35mm	1
2140471 - 6400K WHITE	VT-8800-N	42w	100	H:800xW:600xT:35mm	1

MIRROR LIGHTS TOUCH SWITCH

AC:200-240V,50/60Hz

120° Beam Angle

>80 CRI

IP44 Rating

ANTI-FOG WITH DEMISTER PAD

3-IN-1 COLOR CHANGING

TOUCH CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40461 - 3IN1	VT-8701	37w	800	H:700xW:500xT:35mm	1

02 YEAR WARRANTY

LED MIRROR LIGHTS

V-TAC Meaningful Innovation.

MIRROR LIGHTS

AC:200-240V,50/60Hz
120° Beam Angle
>80 CRI
IP44 Rating

ANTI-FOG WITH DEMISTER PAD

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40481 - 6400K WHITE	VT-8601	25w	750	D:600x35mm	1

MIRROR LIGHTS TOUCH SWITCH

AC:200-240V,50/60Hz
120° Beam Angle
>80 CRI
IP44 Rating

ANTI-FOG WITH DEMISTER PAD

3-IN-1 COLOR CHANGING

TOUCH CONTROL

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
40491 - 3IN1	VT-8602	25w	750	D:600x35mm	1
2140491 - 3IN1	VT-8602-N	25w	85	D:600x35mm	1

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

NEW DESIGNER WALL LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
15348 - 3000K WARM WHITE	VT-7927	37W	3940	340x460	Gold	1

NEW DESIGNER WALL LIGHTS

- AC:220-240V, 50Hz
- >80 CRI
- Aluminium+Steel+Silicone Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
14981 - 3000K WARM WHITE 14980 - 4000K DAY WHITE	VT-7906-B	14W	1500	250x180	Black	1
14983 - 3000K WARM WHITE 14982 - 4000K DAY WHITE	VT-7906-W	14W	1500	250x180	White	1

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

NEW LED MIRROR LIGHTS

- AC:220-240V, 50/60Hz
- 180° Beam Angle
- >80 CRI
- Aluminium Body
- 20,000 hr lifespan
- IP65 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
405811 - 3000K WARM WHITE 405821 - 4000K DAY WHITE	VT-7022-W	10W	1530	610x100x75	White	10
405831 - 3000K WARM WHITE 405841 - 4000K DAY WHITE	VT-7022-B	10W	1530	610x100x75	Black	10

LED PICTURE/MIRROR LAMP

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Metal+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
213985 - 3000K WARM WHITE 213894 - 4000K DAY WHITE	VT-7008-N	9w	3000K-550 4000K-580	500x55x185mm	Chrome	12
3895 - 4000K DAY WHITE	VT-7012	12w	900	640x55x185mm	Chrome	12
213982 - 3000K WARM WHITE 213895 - 4000K DAY WHITE	VT-7012-N	13w	3000K-850 4000K-910	640x55x185mm	Chrome	12

V-TAC Meaningful Innovation.

LED WALL LIGHTS

02 YEAR WARRANTY

LED PICTURE/MIRROR LAMP

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Aluminium+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3900 - 4000K DAY WHITE	VT-7009CH	8w	600	455x45x190mm	Chrome	11
213984 - 3000K WARM WHITE 213900 - 4000K DAY WHITE	VT-7009CH-N	9w	3000K-380 4000K-420	455x45x190mm	Chrome	11
3901 - 4000K DAY WHITE	VT-7009	8w	600	455x45x190mm	Gold	11
213983 - 3000K WARM WHITE 213901 - 4000K DAY WHITE	VT-7009-N	9w	350	455x45x190mm	Gold	11

LED MIRROR LAMP WITH CAP

- AC:220-240V,50/60Hz
- 150° Beam Angle
- >80 CRI
- Aluminium+PC Body
- 30,000 hr lifespan
- IP44 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3917 - 6400K WHITE 3916 - 4000K DAY WHITE	VT-7010-CH	10w	950	605x53.6x64.6mm	Chrome	10
3919 - 6400K WHITE 3918 - 4000K DAY WHITE	VT-7010-WH	10w	950	605x53.6x64.6mm	White	10

02 YEAR WARRANTY

LED WALL LIGHTS

V-TAC Meaningful Innovation.

LED PICTURE/MIRROR LAMP

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+PMMA Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3893 - 4000K DAY WHITE	VT-7037	36w	2700	940x120x60mm	Chrome	6

DESIGNER BEND SERIES CHROME

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- Stainless Steel+Metal+Glass Body
- 20,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3899 - 4000K DAY WHITE	VT-7038	36w	2700	985x120x75mm	Chrome	6

DESIGNER SERIES TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3978 -3000K WARM WHITE	VT-7049	32w	2100	890x125x2000mm	White	1
3979 -3000K WARM WHITE	VT-7072	52w	3400	1310x125x2000mm	White	1

V-TAC
Meaningful Innovation.

LED BAMBOO LIGHTS

02 YEAR WARRANTY

DESIGNER SERIES TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3980 -3000K WARM WHITE	VT-7027	18w	1200	ø125x2500mm	White	1
3981 -3000K WARM WHITE	VT-7050	32w	2100	ø125x2900mm	White	1

WALL LAMP TRIAC DIMMABLE

TRIAC DIMMABLE

- AC:220-240V,50/60Hz
- 120° Beam Angle
- >80 CRI
- PC+Iron Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3974 - 3000K WARM WHITE	VT-7025	18w	1200	ø125x530mm	White	1

TABLE LAMP TOUCH DIMMABLE

TOUCH DIMMING

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3975 3000K WARM WHITE	VT-7026	18w	1200	130x480mm	White	1

02 YEAR WARRANTY

LED BAMBOO LIGHTS

V-TAC Meaningful Innovation.

FLOOR LAMP TOUCH DIMMING

TOUCH DIMMING

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3976 3000K WARM WHITE	VT-7048	32w	2100	200x900mm	White	1

FLOOR LAMP

- AC:220-240V,50Hz
- 120° Beam Angle
- >80 CRI
- PC Body
- 30,000 hr lifespan
- IP20 Rating

SKU	Model	Watts	Lumens	Size(mm)	Unit Color	Box Qty
3977 3000K WARM WHITE	VT-7096	65w	4300	420x1790mm	White	1

DESIGNER WALL LAMP

- AC:220-240V,50Hz
- 1.5m Wire
- Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40431	VT-7402	E27	610x220x330mm	Chrome	6

V-TAC Meaningful Innovation.

DESIGNER LAMPS

02 YEAR WARRANTY

DESIGNER TABLE LAMP

- AC:220-240V,50Hz
- 1.5m Wire
- Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40331	VT-7412	E27	150x420mm	Red+Bronze	4

DESIGNER TABLE LAMP

- AC:220-240V,50Hz
- 1.5m Wire
- Fabric+Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40381	VT-7712	E27	320x200x570mm	Ivory+Black	1

DESIGNER TABLE LAMP

- AC:220-240V,50Hz
- 1.5m Wire
- Fabric+Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40391	VT-7713	E27	300x180x550mm	Ivory+Black	1

02 YEAR WARRANTY

DESIGNER LAMPS

V-TAC Meaningful Innovation.

DESIGNER FLOOR LAMPS



- AC:220-240V,50Hz
- 1.8m Wire
- Fabric+Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40401	VT-7912	E27	450x300x1630mm	Ivory+Black	1

DESIGNER FLOOR LAMPS

- AC:220-240V,50Hz
- 1.8m Wire
- Fabric+Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40411	VT-7913	E27	450x285x1620mm	Ivory+Black	1

FLOOR LAMPS

- AC:220-240V,50Hz
- 1.8m Wire
- Metal Body
- IP20 Rating
- 5 Years Warranty

SKU	Model	Holder	Size(mm)	Unit Color	Box Qty
40421	VT-7702	E27	140x200x1540mm	Black+Chrome	4

V-TAC Meaningful Innovation.

DECORATIVE LIGHTING

02 YEAR WARRANTY

BALL LIGHT



Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP67 Rating
200x200x140mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40141 - RGB	VT-7801	1w	18	8

STONE LIGHT

Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP67 Rating
280x210x170mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40151 - RGB	VT-7802	1w	18	8

BALL LIGHT

Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP67 Rating
300x300x290mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40161 - RGB	VT-7803	1w	18	1

STONE LIGHT

Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP67 Rating
320x250x170mm Size
White Unit Color

BATTERY RECHARGEABLE | RGB | IP67 RATING

SKU	Model	Watts	Lumens	Box Qty
40171 - RGB	VT-7804	1w	18	1

02 YEAR WARRANTY

DECORATIVE LIGHTING

V-TAC Meaningful Innovation.

POT LIGHT

Lithium Battery 1000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
280x280x290mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40181 - RGB	VT-7805	1w	18	1

POT LIGHT

Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
355x355x325mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40211 - RGB	VT-7808	1.5w	54	1

ICE BUCKET LIGHT

Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
290x330x350mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40191 - RGB	VT-7806	1.5w	54	1

BALL LIGHT



Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x390mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40201 - RGB	VT-7807	3w	54	1

V-TAC Meaningful Innovation.

DECORATIVE LIGHTING

02 YEAR WARRANTY

BALL LIGHT

Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
500x500x260mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40221 - RGB	VT-7809	6w	108	1

STOOL LIGHT

Lithium Battery 2000mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x360mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40231 - RGB	VT-7810	3w	54	1

CUBE LIGHT

Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
400x400x400mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40241 - RGB	VT-7811	3w	108	1

TABLE LIGHT

Lithium Battery 3600mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
720x720x580mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40251 - RGB	VT-7812	6w	108	1

02 YEAR WARRANTY

DECORATIVE LIGHTING

V-TAC Meaningful Innovation.

TABLE LIGHT



Lithium Battery 5200mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
600x600x1100mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40261 - RGB	VT-7813	5w	100	1

STOOL LIGHT



Lithium Battery 5200mAh
AC:100-240V,50Hz
LLDPE Body
50,000 hr lifespan
IP54 Rating
500x560x1100mm Size
White Unit Color

BATTERY RECHARGEABLE
RGB

SKU	Model	Watts	Lumens	Box Qty
40271 - RGB	VT-7814	5w	100	1

V-TAC

Meaningful Innovation.

LED Table & Floor Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring you an exclusive range of LED table lamps. Elegantly designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

Key Features

- energy-efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color-changing, and more
- With USB charging functionality on selected models
- Sleek and modern design

02 YEAR WARRANTY

LED TABLE & FLOOR LAMPS

V-TAC Meaningful Innovation.

NEW



RECHARGEABLE & ADJUSTABLE FLOOR LAMP -TOUCH CONTROL

TOUCH CONTROL
DIMMING + ON/OFF

BATTERY
RECHARGEABLE



Watts:	4W
Lumens:	300
Beam Angle:	180°
Material:	Aluminium
Dimension:	140x1300
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	6 Hours
Box Qty:	4

SKU	Model	Unit Color
7007 - 3000K WARM WHITE	VT-7544-W	White
7008 - 3000K WARM WHITE	VT-7544-C	Corten
7009 - 3000K WARM WHITE	VT-7544-B	Black

NEW

BATTERY
RECHARGEABLE

TOUCH CONTROL
DIMMING + ON/OFF

RECHARGEABLE DESK LAMPS

Watts:	3W
Lumens:	70
Beam Angle:	180°
Material:	Iron
Dimension:	105x390
IP Rating:	IP20
Battery:	4000mAh
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

SKU	Model	Unit Color
10187 - 3000K WARM WHITE 10188 - 4000K DAY WHITE	VT-7703-RB-G	Grey
10189 - 3000K WARM WHITE 10190 - 4000K DAY WHITE	VT-7703-RB-GD	Gold
10191 - 3000K WARM WHITE 10192 - 4000K DAY WHITE	VT-7703-RB-W	White
10193 - 3000K WARM WHITE 10194 - 4000K DAY WHITE	VT-7703-RB-B	Black

V-TAC
Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	80
Beam Angle:	180°
Material:	Iron
Dimension:	105x390
IP Rating:	IP20
Battery:	4000mAh
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

RECHARGEABLE DESK LAMPS

SKU	Model	Unit Color
2881 - 3000K WARM WHITE 2882 - 4000K DAY WHITE	VT-7703-G	Grey
2883 - 3000K WARM WHITE 2884 - 4000K DAY WHITE	VT-7703-GD	Gold
2885 - 3000K WARM WHITE 2886 - 4000K DAY WHITE	VT-7703-W	White
2887 - 3000K WARM WHITE 2888 - 4000K DAY WHITE	VT-7703-B	Black

wireless CHARGING

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø111.5x386
IP Rating:	IP54
Battery:	4400mA
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12

TABLE LAMP WITH WIRELESS CHARGER AND TOUCH BUTTON

SKU	Model	Unit Color
7651 - 3000K WARM WHITE	VT-7522-W	White
7652 - 3000K WARM WHITE	VT-7522-B	Black
7653 - 3000K WARM WHITE	VT-7522-G	Grey
7654 - 3000K WARM WHITE	VT-7522-C	Corten

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x325
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7689 - 3000K WARM WHITE	VT-7562-W	White
6821 - 3000K WARM WHITE	VT-7562-C	Corten
7690 - 3000K WARM WHITE	VT-7562-B	Black

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	200
Beam Angle:	180°
Material:	Aluminium
Dimension:	Ø108x366
IP Rating:	IP54
Battery:	4400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	6-8 Hours
Working Time:	8-10 Hours
Box Qty:	12 Pc

SKU	Model	Unit Color
7691 - 3000K WARM WHITE	VT-7563-W	Black
7693 - 3000K WARM WHITE	VT-7563-C	Corten
7692 - 3000K WARM WHITE	VT-7563-B	White

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	100
Beam Angle:	180°
Material:	Metal
Dimension:	120x360
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours

SKU	Model	Unit Color
23092 - 3000K WARM WHITE	VT-7574-W	White
23093 - 3000K WARM WHITE	VT-7574-B	Black

V-TAC
Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

NEW

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	1W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Acrylic
Dimension:	150x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

SKU	Model	Unit Color
7940 - 3000K WARM WHITE	VT-1049-B	Black
7941 - 3000K WARM WHITE	VT-1049-W	White
7942 - 3000K WARM WHITE	VT-1049-V	Violet
7943 - 3000K WARM WHITE	VT-1049-CG	Champagne Gold
7944 - 3000K WARM WHITE	VT-1049-G	Grey
7945 - 3000K WARM WHITE	VT-1049-SB	Sand Brown

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	2W
Lumens:	100
Beam Angle:	300°
Material:	Metal+Glass
Dimension:	140x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7988 - 3IN1	VT-1056-BT	Black+Transparent

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø130x372
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10324 - 3IN1	VT-1034-W	White
10330 - 3IN1	VT-1034-B	Black

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	100°
Material:	Plastic+Metal
Dimension:	Ø115x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4 Hours
Working Time:	4-6 Hours
Box Qty:	10 Pc

SKU	Model	Unit Color
10326 - 3IN1	VT-1028-W	White
10325 - 3IN1	VT-1028-B	Black

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.6W
Lumens:	130
Beam Angle:	120°
Material:	Metal
Dimension:	105x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3.5-4.5 Hours
Working Time:	6-8 Hours
Box Qty:	20 Pc

SKU	Model	Unit Color
10329 - 3IN1	VT-1073-W	White
10328 - 3IN1	VT-1073-B	Black

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	40
Beam Angle:	180°
Material:	Metal
Dimension:	95x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	3-4 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10569 - 3IN1	VT-7566-W	White
10568 - 3IN1	VT-7566-B	Black

NEW

RECHARGEABLE TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	210
Beam Angle:	120°
Material:	Metal+Acrylic
Dimension:	120x255
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
10571 - 3IN1	VT-7567-W	White+Transparent
10570 - 3IN1	VT-7567-B	Black+Transparent

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	120°
Material:	Metal
Dimension:	120x220
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
7895 - 3IN1	VT-1041-B	Black
7896 - 3IN1	VT-1041-W	White
7897 - 3IN1	VT-1041-CG	Champagne Gold

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	150x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7898 - 3IN1	VT-1047-B	Black
7899 - 3IN1	VT-1047-W	White
7937 - 3IN1	VT-1047-CG	Champagne Gold

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	135x265
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7938 - 3IN1	VT-1048-FG	French Gold
7939 - 3IN1	VT-1048-CH	Chrome

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7947 - 3IN1	VT-1051-B	Black
7948 - 3IN1	VT-1051-W	White
7949 - 3IN1	VT-1051-G	Grey

V-TAC
Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	115x300
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7985 - 3IN1	VT-1052-B	Black
7986 - 3IN1	VT-1052-W	White
7987 - 3IN1	VT-1052-G	Grey

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1.5W
Lumens:	150
Beam Angle:	180°
Material:	Aluminium
Dimension:	86x210
IP Rating:	IP54
Battery:	2200mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	20

SKU	Model	Unit Color
10449 - 3IN1	VT-1181-W	White
10450 - 3IN1	VT-1181-B	Black

DESIGNER TABLE LAMP WITH TOUCH DIMMABLE

TOUCH DIMMING

Beam Angle:	120°
Material:	PC + Iron
Dimension:	ø200x335mm
IP Rating:	IP20

SKU	Model	Watts	Size(mm)	Box Qty
40071 - 3000K WARM WHITE	VT-7204	12w	ø200x335mm	6
40081 - 3000K WARM WHITE	VT-7353	25w	ø350x365mm	1

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	3W
Lumens:	200
Beam Angle:	120°
Material:	Metal
Dimension:	180x240
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7946 - 3IN1	VT-1050-GB	Painted Gold+Black

NEW

TABLE LAMP WITH WOOD HANDLE-FABRIC

BATTERY RECHARGEABLE

Watts:	1.5W
Lumens:	100
Material:	Fabric+Wood
Dimension:	160x320
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
23091 - 3000K WARM WHITE	VT-7570	Wood

NEW

TABLE LAMP-FABRIC



BATTERY RECHARGEABLE

Watts:	3W
Lumens:	110
Material:	Fabric+Wood
Dimension:	120x175
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
23090 - 3000K WARM WHITE	VT-7569	Wood

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	2.4W
Lumens:	210
Beam Angle:	120°
Material:	Acrylic+Metal
Dimension:	130x295
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	18

SKU	Model	Unit Color
10327 - 3IN1	VT-1033-NS	Sand Nickel

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	50
Beam Angle:	180°
Material:	PS
Dimension:	160x250
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7894 - 3IN1	VT-1040-T	Transparent

NEW

MAGNETIC TABLE LAMP-RECHARGEABLE

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	300
Beam Angle:	120°
Material:	ABS+PC+Metal
Dimension:	130x350
IP Rating:	IP20
Battery:	1500mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	2-3 Hours

SKU	Model	Unit Color
23041 - 4000K DAY WHITE	VT-7413-W	White
23043 - 4000K DAY WHITE	VT-7413-R	Red
23042 - 4000K DAY WHITE	VT-7413-B	Black

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

Watts:	3W
Lumens:	310
Beam Angle:	300°
Material:	Metal+Acrylic
Dimension:	106x370
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours

SKU	Model	Unit Color
23094 - 3000K WARM WHITE	VT-7576-B	Black
23095 - 3000K WARM WHITE	VT-7576-W	White

NEW

TABLE LAMPS

Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	150x445
IP Rating:	IP20
Box Qty:	4

SKU	Model	Unit Color
10345 - 3000K WARM WHITE	VT-7506-B	Black
10346 - 3000K WARM WHITE	VT-7506-W	White

NEW

HANGING LAMP

Watts:	5W
Lumens:	500
Beam Angle:	60°
Material:	Iron
Dimension:	100x2000
IP Rating:	IP20
Box Qty:	10

SKU	Model	Unit Color
10341 - 3000K WARM WHITE	VT-7508-B	Black
10342 - 3000K WARM WHITE	VT-7508-W	White

V-TAC
Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

NEW

RECHARGEABLE DESIGNER TABLE LAMP WITH TOUCH CONTROL-3IN1

BATTERY RECHARGEABLE

TOUCH CONTROL DIMMING + ON/OFF

3-IN-1 COLOR CHANGING (3000K-4000K-6400K)

Watts:	1W
Lumens:	55
Beam Angle:	180°
Material:	Metal+Acrylic
Dimension:	120x225
IP Rating:	IP20
Battery:	1800mAh
Cable Length:	1 Meter [Type C]
Charging Time:	2-3 Hours
Working Time:	6-8 Hours
Box Qty:	10

SKU	Model	Unit Color
7989 - 3IN1	VT-1057-FG	French Gold
7990 - 3IN1	VT-1057-CH	Chrome
7991 - 3IN1	VT-1057-AB	Antique Bronze

NEW

CANDLE TABLE LAMP WITH TOUCH CONTROL

BATTERY RECHARGEABLE

Watts:	1W
Lumens:	40
Material:	Metal
Dimension:	85x130
IP Rating:	IP20
Battery:	2400mAh
Cable Length:	1 Meter [Type C]
Charging Time:	4-6 Hours
Working Time:	7-9 Hours

SKU	Model	Unit Color
10566 - 3000K WARM WHITE	VT-7564-CA	Champagne Gold+Amber Glass
10567 - 3000K WARM WHITE	VT-7564-BS	Black Lamp+Smoky Glass

NEW

TABLE TOP FLAMELESS CANDLE LAMP

SKU	Model	Size
10572 - 2700K WARM WHITE	VT-7568-110	53x110
10573 - 2700K WARM WHITE	VT-7568-125	53x125
10574 - 2700K WARM WHITE	VT-7568-150	53x150
10575 - 2700K WARM WHITE	VT-7568-175	53x175
10576 - 2700K WARM WHITE	VT-7568-200	53x200

- 2xAA Battery
- On/Off Switch
- No Smoke/No Wax Spills
- IP20
- 2 Years Warranty

02 YEAR WARRANTY

FLOOR LAMPS

V-TAC Meaningful Innovation.

FLOOR LAMP-TOUCH DIMMING

Watts:	80W
Lumens:	UP:4200/Down:3800
Beam Angle:	110°/90°
Material:	Aluminium Alloy+PC
Dimension:	310x52x1950
Voltage:	AC:100-240V,50/60Hz
PF:	>0.9
CRI:	>80
Box Qty:	1 Pc

UP & DOWN LIGHTS

TOUCH DIMMING

SKU	Model	Unit Color
8521 4000K DAY WHITE	VT-8400D-S	White
8522 4000K DAY WHITE	VT-8400D-W	Silver

FLOOR LAMP-KNOB DIMMING

Watts:	80W
Lumens:	UP:5200/Down:3600
Beam Angle:	110°/90°
Material:	Aluminium Alloy+PC
Dimension:	280x35x1950
Voltage:	AC:100-240V,50/60Hz
PF:	>0.9
CRI:	>80
Box Qty:	1 Pc

UP & DOWN LIGHTS

KNOB DIMMING

SKU	Model	Unit Color
8523 4000K DAY WHITE	VT-8500D-S	White-Round corner
8524 4000K DAY WHITE	VT-8500D-W	SIlver-Round corner
8525 4000K DAY WHITE	VT-8600D-S	White-Square corner
8526 4000K DAY WHITE	VT-8600D-W	Silver-Square corner

V-TAC
Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

Watts:	9W
Lumens:	405
Material:	ABS+Aluminium
Dimension:	142x124x476
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	10

LED TABLE LAMP WITH WIRELESS CHARGER

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 0.8A(4W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Touch Dimming
- Fast charger included 3.0A 18W

3.0A-18W FAST CHARGER INCLUDED

WIRELESS CHARGING | ANDROID & IPHONE | BRIGHTNESS ADJUSTABLE | TIMER POWER OFF | USB OUTPUT

SKU	Model	Unit Color
218604 - 3IN1	VT-7705-B-N	Black
8605 - 3IN1	VT-7705-W	White
218605 - 3IN1	VT-7705-W-N	White

Watts:	12.5W
Lumens:	640
Material:	ABS+Aluminium
Dimension:	440x120x40
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	10

LED TABLE LAMP WITH WIRELESS CHARGER

- Rating input 5V/3A
- 3 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

3.0A-18W FAST CHARGER INCLUDED

WIRELESS CHARGING | ANDROID & IPHONE | BRIGHTNESS ADJUSTABLE | TIMER POWER OFF | USB OUTPUT

SKU	Model	Unit Color
218602 - 3IN1	VT-7505-B-N	Black
218603 - 3IN1	VT-7505-W-N	White



Watts:	12.5W
Lumens:	630
Material:	ABS+Aluminium
Dimension:	440x120x40
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	10

LED TABLE LAMP WITH WIRELESS CHARGER

- Rating input 5V/3A
- 4 Levels of Brightness Dimming
- Lamp Power 5V, 1A(5W)
- Wireless Charging 5V, 1A(5W)
- 2s to reach full brightness
- Fast charger included 3.0A 18W

3.0A-18W FAST CHARGER INCLUDED

WIRELESS CHARGING | ANDROID & IPHONE | BRIGHTNESS ADJUSTABLE | TIMER POWER OFF | USB OUTPUT

SKU	Model	Unit Color
218600 - 3IN1	VT-7405-B-N	Black
8601 - 3IN1	VT-7405-W	White
218601 - 3IN1	VT-7405-W-N	White

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

Watts:	16W
Lumens:	1000
Material:	ABS+Aluminium
Dimension:	240x396x180
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	12

LED TABLE LAMP WITH WIRELESS CHARGER

TOUCH DIMMING

- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:12V/1.5A
- 2s to reach full brightness
- 270 Degree Rotatable Head

SKU	Model	Unit Color
8519 - 3 IN 1	VT-1027	White
218519 - 3 IN 1	VT-1027-N	White

Watts:	20W
Lumens:	1840
Material:	Silicone+Aluminium
Dimension:	210x350
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	20

LED TABLE LAMP WITH EU PLUG CORD+SWITCH

SKU	Model	Unit Color
2140311 - 3000K WARM WHITE	VT-7312-B-N	Black
2140321 - 3000K WARM WHITE	VT-7312-W-N	White

TABLE LAMPS-SLIM

TOUCH DIMMING

BATTERY RECHARGEABLE

Watts:	6.5W
Lumens:	110
Material:	PC-Rubber Finish
Voltage:	DC:12V,1A
CRI:	>80
Box Qty:	10

SKU	Model	Unit Color
8520 3I N 1	VT-1037	White

V-TAC
Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

3IN1 RECHARGEABLE TABLE LAMP

TOUCH CONTROL
DIMMING + ON/OFF

BATTERY
RECHARGEABLE

Watts:	4W
Lumens:	120
Material:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Voltage:	DC:5V,1A
CRI:	>80
Box Qty:	25

SKU	Model	Unit Color
7098 - 3 IN 1	VT-1014-S	White+Silver
7099 - 3 IN 1	VT-1014-G	White+Gold
8500 - 3 IN 1	VT-1014-B	Black

CLIP LAMP

HEIGHT ADJUSTABLE

ADAPTER INCLUDED

Watts:	7W
Lumens:	400
Material:	ABS+Metal
Dimension:	64x300x300
Voltage:	AC:220-240V, 50Hz
CRI:	>80
Box Qty:	8

SKU	Model	Unit Color
8672 - 3000K WARM WHITE	VT-7407	White

DESK LAMP

HEIGHT ADJUSTABLE

ADAPTER INCLUDED

Watts:	3.6W
Lumens:	260
Material:	ABS+Metal
Dimension:	280x100x350
Voltage:	AC:220-240V, 50Hz
CRI:	>80
Box Qty:	8

SKU	Model	Unit Color
8671 - 3000K WARM WHITE	VT-7403	White

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

TABLE MIRROR LIGHTS

3X MAGNIFYING
AA BATTERIES
CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	135x205x325mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6629	VT-7572	Chrome



WALL MIRROR LIGHTS



3X MAGNIFYING
AA BATTERIES
CORDLESS

Watts:	3w
Lumens:	30
Material:	Plastic
Dimension:	175x435x280mm
Voltage:	DC:5V
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
6628	VT-7571	Nickel

SUCTION MIRROR LIGHTS

10X MAGNIFYING
AA BATTERIES
CORDLESS

Watts:	3.2w
Lumens:	30
Material:	Plastic
Dimension:	162x80x192mm
Voltage:	DC:4.5V
CRI:	>80
Box Qty:	36

SKU	Model	Unit Color
6630	VT-7573	Black

MIRROR LAMP

BATTERY RECHARGEABLE
ADAPTER INCLUDED

Watts:	5W
Lumens:	80
Material:	ABS+Glass
Dimension:	Ø200x310
Voltage:	AC:220-240V, 50Hz
CRI:	>80
Box Qty:	20

SKU	Model	Unit Color
8931 - 6500K WHITE	VT-7565	White

V-TAC Meaningful Innovation.

TABLE LAMPS

02 YEAR WARRANTY

MIRROR LAMP

BATTERY RECHARGEABLE

ADAPTER INCLUDED

Watts:	5W
Lumens:	200
Material:	ABS+Glass
Dimension:	Ø196x310
Voltage:	AC:220-240V, 50Hz
CRI:	>80
Box Qty:	10

SKU	Model	Unit Color
8670 - 3000K WARM WHITE	VT-7905	White

HANGING LAMP

Watts:	7W
Lumens:	360
Material:	PC+Metal
Dimension:	Ø150x151x1241
Voltage:	AC:100-240V,50/60Hz
CRI:	>80
Box Qty:	9

SKU	Model	Unit Color
8504 - 4000K DAY WHITE	VT-1036-P	Purple
8505 - 4000K DAY WHITE	VT-1036-W	White
8506 - 4000K DAY WHITE	VT-1036-B	Blue

TABLE LAMPS+SPEAKER

SMART DEVICE

HAND FREE CALLS

Watts:	2*3W
Dimension:	Ø92x218
Voltage:	DC:5V
Box Qty:	12

SKU	Model	Unit Color
8570	VT-6211	Black
8571	VT-6211-R	Red
8569	VT-6211-B	Blue

02 YEAR WARRANTY

TABLE LAMPS

V-TAC Meaningful Innovation.

TABLE LAMPS-BAKELITE-E27

Material:	Glass+Metal
Dimension:	260x180x360
Box Qty:	6

SKU	Model	Unit Color
3912	VT-7151-GR	Green
3913	VT-7151-B	Blue
3914	VT-7151-GD	Yellow

FLOOR LAMP-E27

Material:	Marble+Metal
Dimension:	380x280x275
Voltage:	AC: 220-240V,50/60Hz
Box Qty:	1 Pc

SKU	Model	Unit Color
8565	VT-7451	Ivory
8564	VT-7451-B	Black

FLOOR LAMP-E27

Material:	ABS+Metal
Dimension:	250x250x1800
Voltage:	AC:220-240V,50/60Hz
Box Qty:	4

SKU	Model	Unit Color
7055	VT-7500	

V-TAC

Meaningful Innovation.

Decorative Pendants

Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

Key Feature

- Stylish pendant lamps are available in various shapes, materials, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

02 YEAR WARRANTY

STRING LIGHTS

V-TAC Meaningful Innovation.

STRING LIGHTS

EU PLUG

IP65 RATING



SKU	Model	Box Qty
8974	VT-717S	1Pc

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W x6
Lampshade:	Black ø250mm (Galvanized Iron)
Bulb Holder:	Brushed Brown Bronze ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×1mm²)
L/S Wireguard:	Black ø256mm (Galvanized Iron)
Catenary Length:	3M Total Length (6 Luminiares at 50cm spacing)

STRING LIGHTS

EU PLUG

IP65 RATING



SKU	Model	Box Qty
8975	VT-717BS	1Pc

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W x6
Lampshade:	Natural ø250mm (Galvanized Iron)
Bulb Holder:	Rose Gold ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×1mm²)
L/S Wireguard:	Rose Gold ø256mm (Galvanized Iron)
Catenary Length:	3M Total Length (6 Luminiares at 50cm pacing)

STRING LIGHTS

EU PLUG

IP65 RATING



SKU	Model	Box Qty
8971	VT-720S	1Pc

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W x6
Globe:	Clear ø150mm (PMMA)
Bulb Holder:	Brushed Brown Bronze ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×1mm²)
Catenary Length:	3M Total Length (6 Luminiares at 50cm spacing)

V-TAC
Meaningful Innovation.

WALL LAMP

02 YEAR WARRANTY

WALL LAMP

IP65 RATING



SKU	Model	Box Qty
8970	VT-720BW	8

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Globe:	Clear ø150mm (PMMA)
Bulb Holder:	Brushed Brown Bronze ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Black ø14mm (Galvanized Iron)
Wall Mount:	Black ø130mm (Galvanized Iron)

WALL LAMP

IP65 RATING



SKU	Model	Box Qty
8972	VT-720B	4

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Lampshade:	Black ø250mm (Galvanized Iron)
Bulb Holder:	Brushed Brown Bronze (Aluminium)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Black ø14mm (Galvanized Iron)
Wall Mount:	Black ø130mm (Galvanized Iron)
L/S Wire Guard:	Black ø256mm (Galvanized Iron)

WALL LAMP

IP65 RATING



SKU	Model	Box Qty
8973	VT-720R	4

IP Rating:	IP65
Holder Type:	E27
Max Watts:	60W
Lampshade:	Natural ø250mm (Galvanized Iron)
Bulb Holder:	Rose Gold ø49mm (Aluminium)
Cable:	Black (H05RN-F-3×0.75mm²)
Wall Lamp Arm:	Natural ø14mm (Galvanized Iron)
Wall Mount:	Rose Gold ø130mm (Galvanized Iron)
L/S Wire Guard:	Rose Gold ø256mm (Galvanized Iron)

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

RATTAN FLOOR LAMP



SKU	Model
40561	VT-4150

Material: Rattan Finish
Holder: E27
Dimension: Ø400xH1500mm
Box Qty: 1

WOODEN PENDANT



SKU	Model
40511	VT-3350

Material: Wooden
Holder: E27
Dimension: Ø350xH310mm
Box Qty: 4

RATTAN FLOOR LAMP



SKU	Model
40571	VT-3100

Material: Rattan Finish
Holder: E27
Dimension: Ø300xH940mm
Box Qty: 1

WOODEN PENDANT



SKU	Model
40521	VT-2450

Material: Wooden
Holder: E27
Dimension: Ø250xH450mm
Box Qty: 4

WOODEN PENDANT



SKU	Model
40501	VT-3450

Material: Wooden
Holder: E27
Dimension: Ø350xH450mm
Box Qty: 1

WOODEN PENDANT



SKU	Model
40531	VT-3200

Material: Wooden
Holder: E27
Dimension: Ø330xH220mm
Box Qty: 8

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

WOODEN PENDANT

SKU	Model
40541	VT-4280

Material: Wooden
Holder: E27
Dimension: Ø440xH280mm
Box Qty: 1

DIAMOND CUT GLASS BLACK



SKU	Model
3880	VT-7350-HB

Material: Glass+Metal
Holder: E27
Dimension: 330x260x1000mm
Box Qty: 8

WOODEN PENDANT



SKU	Model
40551	VT-4453

Material: Wooden
Holder: E27
Dimension: Ø450xH450mm
Box Qty: 1

DESIGNER GLASS TRANSPARENT



SKU	Model
3882	VT-7254

Material: Glass+Metal
Holder: E27
Dimension: Ø250x230x1000mm
Box Qty: 8

DIAMOND CUT GLASS TRANSPARENT



SKU	Model
3879	VT-7350-HT

Material: Glass+Metal
Holder: E27
Dimension: Ø330x260x1000mm
Box Qty: 8

DESIGNER GLASS TRANSPARENT

SKU	Model
3881	VT-7305

Material: Glass
Holder: E27
Dimension: Ø270x1280mm
Box Qty: 4

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

DESIGNER GLASS GUN GREY



SKU	Model
3887	VT-7292

Material: Glass
Holder: E27
Dimension: Ø300x265x1000mm
Box Qty: 8

TRANSPARENT GLASS METAL SERIES



SKU	Model
3867	VT-7229

Material: Glass+Metal
Holder: E27
Dimension: 265x190x1000mm
Box Qty: 8

DESIGNER GLASS GUN GREY



SKU	Model
3888	VT-7380

Material: Glass
Holder: E27
Dimension: Ø380x330x1000mm
Box Qty: 4

DOUBLE GLASS AMBER WHITE



SKU	Model
3878	VT-7181-AW

Material: Glass+Metal
Holder: E27
Dimension: 180x350x1000mm
Box Qty: 9

TRANSPARENT GLASS METAL SERIES



SKU	Model
3865	VT-7302

Material: Glass+Metal
Holder: E27
Dimension: 300x280x1000mm
Box Qty: 8

DOUBLE GLASS GUNGREY WHITE



SKU	Model
3876	VT-7304-GW

Material: Glass+Metal
Holder: E27
Dimension: 250x420x1000mm
Box Qty: 8

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

MODERN WHITE GLASS PENDANT



SKU	Model
3884	VT-7281-WG

Material: Glass+Metal
Holder: E27
Dimension: Ø285x440x1000mm
Box Qty: 4

AMBER GLASS METAL SERIES

SKU	Model
3736	VT-7140-A

Material: Glass+Metal
Holder: E27
Dimension: 140x240x1130mm
Box Qty: 12

MODERN BLACK GLASS PENDANT



SKU	Model
3885	VT-7281-BG

Material: Glass+Metal
Holder: E27
Dimension: 285x440x1000mm
Box Qty: 4

TRANSPARENT GLASS METAL SERIES

SKU	Model
3735	VT-7140-T

Material: Glass+Metal
Holder: E27
Dimension: 140x240x1130mm
Box Qty: 8

GLASS METAL SERIES



SKU	Model
3730	VT-7210

Material: Glass+Metal
Holder: E27
Dimension: 245x230x1100mm
Box Qty: 8

TRANSPARENT GLASS METAL SERIES

SKU	Model
3738	VT-7185

Material: Glass+Metal
Holder: E27
Dimension: 180x230x1110mm
Box Qty: 12

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

TRANSPARENT GLASS METAL SERIES

SKU	Model
3737	VT-7300

Material: Glass+Metal
Holder: E27
Dimension: 300x250x1150mm
Box Qty: 8

TRANSPARENT GLASS PENDANT



SKU	Model
3727	VT-7220-T

Material: Glass+Metal
Holder: E27
Dimension: 220x280x1150mm
Box Qty: 8

AMBER GLASS METAL SERIES



SKU	Model
3732	VT-7150-AG

Material: Glass+Metal
Holder: E27
Dimension: 145x160x1050mm
Box Qty: 12

3D GLASS BLACK CANOPY



SKU	Model
40111	VT-7152

Material: Glass
Holder: E27
Dimension: ø150x100x1020mm
Box Qty: 8

AMBER GLASS PENDANT



SKU	Model
3726	VT-7220-A

Material: Glass+Metal
Holder: E27
Dimension: 220x280x1150mm
Box Qty: 8

3D GLASS BLACK CANOPY



SKU	Model
40121	VT-7206

Material: Glass
Holder: E27
Dimension: ø200x100x1070mm
Box Qty: 8

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

3D GLASS BLACK CANOPY



SKU	Model
40131	VT-7256

Material: Glass
Holder: E27
Dimension: ø250x100x1110mm
Box Qty: 8

MESH METAL GREY



SKU	Model
3822	VT-7200-MG

Material: Metal
Holder: E27
Dimension: 200x270x1300mm
Box Qty: 8

ALUMINIUM SHADE BLACK



SKU	Model
3728	VT-7422-B

Material: Aluminium
Holder: E27
Dimension: 230x310x1150mm
Box Qty: 8

MESH METAL GOLD



SKU	Model
3821	VT-7200-CG

Material: Metal
Holder: E27
Dimension: 200x270x1300mm
Box Qty: 8

ALUMINIUM SHADE WHITE



SKU	Model
3729	VT-7422-WH

Material: Aluminium
Holder: E27
Dimension: 230x310x1150mm
Box Qty: 8

MESH METAL WHITE



SKU	Model
3823	VT-7200-MW

Material: Metal
Holder: E27
Dimension: 200x270x1300mm
Box Qty: 8

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

CAN SHAPE GOLD PENDANT



SKU	Model
3824	VT-7131-CG

Material: Metal
Holder: E27
Dimension: 130x250x1300mm
Box Qty: 10

CAN SHAPE GOLD PENDANT



SKU	Model
3827	VT-7132-CG

Material: Metal
Holder: E27
Dimension: 130x220x1300mm
Box Qty: 10

CAN SHAPE BLACK PENDANT



SKU	Model
3825	VT-7131-MB

Material: Metal
Holder: E27
Dimension: 130x250x1300mm
Box Qty: 10

CAN SHAPE BLACK PENDANT



SKU	Model
3828	VT-7132-MB

Material: Metal
Holder: E27
Dimension: 130x220x1300mm
Box Qty: 10

CAN SHAPE WHITEPENDANT





SKU	Model
3826	VT-7131-MW

Material: Metal
Holder: E27
Dimension: 130x250x1300mm
Box Qty: 10

CAN SHAPE WHITEPENDANT



SKU	Model
3829	VT-7132-MW

Material: Metal
Holder: E27
Dimension: 130x220x1300mm
Box Qty: 10

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

MESH METAL GLOBE



SKU	Model
3859	VT-7332

Material: Metal
Holder: E27
Dimension: Ø290x1000x1340mm
Box Qty: 8

COPPER SERIES ROSE GOLD

SKU	Model
3710	VT-8300

Material: Iron+ copper paint
Holder: E27
Dimension: Ø300
Box Qty: 4

MESH METAL GV SHAPE



SKU	Model
3860	VT-7252

Material: Metal
Holder: E27
Dimension: 285x170x1000mm
Box Qty: 12

COPPER SERIES ROSE GOLD

SKU	Model
3711	VT-8220

Material: Iron+ copper paint
Holder: E27
Dimension: Ø220
Box Qty: 4

COPPER SERIES ROSE GOLD

SKU	Model
3713	VT-8150-CO

Material: Metal
Holder: E27
Dimension: Ø150
Box Qty: 10

COPPER SERIES ROSE GOLD

SKU	Model
3709	VT-8255

Material: Iron+ copper paint
Holder: E27
Dimension: Ø250mm
Box Qty: 4

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

COPPER SERIES CHROME

SKU	Model
3712	VT-8150-CH

Material: Iron+ copper paint
Holder: E27
Dimension: Ø150mm
Box Qty: 10

COPPER SERIES ROSE GOLD

SKU	Model
3714	VT-8170

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø170mm
Box Qty: 8

COPPER SERIES CHROME

SKU	Model
3707	VT-8180-CH

Material: Iron+ copper paint
Holder: E27
Dimension: Ø180mm
Box Qty: 4

COPPER SERIES ROSE GOLD

SKU	Model
3715	VT-8230

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø230mm
Box Qty: 4

COPPER SERIES ROSE GOLD

SKU	Model
3708	VT-8180-CO

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø180mm
Box Qty: 8

COPPER SERIES CHROME

SKU	Model
3705	VT-8175-CH

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø170
Box Qty: 4

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

COPPER SERIES ROSE GOLD

SKU	Model
3706	VT-8175-CO

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø170mm
Box Qty: 8

CONCRETE LAMPSHADE



SKU	Model
3853	VT-7202

Material: Concrete
Holder: E27
Dimension: 180x160x1100mm
Box Qty: 4

COPPER SERIES ROSE GOLD

SKU	Model
3716	VT-8200

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø200mm
Box Qty: 4

CONCRETE WOODEN



SKU	Model
3857	VT-7125-R

Material: Concrete+Wood
Holder: E27
Dimension: 120x210x1080mm
Box Qty: 8

COPPER SERIES ROSE GOLD

SKU	Model
3717	VT-8250

Material: Iron+ Copper Paint
Holder: E27
Dimension: Ø250mm
Box Qty: 4

CONCRETE TABLE LAMP



SKU	Model
3851	VT-7160

Material: Concrete
Holder: E27
Dimension: 160x150x2000mm
Box Qty: 4

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

CONCRETE TABLE LAMP

SKU	Model
3852	VT-7171

Material: Concrete
Holder: E27
Dimension: 180x130x2000mm
Box Qty: 8

GEOMETRIC SERIES BLACK CANOPY



SKU	Model
3834	VT-7161-MB

Material: Metal
Holder: E27
Dimension: 225x225x1250mm
Box Qty: 8

GEOMETRIC SERIES GOLD CANOPY



SKU	Model
3831	VT-7141-CG

Material: Metal
Holder: E27
Dimension: 250x190x1250mm
Box Qty: 8

GEOMETRIC SERIES BLACK CANOPY



SKU	Model
3927	VT-7144

Material: Metal Finish
Holder: E27
Dimension: 300x1300mm
Box Qty: 4

GEOMETRIC SERIES BLACK CANOPY



SKU	Model
3832	VT-7141-MB

Material: Metal
Holder: E27
Dimension: 250x190x1250mm
Box Qty: 8

GEOMETRIC SERIES GOLD CANOPY



SKU	Model
3835	VT-7322-CG

Material: Metal
Holder: E27
Dimension: 320x320x1350mm
Box Qty: 10

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

GEOMETRIC SERIES BLACK CANOPY



SKU	Model
3836	VT-7322-MB

Material: Metal
Holder: E27
Dimension: 320x320x1350mm
Box Qty: 10

ALUMINIUM SAND FINISH BLACK



SKU	Model
3700	VT-7520-B

Material: Aluminium+Sand Finish
Holder: E27
Dimension: 220x310x1375mm
Box Qty: 4

GEOMETRIC SERIES GOLD CANOPY



SKU	Model
3837	VT-7321-CG

Material: Metal
Holder: E27
Dimension: 320x320x1350mm
Box Qty: 10

ALUMINIUM SAND FINISH GREY



SKU	Model
3701	VT-7520-G

Material: Aluminium+Sand Finish
Holder: E27
Dimension: 220x310x1375mm
Box Qty: 4

GEOMETRIC SERIES BLACK CANOPY



SKU	Model
3838	VT-7321-MB

Material: Metal
Holder: E27
Dimension: 320x320x1350mm
Box Qty: 10

ALUMINIUM SAND FINISH WHITE



SKU	Model
3702	VT-7520-WH

Material: Aluminium+Sand Finish
Holder: E27
Dimension: 220x310x1375mm
Box Qty: 4

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

MODERN WOODEN TOP WHITE



SKU	Model
3756	VT-7425-WH

Material: Aluminium+Wood
Holder: E27
Dimension: 250x200x1100mm
Box Qty: 8

WOODEN TOP IRON BLACK



SKU	Model
3762	VT-7525-B

Material: Iron+Wooden Top
Holder: E27
Dimension: 250x400x1200mm
Box Qty: 8

MODERN WOODEN TOP BLACK



SKU	Model
3757	VT-7425-B

Material: Aluminium+Wood
Holder: E27
Dimension: 250x200x1100mm
Box Qty: 8

WOODEN TOP IRON WHITE



SKU	Model
3763	VT-7535-W

Material: Iron+Wooden Top
Holder: E27
Dimension: 350x300x1100mm
Box Qty: 8

WOODEN TOP IRON WHITE



SKU	Model
3761	VT-7525-WH

Material: Iron+Wooden Top
Holder: E27
Dimension: 250x400x1200mm
Box Qty: 8

WOODEN TOP IRON BLACK

SKU	Model
3764	VT-7535-B

Material: Iron+Wooden Top
Holder: E27
Dimension: 350x300x1100mm
Box Qty: 8

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

WOODEN TOP IRON WHITE



SKU	Model
3765	VT-7545-WH

Material: Iron+Wooden Top
Holder: E27
Dimension: 350x300x1100mm
Box Qty: 8

PENDANT ALUMINIUM SHADE BLACK



SKU	Model
3921	VT-7100-B

Material: Plastic+Aluminium
Holder: E14
Dimension: 180x100x1200mm
Box Qty: 12

WOODEN TOP IRON BLACK



SKU	Model
3766	VT-7545-B

Material: Iron+Wooden Top
Holder: E27
Dimension: 350x300x1100mm
Box Qty: 8

PENDANT ALUMINIUM SHADE GREY



SKU	Model
3922	VT-7100-G

Material: Plastic+Aluminium
Holder: E14
Dimension: 180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE WHITE



SKU	Model
3920	VT-7100-WH

Material: Plastic+Aluminium
Holder: E14
Dimension: 180x100x1200mm
Box Qty: 12

PENDANT ALUMINIUM SHADE PINK



SKU	Model
3923	VT-7100-P

Material: Plastic+Aluminium
Holder: E14
Dimension: 180x100x1200mm
Box Qty: 12

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

PENDANT ALUMINIUM SHADE RED



SKU	Model
3924	VT-7100-R

Material: Plastic+Aluminium
Holder: E14
Dimension: 180x100x1200mm
Box Qty: 12

METAL PLATE MATT GOLD



SKU	Model
3752	VT-7777-MG

Material: Metal
Holder: E27
Dimension: 300x90x1000mm
Box Qty: 20

PENDANT ALUMINIUM SHADE BLUE



SKU	Model
3925	VT-7100-BL

Material: Plastic+Aluminium
Holder: E14
Dimension: 180x100x1200mm
Box Qty: 12

PRISM BLUE PENDANT

SKU	Model
3946	VT-7310-B

Material: Metal
Holder: E27
Dimension: 310x190mm
Box Qty: 4

METAL PLATE ROSE GOLD



SKU	Model
3751	VT-7777-RG

Material: Metal
Holder: E27
Dimension: 300x90x1000mm
Box Qty: 20

PRISM YELLOW PENDANT

SKU	Model
3947	VT-7310-Y

Material: Metal
Holder: E27
Dimension: 310x190mm
Box Qty: 4

V-TAC
Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

PRISM WHITE PENDANT



SKU	Model
3948	VT-7310-W

Material: Metal
Holder: E27
Dimension: 310x190mm
Box Qty: 4

CONE PRISM BLUE

SKU	Model
3953	VT-7255-B

Material: Metal
Holder: E27
Dimension: 250x255mm
Box Qty: 4

PRISM WOODEN YELLOW

SKU	Model
3950	VT-7323-Y

Material: Metal
Holder: E27
Dimension: 320x270mm
Box Qty: 4

VINTAGE METAL

SKU	Model
3753	VT-7424

Material: Metal
Holder: E27
Dimension: 260x170x1080mm
Box Qty: 12

CONE PRISM WHITE

SKU	Model
3952	VT-7255-W

Material: Metal
Holder: E27
Dimension: 250x255mm
Box Qty: 4

VINTAGE METAL PULLEY



SKU	Model
3845	VT-7201

Material: Metal
Holder: E27
Dimension: 220x140x600-1600mm
Box Qty: 8

02 YEAR WARRANTY

PENDANTS

V-TAC Meaningful Innovation.

PENDANT HEMP ROPE



SKU	Model
3754	VT-7118

Material: Rope
Holder: E27
Dimension: 45x57x1500mm
Box Qty: 12

BLUE PENDANT HOLDER BOTTLE



SKU	Model
3768	VT-7558-BL

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

GLOBE CHROME CANOPY



SKU	Model
3839	VT-7251

Material: Acrylic Glass
Holder: E27
Dimension: 250x250x1300mm
Box Qty: 4

RED PENDANT HOLDER BOTTLE



SKU	Model
3769	VT-7558-R

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

GREEN PENDANT HOLDER BOTTLE



SKU	Model
3767	VT-7558-GN

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

AMBER PENDANT HOLDER BOTTLE



SKU	Model
3770	VT-7558-A

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

V-TAC Meaningful Innovation.

PENDANTS

02 YEAR WARRANTY

TRANSPARENT PENDANT HOLDER BOTTLE



SKU	Model
3771	VT-7558-T

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

ROSE PENDANT HOLDER BOTTLE



SKU	Model
3774	VT-7558-RO

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

PINK PENDANT HOLDER BOTTLE



SKU	Model
3772	VT-7558-P

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

GREY PENDANT HOLDER BOTTLE



SKU	Model
3775	VT-7558-GY

Material: Glass
Holder: E14
Dimension: 78x280x1150mm
Box Qty: 25

YELLOW PENDANT HOLDER BOTTLE



SKU	Model
3773	VT-7558-Y

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

BROWN PENDANT HOLDER BOTTLE



SKU	Model
3776	VT-7558-BR

Material: Glass
Holder: E14
Dimension: 72x280x1150mm
Box Qty: 25

02 YEAR WARRANTY

PENDANT HOLDERS

V-TAC Meaningful Innovation.

Model: VT-7555-BBR
SKU: 3841
Material: Metal
Dimension: Ø50x90x900mm
Color: Brown Bronze
Box Qty: 30

Model: VT-7778-BL
SKU: 3722
Material: Wooden
Dimension: 73x102x1000mm
Color: Blue Wire
Box Qty: 50

Model: VT-7998-BK
SKU: 3804
Material: Porcelain
Dimension: Ø105x750mm
Color: Black
Box Qty: 60

Model: VT-7998Y
SKU: 3809
Material: Porcelain
Dimension: Ø105x750mm
Color: Yellow
Box Qty: 60

Model: VT-7555-BB
SKU: 3842
Material: Metal
Dimension: Ø50x90x900mm
Color: Brass Bronze
Box Qty: 30

Model: VT-7778-R
SKU: 3723
Material: Wooden
Dimension: 73x102x1000mm
Color: Red Wire
Box Qty: 50

Model: VT-7998-GN
SKU: 3805
Material: Porcelain
Dimension: Ø105x750mm
Color: Green
Box Qty: 60

Model: VT-7998-BR
SKU: 3810
Material: Porcelain
Dimension: Ø105x750mm
Color: Brown
Box Qty: 60

Model: VT-7555-BR
SKU: 3843
Material: Metal
Dimension: Ø50x90x900mm
Color: Bronze
Box Qty: 30

Model: VT-7778-PR
SKU: 3724
Material: Wooden
Dimension: 73x102x1000mm
Color: Purple Wire
Box Qty: 50

Model: VT-7998-BL
SKU: 3806
Material: Porcelain
Dimension: Ø105x750mm
Color: Blue
Box Qty: 60

Model: VT-799-W
SKU: 3795
Material: Porcelain
Dimension: Ø47x64mm
Color: White
Box Qty: 100

Model: VT-7555-MG
SKU: 3844
Material: Metal
Dimension: Ø50x90x900mm
Color: Gold
Box Qty: 30

Model: VT-7778-GN
SKU: 3725
Material: Wooden
Dimension: 73x102x1000mm
Color: Green Wire
Box Qty: 50

Model: VT-7998-R
SKU: 3807
Material: Porcelain
Dimension: Ø105x750mm
Color: Red
Box Qty: 60

Model: VT-799-BK
SKU: 3796
Material: Porcelain
Dimension: Ø47x64mm
Color: Black
Box Qty: 100

Model: VT-7778-W
SKU: 3720
Material: Wooden
Dimension: 73x102x1000mm
Color: White Wire
Box Qty: 50

Model: VT-7998-W
SKU: 3803
Material: Porcelain
Dimension: Ø105x750mm
Color: White
Box Qty: 60

Model: VT-7998-GY
SKU: 3808
Material: Porcelain
Dimension: Ø105x750mm
Color: Grey
Box Qty: 60

Model: VT-799-GN
SKU: 3797
Material: Porcelain
Dimension: Ø47x64mm
Color: Green
Box Qty: 100

V-TAC Meaningful Innovation.

PENDANT HOLDERS

02 YEAR WARRANTY

Model: VT-799-BL
SKU: 3798
Material: Porcelain
Dimension: Ø47x64mm
Color: Blue
Box Qty: 100

Model: VT-7668-GN
SKU: 3742
Material: Concrete
Dimension: 50x95x1050mm
Color: Green
Box Qty: 40

Model: VT-7668-BR
SKU: 3749
Material: Concrete
Dimension: 50x95x1050mm
Color: Brown
Box Qty: 40

Model: VT-7338-BN
SKU: 3784
Material: Chrome
Dimension: Ø39x1000mm
Color: Brown Wire
Box Qty: 40

Model: VT-799-R
SKU: 3799
Material: Porcelain
Dimension: Ø47x64mm
Color: Red
Box Qty: 100

Model: VT-7668-R
SKU: 3743
Material: Concrete
Dimension: 50x95x1050mm
Color: Red
Box Qty: 40

Model: VT-7668-BE
SKU: 3750
Material: Concrete
Dimension: 50x95x1050mm
Color: Beige
Box Qty: 40

Model: VT-7338-GN
SKU: 3785
Material: Chrome
Dimension: Ø39x1000mm
Color: Green Wire
Box Qty: 40

Model: VT-799-GY
SKU: 3800
Material: Porcelain
Dimension: Ø47x64mm
Color: Grey
Box Qty: 100

Model: VT-7668-BL
SKU: 3744
Material: Concrete
Dimension: 50x95x1050mm
Color: Blue
Box Qty: 40

Model: VT-7448
SKU: 3777
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Gold Set
Box Qty: 40

Model: VT-7338-GY
SKU: 3786
Material: Chrome
Dimension: Ø39x1000mm
Color: Grey Wire
Box Qty: 1

Model: VT-799-Y
SKU: 3801
Material: Porcelain
Dimension: Ø47x64mm
Color: Yellow
Box Qty: 100

Model: VT-7668-Y
SKU: 3745
Material: Concrete
Dimension: 50x95x1050mm
Color: Yellow
Box Qty: 40

Model: VT-7338-W
SKU: 3755
Material: Chrome
Dimension: Ø39x1000mm
Color: White Wire
Box Qty: 40

Model: VT-7338-LB
SKU: 3787
Material: Chrome
Dimension: Ø39x1000mm
Color: Light Blue Wire
Box Qty: 40

Model: VT-799-BR
SKU: 3802
Material: Porcelain
Dimension: Ø47x64mm
Color: Brown
Box Qty: 100

Model: VT-7668-W
SKU: 3746
Material: Concrete
Dimension: 50x95x1050mm
Color: White
Box Qty: 40

Model: VT-7338-BL
SKU: 3783
Material: Chrome
Dimension: Ø39x1000mm
Color: Blue Wire
Box Qty: 40

Model: VT-7338-O
SKU: 3788
Material: Chrome
Dimension: Ø39x1000mm
Color: Orange Wire
Box Qty: 40

02 YEAR WARRANTY

PENDANT HOLDERS

V-TAC Meaningful Innovation.

Model: VT-7338-PK
SKU: 3789
Material: Chrome
Dimension: Ø39x1000mm
Color: Pink Wire
Box Qty: 1

Model: VT-7338-BE
SKU: 3794
Material: Chrome
Dimension: Ø39x1000mm
Color: Beige Wire
Box Qty: 40

Model: VT-7228-R
SKU: 3480
Material: Silicone
Dimension: Ø40x1000mm
Color: Red
Box Qty: 100

Model: VT-7228-Y
SKU: 3485
Material: Silicone
Dimension: Ø40x1000mm
Color: Yellow
Box Qty: 100

Model: VT-7338-PE
SKU: 3790
Material: Chrome
Dimension: Ø39x1000mm
Color: Purple Wire
Box Qty: 40

Model: VT-7228-BN
SKU: 3475
Material: Silicone
Dimension: Ø40x1000mm
Color: Brown
Box Qty: 100

Model: VT-7228-GY
SKU: 3481
Material: Silicone
Dimension: Ø40x1000mm
Color: Grey
Box Qty: 100

Model: VT-7228-GN
SKU: 3486
Material: Silicone
Dimension: Ø40x1000mm
Color: Green
Box Qty: 100

Model: VT-7338-R
SKU: 3791
Material: Chrome
Dimension: Ø39x1000mm
Color: Red Wire
Box Qty: 40

Model: VT-7228-BE
SKU: 3476
Material: Silicone
Dimension: Ø40x1000mm
Color: Blue
Box Qty: 100

Model: VT-7228-LB
SKU: 3482
Material: Silicone
Dimension: Ø40x1000mm
Color: Light Blue
Box Qty: 100

Model: VT-7338-RR
SKU: 3792
Material: Chrome
Dimension: Ø39x1000mm
Color: Rose Red Wire
Box Qty: 40

Model: VT-7228-W
SKU: 3477
Material: Silicone
Dimension: Ø40x1000mm
Color: White
Box Qty: 100

Model: VT-7228-PE
SKU: 3483
Material: Silicone
Dimension: Ø40x1000mm
Color: Purple
Box Qty: 100

Model: VT-7338-Y
SKU: 3793
Material: Chrome
Dimension: Ø39x1000mm
Color: Yellow Wire
Box Qty: 40

Model: VT-7228-PN
SKU: 3479
Material: Silicone
Dimension: Ø40x1000mm
Color: Pink
Box Qty: 100

Model: VT-7228-O
SKU: 3484
Material: Silicone
Dimension: Ø40x1000mm
Color: Orange
Box Qty: 100

V-TAC
Meaningful Innovation.

LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. O ering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

Key Feature

· Powerful LED display screen available in Indoor and Outdoor series
· Displays digital content such as Video, Images & Information
· Good Brand Value addition for Advertising
· Easy Installation

02 YEAR WARRANTY

INDOOR DISPLAY SCREEN

V-TAC Meaningful Innovation.

P3 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11109	6



Pixel pitch	3mm	Brightness	≥1100 CD/M2
Panel size	L192xH192xT13mm	Working environment temperature	-10 to +40°c
Physical density	111111/M2	Working environment humidity	10%~70% RH
Pixel configuration	1,1,1(R,G,B)	Display working voltage	AC46~4HZ,220V±15%/110V±15%
Driving method	1/16 Constant current	Color temperature	8500K-11500K
LED Chip Type	SMD2121	Gray scale/color	≥16.7M color
Display resolution	4096(64x64)dots	Input signal	RF\ S-Video\ RGB etc
Module weight	0.35Kg	Control system	PCTV nonlinearity card, DVI Display
Module port	HUB75-B		card, Linsn control system
Module working voltage	5VDC	Mean free error time	>5000-hour
Power	30W	hour lifespan	100000-hour
Viewing angle	120 Degrees	Steel box weight	40 Kg/M2
Option distance	3-45M	Steel box size	L576Xh768x80mm
Driving device	5020		
Every square meter module	27.13 PCS		
Maximum power	1000 W/M2		
Frame Frequency	60Hz		
Refresh frequency	400-800 Hz/S		

V-TAC Meaningful Innovation.

INDOOR DISPLAY SCREEN

02 YEAR WARRANTY

P4 INDOOR LED DISPLAY SCREEN

SKU	Box Qty
11079	6



Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness)	15KM
IP(Front)	100000hrs
Control System	IP40
	PCTV nonlinearity card, DVI
	display card Linsn control system

LED Cabinet Parameter

Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W

- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

02 YEAR WARRANTY

INDOOR DISPLAY SCREEN

V-TAC Meaningful Innovation.

P5 INDOOR LED FINISHED CABINET

SKU	Box Qty
11077	6



Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Surport Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER
Life Span(50% Brightness):	15KM
IP(Front/rear):	100000hrs
	IP20

LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

LED Module Parameter

Pixel Pitch	5mm
Led Specification	SMD3528
Led Configuration	SMD 3 in 1
Module Size	320*160mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106

V-TAC
Meaningful Innovation.

INDOOR DISPLAY SCREEN

02 YEAR WARRANTY

OUTDOOR DISPLAY SCREEN

SKU	Box Qty
11078	6

Screen Parameter

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Surport Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

LED Cabinet Parameter

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

LED Module Parameter

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106

02 YEAR WARRANTY

INDOOR DISPLAY SCREEN

V-TAC Meaningful Innovation.

COM700-MEDIA PLAYER

SKU
11088

LED Display Player with Industrial PC
One TS802 sending card inside
Dual Display - Supports Max 1280*800
Supports SD Memory Card/USB/HDMI Out/Internet
USB and SD Card Memory Playing
Compact and Easy to Install
7" Touch Screen with windows 10 Inside
Size - 320*180*50mm
Input - AC:120-260V
1 x Audio In
1 x Audio Out
1 x DVI In
1 x HDMI Out
4 USB Interface

Windows 10

DUAL DISPLAY TOUCH SCREEN

SENDING BOX

SKU	Box Qty
500082	20

SENDING CARD

SKU	Box Qty
500081	20

V-TAC
Meaningful Innovation.

Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras – fully compatible with any smart device (mobile phones, tablets, or PCs) through Wi-Fi integration. These cameras o er detection alerts via email — all available in standard UK & EU plugs for compatibility.

Key Features

· Standard wireless frequencies for Wi-Fi transmission
· High definition, high resolution videos at standard frames per second
· Supports iOS & Android devices
· Real-time alerts sent straight to your mobile for motion detected
· Night Vision
· Two-Way Audio
· Video storage: Micro SD storage or cloud transmission

02 YEAR WARRANTY

SMART CAMERAS

V-TAC Meaningful Innovation.

NEW SMART 4G HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11615	VT-11024-4G-B	6

- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera 4G with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens

360° VR | BUILT-IN BATTERY | PIR DETECTION | VOICE MONITOR | FULL COLOR NIGHT VISION

IP65 RATING

NEW SMART 4G HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11616	VT-11024-4G-W	6

- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera 4G with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens

360° VR | BUILT-IN BATTERY | PIR DETECTION | VOICE MONITOR | FULL COLOR NIGHT VISION

IP65 RATING

V-TAC Meaningful Innovation.

SMART CAMERAS

02 YEAR WARRANTY

NEW SMART WIFI HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11617	VT-11024-B	6

- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera WiFi with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens

360° VR | BUILT-IN BATTERY | PIR DETECTION | VOICE MONITOR | FULL COLOR NIGHT VISION

IP65 RATING

NEW SMART WIFI HD SOLAR ENERGY PTZ CAMERA

SKU	Model	Box Qty
11618	VT-11024-W	6

- 8W Solar Panel
- 18650 2600mAh Battery
- PTZ Camera WiFi with Monocrystalline Silicon Solar Panel
- 360° VR with PIR Detection with a lens angle of 95°
- Voice monitor and full color night vision
- Resolution: 2MP (1920x1080)
- Alarm Mode: Realtime calling or push message
- PTZ Angle: Horizontal 355°, Vertical 100°
- Voice Monitoring distance 20 Meters
- Local Storage TF Card Max 128GB(Not Included)
- PIR Sensor with Detection Distance 0-12 Meters
- 3.6mm Lens

360° VR | BUILT-IN BATTERY | PIR DETECTION | VOICE MONITOR | FULL COLOR NIGHT VISION

IP65 RATING

02 YEAR WARRANTY

SMART CAMERAS

V-TAC Meaningful Innovation.

CAMERA WITH LED LIGHTS IP65

SKU	Model	Box Qty
8988	VT-5158	20

HD RESOLUTION | MOTION & SOUND DETECTION | TWO WAY AUDIO | NIGHT VISION | IP65 RATING

- Input Power - DC:12V±5%
- Auto tracking
- Motion & Sound Detection
- 2.4~2.4835 Ghz Wireless Frequency
- 220°/ 90° Pan/Tilt
- 2304x1296P Resolution
- 3.0M pixel HD CMOS Image Sensor
- 3.6mm Lens
- H.265/Mjpeg Video Compression
- Protocol: TCP, UDP, DHCP, DNS, RTSP, P2P
- 10 meters Night Vision
- 25—30fps Frame Rate
- Two way Audio
- Wireless Security: WEP/WPA-PSK/WPA2- PSK data encryption
- Micro SD up to 128gb Storage
- Lan port RJ-45
- Supports Android & IOS devices
- IEEE802.11b/g/n Wireless LAN
- IP Rating: IP65

SECURITY CAMERA

SKU	Model	Box Qty
8478	VT-5135	50

HD RESOLUTION | NIGHT VISION

- Input Power - DC:12V±10%
- Resolution - 1920x1080
- Image Sensor - 1/2.8” Low illumination CMOS Sensor
- Lens - 3.6mm@F1.8
- Minimum illumination - Color-0.01Lux @(F1.2,AGC ON); 0 Lux with IR
- Black and White - 0.001 Lux @ (F1.2, AGC ON), 0 Lux with IR
- Shutter - 1/50 (1/60) seconds to 1/10,000 seconds
- Designed with Lens Type M12
- Day and night conversion mode - Supports IR-CUT
- Frame rate 1080P@20fps
- Supports Protocols - TCP/IP, HTTP, DHCP, DNS, DDNS,PPPoE, SMTP, NTP
- Communication interface - 1 10/100Mbps adaptive Ethernet port, RJ45 interface
- Infrared distance of 20-30 meters
- Audio - No
- IP Rating - IP65

SECURITY CAMERA

SKU	Model	Box Qty
8479	VT-5136	20

HD RESOLUTION | FULL COLOR NIGHT VISION

- Input Power - DC:12V
- Resolution - 1920x1080
- Image Sensor - 1/2.7” CMOS 0.001LUX/F1.2(Colorful)
- Video Compression - 32kbps-8mbps
- 2.0 Mega pixel
- Electronic Shutter - 1/25---1/10000 Second
- Day and night conversion mode - Full Color
- 3D DNR (Digital noise reduction)
- H.265 encoding type - Profile_Baseline
- Intelligent Alarm - Motion detection, occlusion alarm, video loss, network cable disconnection, IP address conflict
- Support Protocols - TCP/IP, DHCP, HTTP, DNS, RTP RTSP
- Docking Protocols - ONVIF, Hikvision, Dahua
- Universal feature - One-click recovery, dual stream, heartbeat, mirroring, video masking, anonymous access
- Communication interface - 1 RJ45 10M / 100M adaptive Ethernet port

V-TAC

Meaningful Innovation.

Smart Switches

Introducing the next generation self-powered wireless switches, functions using an RF receiver, making their use a hassle free experience. Offering a push-touch button and remote features.

Smart Switch is made of Advanced PC Material, High Strength, Impact, and High-Temperature Resistance, Non-toxic and Eco Friendly, Easy to Clean and Color Fadeless.

No-Screw Design On Panel Surface, Big Button Design With Indicator, Easy ON/OFF operation With Good Sense Of Touch, Low Sound of pressing

02 YEAR WARRANTY

SMART SWITCHES

V-TAC Meaningful Innovation.

1GANG 1WAY SENSOR SWITCH

SKU	Model	Box Qty
8460	VT-5131	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86x86x11mm
Remote Distance: Outdoor >600m | Indoor >40m

2GANG 1WAY SENSOR SWITCH

SKU	Model	Box Qty
8461	VT-5132	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86x86x11mm
Remote Distance: Outdoor >600m | Indoor >40m

3GANG 1WAY SENSOR SWITCH

SKU	Model	Box Qty
8462	VT-5133	144

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: PC
Dimensions: 86x86x11mm
Remote Distance: Outdoor >600m | Indoor >40m

REMOTE THREE GANG

SKU	Model	Box Qty
8463	VT-5143	364

Input Power: 2-3V(CR2032 Button Battery)
Switch Lifetime: 30,000 times
Body Type: ABS
Dimensions: 62x30x12mm
Remote Distance: Outdoor >160m | Indoor >20m

RECEIVER

SKU	Model	Box Qty
8458	VT-5129	364

Input Power: AC:180-240V
Body Type: PC
Dimensions: 39x23x22 mm
Remote Distance: Outdoor >600m | Indoor >40m

WI-FI RECEIVER

SKU	Model	Box Qty
8459	VT-5130	196

WORKS WITH alexa
works with Ok Google

Input Power: AC:85-265V
Body Type: PC
Dimensions: 75x28x28.5 mm
Remote Distance: Outdoor >500m | Indoor >40m

SOCKET EU 2 WAY

SKU	Model	Box Qty
8401	VT-5811-B	60
8402	VT-5811-W	60

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish
Dimensions: 158x86mm

SOCKET EU GLASS PANEL

SKU	Model	Box Qty
8399	VT-5711-B	80
8379	VT-5711-W	80

Input Power: AC:200-250V,50Hz
Switch Lifetime: >100,000 times
Body Type: PC+Glass Finish
Dimensions: 86x86mm

V-TAC

Meaningful Innovation.

Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian, European sockets and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

Key Features

- 3/4/5/6/8-way sockets – sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

30W CHARGING ADAPTER WITH 1 PD+1 QC PORT-BLACK

SKU	Box Qty
6679	320

- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output: 5V-3A, 9V-3A, 12V-2.25A Max
- USB-C output: 5V-3A, 9V-3A, 15V-2.0A, 20V-1.5A Max
- USB-A+USB-C: 5V-3A
- Total Output: 30W(Max)
- Unit Color: Black

PD POWER DELIVERY

20W CHARGING ADAPTER WITH 1 PD+1 QC PORT-BLACK

SKU	Box Qty
6677	320

- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output: 5V-3A, 9V-2A, 12V-1.5A Max
- USB-C output: 5V-3A, 9V-2.22A, 12V-1.67A Max
- USB-A+USB-C: 5V-3A
- Total Output: 20W(Max)
- Unit Color: Black

PD POWER DELIVERY

30W CHARGING ADAPTER WITH 1 PD+1 QC PORT-WHITE

SKU	Box Qty
6680	320

- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output: 5V-3A, 9V-3A, 12V-2.25A Max
- USB-C output: 5V-3A, 9V-3A, 15V-2.0A, 20V-1.5A Max
- USB-A+USB-C: 5V-3A
- Total Output: 30W(Max)
- Unit Color: White

PD POWER DELIVERY

20W CHARGING ADAPTER WITH 1 PD+1 QC PORT-WHITE

SKU	Box Qty
6678	320

- Input Power: AC:100-240V, 50/60Hz
- USB Type: Type A and Type C(PD)
- USB-A output: 5V-3A, 9V-2A, 12V-1.5A Max
- USB-C output: 5V-3A, 9V-2.22A, 12V-1.67A Max
- USB-A+USB-C: 5V-3A
- Total Output: 20W(Max)
- Unit Color: White

PD POWER DELIVERY

USB TRAVEL ADAPTOR

SKU	Box Qty
8791	48

Input Current:	0.25A	Input Power:	AC:100-230V,50/60Hz
Rated Load:	10W	Body Type:	ABS
Rated Load:	10W	Dimension:	27x47x70mm

V-TAC Meaningful Innovation.

EUROPEAN SOCKETS

02 YEAR WARRANTY

USB TRAVEL ADAPTOR

SKU	Box Qty
8792	48

Input Current: 0.25A
Rated Load: 10W
Rated Load: 10W
Input Power: AC:100-230V,50/60Hz
Body Type: ABS
Dimension: 27x47x70mm

UNIVERSAL ADAPTOR WITH OVERLOAD PROTECTION WITH 2USB 2A

SKU	Box Qty
8704	48

Universal Adapter

Input Current: 10A
Rated Load: 2500W
Rated Load: 2500W
Input Power: AC:110-250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x50x40mm

USB QC3.0 TRAVEL ADAPTOR

SKU	Box Qty
8793	48

3.0A FAST CHARGING

Input Current: 0.2A
Rated Load: 18W
Rated Load: 18W
Input Power: AC:100-240V,50/60Hz
Body Type: PC
Dimension: 42x57x24mm

UNIVERSAL ADAPTOR

SKU	Box Qty
8705	100

Universal Adapter

Input Current: 10A
Rated Load: 2500W
Rated Load: 2500W
Input Power: AC:110-250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x50x40mm

USB QC3.0 TRAVEL ADAPTOR

SKU	Box Qty
8794	48

3.0A FAST CHARGING

Input Current: 0.2A
Rated Load: 18W
Rated Load: 18W
Input Power: AC:100-240V,50/60Hz
Body Type: PC
Dimension: 42x57x24mm

ADAPTER WITH EARTHING CONTACT & CHARGING

SKU	Box Qty
8795	60

2 USB PORT

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:110-230V,50/60Hz
Body Type: ABS
Dimension: 107x54.2x74.2mm

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

ADAPTER WITH EARTHING CONTACT & CHARGING

SKU	Box Qty
8796	60

2 USB PORT

Input Current:	16A	Input Power:	AC:110-230V,50/60Hz
Rated Load:	3680W	Body Type:	ABS
Rated Load:	3680W	Dimension:	107x54.2x74.2mm

4 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8770	40

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	174x45x40mm

4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

1.4M Wire

SKU	Box Qty
8800	40

Input Current:	16A	Input Power:	AC:230V
Rated Load:	3680W	Body Type:	PC
Color:	White	Dimension:	77X77X82.8mm

4 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8771	40

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	Black	Dimension:	174x45x40mm

3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M

1.4M Wire

SKU	Box Qty
8799	40

Input Current:	16A	Input Power:	AC:230V
Rated Load:	3680W	Body Type:	PC
Color:	White	Dimension:	130X138.30x42mm

8 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8772	40

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	186x45x40mm

V-TAC Meaningful Innovation.

EUROPEAN SOCKETS

02 YEAR WARRANTY

8 HOLES SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8773	40

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 186x45x40mm

3WAYS SOCKET WITH 2USB

1.5M Wire

SKU	Box Qty
8776	40

2 USB PORT

Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

1.5M Wire

SKU	Box Qty
8774	40

2 USB PORT

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

5M Wire

SKU	Box Qty
8777	20

2 USB PORT

Input Current: 16A
Rated Load: 3680W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH 2USB

5M Wire

SKU	Box Qty
8775	20

2 USB PORT

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8754	40

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 170x45x40mm

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

3 WAYS SOCKET

3M Wire

SKU	Box Qty
8755	30

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 170x45x40mm

5 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8758	40

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

4 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8756	40

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

5 WAYS SOCKET

3M Wire

SKU	Box Qty
8759	30

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

4 WAYS SOCKET

3M Wire

SKU	Box Qty
8757	30

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

6 WAYS SOCKET

1.5M Wire

SKU	Box Qty
8760	40

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

V-TAC
Meaningful Innovation.

EUROPEAN SOCKETS

02 YEAR WARRANTY

6 WAYS SOCKET

3M Wire

SKU	Box Qty
8761	30

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

4WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8764	40

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8762	40

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

4WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8765	20

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 178x45x40mm

3WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8763	20

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 174x45x40mm

5WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8766	40

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 182x45x40mm

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

5WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8767	20

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	182x45x40mm

3 WAYS DESK SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

1.4M Wire

SKU	Box Qty
8817	20

LIGHTED SWITCH

2 USB PORT

Input Current:	3x16A	Input Power:	AC:230V
Rated Load:	3500W	Body Type:	PC,PVC, COPPER
Color:	Black	Dimension:	225x65x73mm

6WAYS SOCKET WITH SWITCH

1.5M Wire

SKU	Box Qty
8768	40

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	186x45x40mm

4 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

1.4M Wire

SKU	Box Qty
8808	20

LIGHTED SWITCH

2 USB PORT

Input Current:	4x16A	Input Power:	AC:200-240V,50Hz
Rated Load:	3680W	Body Type:	PC,PVC, COPPER
Color:	White	Dimension:	307x46x42mm

6WAYS SOCKET WITH SWITCH

5M Wire

SKU	Box Qty
8769	20

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	186x45x40mm

5 WAYS SOCKET WITH LIGHTED SWITCH & 2 USB PORTS

3M Wire

SKU	Box Qty
8807	20

LIGHTED SWITCH

2 USB PORT

Input Current:	5x16A	Input Power:	AC:200-240V,50Hz
Rated Load:	3680W	Body Type:	PP,PVC, COPPER
Color:	White	Dimension:	365x53x44mm

V-TAC
Meaningful Innovation.

EUROPEAN SOCKETS

02 YEAR WARRANTY

5 WAYS SAFE SOCKET WITH LIGHTED SWITCH

1.4M Wire

SKU	Box Qty
8818	20

LIGHTED SWITCH

Input Current: 5x16A
Rated Load: 3680W
Color: White
Input Power: AC:230V
Body Type: PP,PVC, COPPER
Dimension: 330x55x41mm

4 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8785	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 91.2x49x78.1mm

2 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8783	100

Input Current: 16A
Rated Load: 2300W
Rated Load: 2300W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 98x46x74.6mm

2 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8786	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 87.5x45.8x99.5mm

ADAPTER WITH 3 EURO-SOCKET

SKU	Box Qty
8784	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 93.1x48x75.3mm

3 WAYS ADAPTER WITH EARTHING CONTACT

SKU	Box Qty
8787	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 92.8x72.4x86.1mm

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

3 OUTLET POWER ADAPTER WITH EARTH CONTACT AND SWITCH

SKU	Box Qty
8788	100

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W

Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 93.1x69.7x76.5mm

2 OUTLET ADAPTER 2.5A

SKU	Box Qty
8801	200

Input Current: 16A
Rated Load: 1100W
Rated Load: 1100W

Input Power: AC:230V
Body Type: PP
Dimension: 44X39X61mm

3 OUTLET POWER ADAPTER WITH EARTH CONTACT

SKU	Box Qty
8789	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W

Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 133.6x49.5x76.9mm

3 OUTLET ADAPTER 2.5A

SKU	Box Qty
8802	200

Input Current: 16A
Rated Load: 1700W
Rated Load: 1700W

Input Power: AC:230V
Body Type: PP
Dimension: 65x47x72mm

3 OUTLET POWER ADAPTER

SKU	Box Qty
8790	100

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W

Input Power: AC:250V, 16A
Body Type: PP Plastic+ Copper
Dimension: 87.5x84.98x59.4mm

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH EARTHING CONTACT 16A

SKU	Box Qty
8804	200

Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W

Input Power: AC:230V
Body Type: PP
Dimension: 92x47.5x75mm

V-TAC Meaningful Innovation.

EUROPEAN SOCKETS

02 YEAR WARRANTY

2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A

SKU	Box Qty
8805	200

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:230V
Body Type: PP
Dimension: 92x50x75mm

1 WAY ADAPTER-16A

SKU	Box Qty
8809	100

SURGE PROTECTION

Input Current: 16A
Rated Load: 3680W
Rated Load: 3680W
Input Power: AC:200-240V,50Hz
Body Type: PP COPPER
Dimension: 80x55x72mm

4 OUTLET ADAPTER 2.5A

SKU	Box Qty
8803	200

Input Current: 16A
Rated Load: 2300W
Rated Load: 2300W
Input Power: AC:230V
Body Type: PP
Dimension: 83x47x72mm

ADAPTER WITH 2 POLE SWITCH

SKU	Box Qty
8841	100

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W
Input Power: AC:250V
Body Type: PP Body
Dimension:

ADAPTER WITH 2 SOCKET 2.5A,1 SOCKET 16A WITH SWITCH & EARTHING CONTACT16A

SKU	Box Qty
8806	200

Input Current: 16A
Rated Load: 3500W
Rated Load: 3500W
Input Power: AC:230V
Body Type: PP
Dimension: 95x70x74mm

CABLE REEL WITH 4 SOCKET

10M Wire

SKU	Box Qty
8781	5

Input Current: 16A
Rated Load: 3500W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 20X27X6.5mm

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

CABLE REEL WITH 4 SOCKET

25M Wire

SKU	Box Qty
8782	1

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	Black	Dimension:	24X13X33mm

Extension Cord

10M Wire

SKU	Box Qty
8780	15

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	200x110x40mm

Extension Cord

3M Wire

SKU	Box Qty
8778	30

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	250x200x150mm

Extension Cord

5M Wire

SKU	Box Qty
8779	30

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3680W	Body Type:	PP+COPPER
Color:	White	Dimension:	200X160X90mm

2 WAYS ADAPTER-16A-IP44

SKU	Box Qty
8812	100

Input Current:	2x16A	Input Power:	AC:200-240V,50Hz
Rated Load:	3680W	Body Type:	PP COPPER
Color:	Green	Dimension:	105x66x106mm

V-TAC Meaningful Innovation.

EUROPEAN SOCKETS

02 YEAR WARRANTY

2 WAYS GARDEN SPIKE SOCKET WITH MECHANICAL TIMER

3M Wire

SKU	Box Qty
8811	8

Input Current: 2x16A
Rated Load: 3500W
Color: Green
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x145x113mm

4 WAYS SOCKET-IP44

3M Wire

SKU	Box Qty
8814	10

Input Current: 4x16A
Rated Load: 3680W
Color: Black+Yellow
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 230x71x94mm

4 WAYS GARDEN SPIKE SOCKET-IP44

3M Wire

SKU	Box Qty
8810	8

Input Current: 4x16A
Rated Load: 3500W
Color: Green
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x145x113mm

5 WAYS SOCKET WITH LIGHTED SWITCH-IP44

3M Wire

SKU	Box Qty
8813	10

LIGHTED SWITCH

Input Current: 5x16A
Rated Load: 3680W
Color: Black+Yellow
Input Power: AC:230V
Body Type: PP,RUBBER, COPPER
Dimension: 403x73x49.5mm

WATERPROOF SAFE BOX-IP44

SKU	Box Qty
8819	40

Input Current: 16A
Rated Load: NA
Rated Load: NA
Input Power: AC:230V
Body Type: PP
Dimension: 212x82x72mm

EXTENSION CORD-1 WAY-16A-IP44

15M Wire

SKU	Box Qty
8816	8

Input Current: 16A
Rated Load: 3500W
Color: Orange+Black
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 357x130x130mm

02 YEAR WARRANTY

EUROPEAN SOCKETS

V-TAC Meaningful Innovation.

EXTENSION CORD-1 WAY-16A-IP44

30M Wire

SKU	Box Qty
8815	4

Input Current:	16A	Input Power:	AC:230V
Rated Load:	3500W	Body Type:	PVC, COPPER,PP
Color:	Orange+Black	Dimension:	473x128x150mm

2 WAYS GARDEN SOCKET WITH LAMP IP44

2 Way Socket

SKU	Box Qty
8822	4

Input Current:	16A	Input Power:	AC:220-240V,50Hz
Rated Load:	3680W	Body Type:	Stainless Steel+PC
Color:	Dark Grey	Dimension:	127x455mm

2 WAYS GARDEN SOCKET IP44

2 Way Socket

SKU	Box Qty
8820	6

Input Current:	16A	Input Power:	AC:220-240V,50Hz
Rated Load:	3680W	Body Type:	Stainless Steel
Color:	Dark Grey	Dimension:	127x300mm

Multipresa, 3 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8706	50

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	115x47x22mm

4 WAYS GARDEN SOCKET IP44

4 Way Socket

SKU	Box Qty
8821	4

Input Current:	16A	Input Power:	AC:220-240V,50Hz
Rated Load:	3680W	Body Type:	Stainless Steel
Color:	Dark Grey	Dimension:	157x395mm

Multipresa, 4 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8707	50

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	135x47x22mm

V-TAC
Meaningful Innovation.

ITALIAN SOCKETS

02 YEAR WARRANTY

Multipresa, 5 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8708	40

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	155x47x22mm

4 POS. CON INTERRUTTORE LUMINOSO 10/16A BIPASSO/SCHUKO

1.5M Wire

SKU	Box Qty
8711	40

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	245x55x45mm

Multipresa, 6 pos. 10/16A prese Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8709	40

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	170x47x22mm

5 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8712	30

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	280x55x45mm

3 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8710	50

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	200x55x45mm

6 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8713	30

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	325x55x45mm

02 YEAR WARRANTY

ITALIAN SOCKETS

V-TAC Meaningful Innovation.

7 pos. con interruttore luminoso 10/16A Bipasso/schuko

1.5M Wire

SKU	Box Qty
8714	30

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 370x55x45mm

6 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

1.5M Wire

SKU	Box Qty
8749	30

LIGHTED SWITCH

Input Current: 16A
Rated Load: 2500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200x100x45mm

5pos. con interruttore luminoso 10/16A Bipasso/schuko + con 2 connessioni USB

1.5M Wire

SKU	Box Qty
8715	30

LIGHTED SWITCH

2 USB PORT

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 335x55x45mm

2 prese 2p+t 10/16A Bipasso 1 prese Bipasso/Schuko

3M Wire

SKU	Box Qty
8733	50

Input Current: 16A
Rated Load: 2500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 100x47x52mm

4 pos.10/16A Bipasso/schuko con protezione sovratensionni e interruttori luminoso

1.5M Wire

SKU	Box Qty
8748	40

LIGHTED SWITCH

Input Current: 16A
Rated Load: 2500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 160x100x45mm

4 prese 2p+t 10/16A Bipasso 2 prese 10/16A Bipasso/Schuko

1.5M Wire

SKU	Box Qty
8734	25

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 150x47x45mm

V-TAC Meaningful Innovation.

ITALIAN SOCKETS

02 YEAR WARRANTY

6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

1.5M Wire

SKU	Box Qty
8735	25

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	195x47x45mm

5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e interruttore generale luminoso e 5 interruttori indipendenti

1.5M Wire

SKU	Box Qty
8738	30

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	260x72x40mm

8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

1.5M Wire

SKU	Box Qty
8736	30

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	240x47x45mm

6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e interruttori generale luminoso e 6 interruttore indipendenti

1.5M Wire

SKU	Box Qty
8739	30

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	305x70x35mm

4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensionni e interruttore generale luminoso e 4 interruttori indipendenti

1.5M Wire

SKU	Box Qty
8737	30

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	225x72x40mm

2 presa 2p+T10/16A Bipasso + 1 presa Bipasso/schuko
con protezione sovraccarco / con 2USB

1.5M Wire

SKU	Box Qty
8745	40

LIGHTED SWITCH

2 USB PORT

Input Current:	10A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PP+COPPER
Color:	White	Dimension:	145x50x40mm

02 YEAR WARRANTY

ITALIAN SOCKETS

V-TAC Meaningful Innovation.

4 pos. Con interruttore luminoso10/16A Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8740	30

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 160x50x30mm

5 pos. Con interruttore luminoso 10/16A Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8741	30

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 180x47x30mm

6 pos. Con interruttore luminoso 10/16A Bipasso Con attacco a parete

1.5M Wire

SKU	Box Qty
8742	30

LIGHTED SWITCH

Input Current: 16A
Rated Load: 3500W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PP+COPPER
Dimension: 200x50x30mm

2 prese 2P+T 10/16A Bipasso Con protezione termica ripristinabile

5M Wire

SKU	Box Qty
8700	10

Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 200x160x90mm

4 prese Bipasso/Schuko Con protezione termica ripristinabile

10M Wire

SKU	Box Qty
8701	6

Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 250x200x150mm

V-TAC
Meaningful Innovation.

ITALIAN SOCKETS

02 YEAR WARRANTY

4 prese Bipasso/Schuko Con protezione termica ripristinabile

15M Wire

SKU	Box Qty
8702	6

Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 240x190x160mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 30m, con spina italiana 16A, con telaio portacavi

30M Wire

SKU	Box Qty
8833	4

Input Current: 10/16A
Rated Load: 2500W
Rated Load: 2500W
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 473x128x150mm

4 prese Bipasso/Schuko Con protezione termica ripristinabile

25M Wire

SKU	Box Qty
8703	4

Input Current: 16A
Rated Load: 2200W
Color: Black
Input Power: AC:250V,50/60Hz
Body Type: ABS+PC+COPPER
Dimension: 300x240x190mm

Prolunga lineare spina 10A,2p+T prese 10A

3M Wire

SKU	Box Qty
8729	30

Input Current: 10A
Rated Load: 2300W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 200x110x40mm

Prolunga, 1 via 10/16A presa italiana/Schuko con cavo VDE H05VV-F 3G1.5mm2 15m, con spina italiana 16A, con telaio portacavi

15M Wire

SKU	Box Qty
8834	8

Input Current: 10/16A
Rated Load: 2500W
Rated Load: 2500W
Input Power: AC:230V
Body Type: PVC, COPPER,PP
Dimension: 357x130x130mm

Prolunga lineare spina 10A,2p+T prese 10A

5M Wire

SKU	Box Qty
8730	30

Input Current: 10A
Rated Load: 2300W
Color: White
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 230x110x60mm

02 YEAR WARRANTY

ITALIAN SOCKETS

V-TAC Meaningful Innovation.

Prolunga lineare spina 16A,2p+T prese 10/16Aa

3M Wire

SKU	Box Qty
8731	50

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PC+COPPER
Color:	White	Dimension:	200x110x40mm

Adattatore spina 16A 2 prese 2P+T 10/16A + 1 presa/Schuko con interruttore

SKU	Box Qty
8716	200

LIGHTED SWITCH

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	1500W	Body Type:	PC+COPPER
Rated Load:	1500W	Dimension:	85x75x50mm

Prolunga lineare spina 16A,2p+T prese 10/16Aa

5M Wire

SKU	Box Qty
8732	30

Input Current:	16A	Input Power:	AC:250V,50/60Hz
Rated Load:	3500W	Body Type:	PC+COPPER
Color:	White	Dimension:	230x110x60mm

Adattatore rotante,Spina 10A 2 prese 2P+T 10/16A Bipasso+ 1 presa Bipasso/Schuko Con protezione de sovraccarico

SKU	Box Qty
8744	60

LIGHTED SWITCH

Input Current:	10A	Input Power:	AC:250V,50/60Hz
Rated Load:	1500W	Body Type:	PC+COPPER
Rated Load:	1500W	Dimension:	80x75x48mm

Adattatore Spina 10A 4 prese 10/16A Bipasso Con protezione de sovraccarico

SKU	Box Qty
8746	200

LIGHTED SWITCH

Input Current:	10A	Input Power:	AC:250V,50/60Hz
Rated Load:	1500W	Body Type:	PC+COPPER
Rated Load:	1500W	Dimension:	95x70x70mm

V-TAC
Meaningful Innovation.

ITALIAN SOCKETS

02 YEAR WARRANTY

Adattatore Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico

SKU	Box Qty
8743	200

LIGHTED SWITCH

Input Current:	10A	Input Power:	AC:250V,50/60Hz
Rated Load:	1500W	Body Type:	PC+COPPER
Rated Load:	1500W	Dimension:	95x50x40mm

Adattatore 3 vie 10 / 16A presa Italiana
con interruttore, con spina Italiana 16A

SKU	Box Qty
8831	100

LIGHTED SWITCH

Input Current:	10/16A	Input Power:	AC:200-240V,50Hz
Rated Load:	1500W	Body Type:	PC COPPER
Rated Load:	1500W	Dimension:	70x64x54mm

UNIVERSAL ADAPTOR
10A 250V~

SKU	Box Qty
8747	200

Universal Adapter

Input Current:	10A	Input Power:	AC:250V,50/60Hz
Rated Load:	1500W	Body Type:	PC+COPPER
Rated Load:	1500W	Dimension:	70x55x50mm

Adattatore presa Italiana 1 via 10 / 16A,
con protezione contro le sovratensioni,
con spina Italiana da 16A

SKU	Box Qty
8832	100

Input Current:	10/16A	Input Power:	AC:200-240V,50Hz
Rated Load:	3680W	Body Type:	PC PP COPPER
Rated Load:	3680W	Dimension:	80x55x72mm

Adattatore
2 vie 10 / 16A presa Italiana e
1 via 10 / 16A presa Italiano / Schuko con
interruttore due porte di ricarica USB 2.1A
spina italiana 16A

SKU	Box Qty
8830	100

LIGHTED SWITCH

2 USB PORT

Input Current:	10/16A	Input Power:	AC:200-240V,50Hz
Rated Load:	1500W	Body Type:	PC COPPER
Rated Load:	1500W	Dimension:	120x84x54mm

02 YEAR WARRANTY

ITALIAN SOCKETS

V-TAC Meaningful Innovation.

Spina 2p+t 10A

SKU	Box Qty
8717	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x32x15mm

Adattatore spina 16A presa 2p+T 10A schuko

SKU	Box Qty
8720	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 75x40x40mm

Spina 2p+t 16A

SKU	Box Qty
8718	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x43x20mm

10A adattatore spina 10 A 3 prese10 A

SKU	Box Qty
8721	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 60x50x48mm

Spina 2p+t 10A

SKU	Box Qty
8719	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 70x40x40mm

Adattatore spina 16A 3 presa 10A /16A Bipasso

SKU	Box Qty
8722	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 60x47x40mm

V-TAC Meaningful Innovation.

ITALIAN SOCKETS

02 YEAR WARRANTY

Adattatore spina 10A 2presa 10/ 10A schuko

SKU	Box Qty
8723	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 75x50x40mm

Spina 2p+t 16A

SKU	Box Qty
8726	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x60x45mm

Adattatore spina 16A 2presa 10/ 16A Bipasso + 1 Bipasso/schuko

SKU	Box Qty
8724	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 75x50x40mm

Spina 2p+t 10A

SKU	Box Qty
8727	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x35x25mm

Adattatore spina 10A 4 prese 10A

SKU	Box Qty
8725	200

Input Current: 10A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 95x60x45mm

Prese 10A /16A Bipasso 2p+T

SKU	Box Qty
8728	200

Input Current: 16A
Rated Load: 1500W
Rated Load: 1500W
Input Power: AC:250V,50/60Hz
Body Type: PC+COPPER
Dimension: 65x43x25mm

02 YEAR WARRANTY

CABLE TIE

V-TAC Meaningful Innovation.

STAINLESS STEEL CABLE TIE

- Secure loose wires and components easily with no slipping
- Features locking mechanism
- Stainless steel cable tie of 304 Grade - Non-Rustable

SKU	Maximum Hold	Size	Box Qty
11188	60 Kgs	4.6x200mm	50
11189	60 Kgs	4.6x250mm	50
11190	60 Kgs	4.6x300mm	50
11191	60 Kgs	4.6x350mm	50

NYLON CABLE TIE BLACK

- High quality
- Easy to thread
- Suitable for a multitude of uses

UV ULTRAVIOLET PROTECTION

SKU	Maximum Hold	Size	Box Qty
11160	8 Kgs	2.5x100mm	500
11162	8 Kgs	2.5x150mm	400
11164	8 Kgs	2.5x200mm	300
11166	18 Kgs	3.5x150mm	250
11168	18 Kgs	3.5x200mm	200
11169	18 Kgs	3.5x250mm	150
11170	18 Kgs	3.5x300mm	150
11172	22 Kgs	4.5x150mm	200
11174	22 Kgs	4.5x300mm	100
11176	22 Kgs	4.5x350mm	100
11177	22 Kgs	4.8x200mm	150
11178	23 Kgs	7.6x300mm	60

NYLON CABLE TIE WHITE

- High quality
- Easy to thread
- Suitable for a multitude of uses

SKU	Maximum Hold	Size	Box Qty
11159	8 Kgs	2.5x100mm	500
11161	8 Kgs	2.5x150mm	400
11163	8 Kgs	2.5x200mm	300
11165	18 Kgs	3.5x150mm	250
11167	18 Kgs	3.5x200mm	200
11171	22 Kgs	4.5x150mm	200
11175	22 Kgs	4.5x350mm	100
11173	22 Kgs	4.5x300mm	100

V-TAC
Meaningful Innovation.

Decorative Ceiling Fans

Add a modern touch to your room with V-TAC's Ceiling Fans. Available with up to 3 speeds and in different sizes, these fans o er quiet, efficient, and wobble-free performance. Additionally, the fixtures feature integrated LEDs and come in several finishes to match any interior decor. Equipped with a pull chain and both forward and reverse function modes, V-TAC's ceiling fans are a modern twist on a classic design.

Key Features

- Both AC and DC motor variations available
- Available in a range of sizes and finishes
- Remote Control and Pull-chain for speed control and On/Off
- Forward and reverse function for cool or warm airflow

02 YEAR WARRANTY

DECORATIVE FANS

V-TAC Meaningful Innovation.

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
2866	65W	VT-6552-3-W	1

3 ABS PLASTIC BLADES

AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model
2867	65W	VT-6552-3-BR

3 ABS PLASTIC BLADES

AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
2868	65W	VT-6552-3-BL	1

3 ABS PLASTIC BLADES

AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

V-TAC Meaningful Innovation.

DECORATIVE FANS

02 YEAR WARRANTY

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7914	50W	VT-6042-4	1

4 MDF BLADES | 3 SPEEDS AND LIGHT PULL CHAIN | AC -POWER MOTOR

- 42” (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 x 10mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 1xE27 light kit (light source NOT included)
- Motor Power AC:220V,50Hz,50W (power of the motor)
- G.W.: 4.0KG / N.W.: 3.28KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7921	55W	VT-6056-4	1

4 GLASS SHADES | 3 SPEEDS AND LIGHT PULL CHAIN | AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades with cane and double color
- Powerful Motor:153 × 11mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 12°
- 3 speeds and light pull chain
- 4xE27 light kit (light source NOT included)
- 4 glass shade
- Motor Power AC:220V,50HZ,55W (power of the motor)
- G.W.:4.5KG / N.W.:3.8KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7917	60W	VT-6054-4-1	1

LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.6KG / N.W.: 6.8KG

02 YEAR WARRANTY

DECORATIVE FANS

V-TAC Meaningful Innovation.

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7915	60W	VT-6043-4	1

LIGHT KIT | 4 MDF BLADES | AC -POWER MOTOR

- 42" (107CM) Decorative ceiling fan
- With forward and reverse function
- 4 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power AC:220V,50HZ,60W (power of the motor)
- G.W.: 6.8KG / N.W.: 6.1KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7916	60W	VT-6053-5	1

LIGHT KIT | 5 MDF BLADES | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KG / N.W.:6.7KG

CEILING FAN AC MOTOR

SKU	Watts	Model	Box Qty
7913	60W	VT-6052-5	1

LIGHT KIT | 5 MDF BLADES DOUBLE COLOR | AC -POWER MOTOR

- 52" (132CM) Decorative ceiling fan
- With forward and reverse function
- 5 MDF blades double color
- Powerful Motor:153 × 15mm, 2.3kg
- Revolutions per minute:190±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Power:AC:220V,50HZ,60W (power of the motor)
- G.W.: 7.3KGS / N.W.: 6.5KGS

V-TAC Meaningful Innovation.

DECORATIVE FANS

02 YEAR WARRANTY

CEILING FAN DC MOTOR

SKU	Watts	Model	Box Qty
7918	35W	VT-6054-4	1

LIGHT KIT | 4 MDF BLADES | DC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- Reversable Double Color Blades
- With forward and reverse function
- 4 MDF blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 2xE27 light kit (light source NOT included)
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.: 7.3KG / N.W.: 6.5KG

CEILING FAN DC MOTOR

SKU	Watts	Model	Box Qty
7919	35W	VT-6055-3-1	1

LIGHT KIT | 3 ABS PLASTIC BLADES | DC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

CEILING FAN DC MOTOR

SKU	Watts	Model	Box Qty
7920	35W	VT-6055-3	1

LIGHT KIT | 3 ABS PLASTIC BLADES | DC -POWER MOTOR

- 52” (132CM) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- DC powerful motor:153 × 15mm, 2.1kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- 15W 3IN1 CCT - 1500 Lumens
- Motor Power DC:220V,50HZ,35W (energy-saving)
- G.W.:7.2KG / N.W.:6.5KG

02 YEAR WARRANTY

STAND/DESK FANS

V-TAC Meaningful Innovation.

STAND FAN CROSS BASE

SKU	Watts	Model	Box Qty
7922	40W	VT-4016-3	1

Oscillation
LOW | MEDIUM | HIGH

- 16” STAND FAN
- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- 1.2m height
- 600mm Cross Base
- GW:2.6KGS
- Size:600 × 600 × 1200mm

STAND FAN ROUND BASE

SKU	Watts	Model	Box Qty
7923	55W	VT-5016-5	1

Oscillation
LOW | MEDIUM | HIGH

- 16” STAND FAN
- AC: 220—240V~50/60Hz 55W
- 3 speed control
- Oscillation function
- 1.25m height
- 410mm Round Base
- GW:4.3KGS
- Size:430 × 410 × 1200mm

DESK FANS

SKU	Watts	Model	Box Qty
7924-12”	40W	VT-4012-3	1
7925-16”	40W	VT-4017-3	1

Oscillation
LOW | MEDIUM | HIGH

- AC: 220—240V~50/60Hz 40W
- 3 speed control
- Oscillation function
- GW:2.0KGS
- 12” Size: 340 × 260 × 480mm
- 16”Size: 410 × 260 × 510mm
- Box Qty: 1pc

V-TAC Meaningful Innovation.

DECORATIVE FANS

02 YEAR WARRANTY

CEILING FAN DC MOTOR

LIGHT KIT | 3 PC PLASTIC BLADES | DC -POWER MOTOR

SKU	Watts	Model	Box Qty
7929	35W	VT-3042-3	1

- 42” (107CM) Decorative ceiling fan
- With forward and reverse function
- 3 PC Plastic blades
- DC powerful motor:153 × 15mm, 2.3kg
- Revolutions per minute:220±10 RPM
- Blade angle 13°
- 5 speeds and light remote control
- LED 30W 3IN1 CCT - 3000 Lumens
- Motor Power DC:220V,50HZ,35W (motor)
- G.W.: 9.8KG / N.W.: 9.1KG

MIST FAN WITH WHEELS

Oscillation
LOW | MEDIUM | HIGH

SKU	Watts	Model	Box Qty
7936	80W	VT-8217-3	1

- 16” (40.6CM) Mist fan
- With 430mm diameter radial grill
- 3PP blade with a speed of Max 55.96m³/Min
- Remote type selection with oscillation
- Designed with 3 variants of speed: Low, Medium, and High
- Adjustable Mist
- Timer (with Remote)7.5H
- Water Tank Capacity 3.2 Litre
- 6 Wheels for easy moving

02 YEAR WARRANTY

DECORATIVE FANS

V-TAC Meaningful Innovation.

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- BLUE RING

LED - 3IN1 CCT | 7 MDF BLADES | AC -POWER MOTOR

SKU	Watts	Model	Box Qty
7934	45W	VT-5022-B	1
217934	45W	VT-5022-B-N	1

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

LED BOX FAN CEILING LIGHT RF CONTROL 3 IN 1- GREY RING

LED - 3IN1 CCT | 7 MDF BLADES | AC -POWER MOTOR

SKU	Watts	Model	Box Qty
7935	45W	VT-5022-G	1
217935	45W	VT-5022-G-N	1

- 24inch(60cm) Decorative ceiling box fan
- 45W AC Motor, 220V 50Hz
- 35W LED (3000lm) - 3IN1 CCT (3000K/4000K/6500K)
- 3 Speeds(low, medium and high) and light remote control
- 7 ABS Blades
- Blade angle 13°
- 360° Air flow
- Revolutions per minute 1100±10RPM

V-TAC Meaningful Innovation.

TOWER FANS

02 YEAR WARRANTY

TOWER FAN



Oscillation

LOW | MEDIUM | HIGH

SKU	Watts	Model	Box Qty
7926	45W	VT-4538	1

- Voltage/Freq: AC:220-240V,50/60Hz
- Size(inches): 31
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Function: Oscillation Function
- Timer: 1hr(Max)
- Plug Type: EU
- IP Rating: IP20

TOWER FAN



3 Wind Mode

NORMAL | NATURAL | SLEEP

SKU	Watts	Model	Box Qty
7900	55W	VT-5536	1

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 36
- Material: ABS
- Unit Color: White
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20

02 YEAR WARRANTY

TOWER FANS

V-TAC Meaningful Innovation.

TOWER FAN

3 Wind Mode
NORMAL | NATURAL | SLEEP

SKU	Watts	Model	Box Qty
7901	55W	VT-5546	1

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.75m
- Plug Type: EU
- IP Rating: IP20

TOWER FAN



3 Wind Mode
NORMAL | NATURAL | SLEEP

SKU	Watts	Model	Box Qty
7902	55W	VT-5547	1

- Voltage/Freq: AC:220-240V,50Hz
- Size(inches): 46
- Material: ABS
- Unit Color: White & Black Finish
- Speed: 3(Low-Med-High)
- Wind Mode: 3 (Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Power Cord Length: 1.8m
- Plug Type: EU
- IP Rating: IP20

V-TAC
Meaningful Innovation.

Wireless Speakers

Bring the music anywhere you want to — these speakers are perfect for beach parties, your garden, or any indoor or outdoor event. Achieve full sound clarity even without a full sound system — enjoy the convenience of our quality, perfect for music and movies. Bring the sound of the holiday to birthdays, special occasions and occasional parties. Powerful bass enables your party people to enjoy stronger music throughout the venue.
This multifunctional microphone can be used for various activities, including voice speech, karaoke and instrument use

Key Features

- Rechargeable
- RGB LED lights with On/Off switch.
- FM Radio function & Mic input.
- Includes one wired microphone, remote control & USB rechargeable cable.

02 YEAR WARRANTY

WIRELESS SPEAKERS

V-TAC Meaningful Innovation.

TROLLEY SPEAKER

SKU	Model	Box Qty
8990	VT-6282-2	1

LED LIGHT WITH ON/OFF SWITCH | 2-4 HOURS BATTERY TIME | WIRELESS - USB MICRO-SD - REMOTE CONTROL

SOUNDOR 8x2 Wireless Party Speaker

1000W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 1000W
- Rechargeable Trolley speaker 8 inch woofer with handle and RF Control.
- AC:100-240V, 50/60Hz input power.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 7.4V/5000mAh.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- FM Radio-Frequency 87.5-1080MHz.
- AUX, Guitar and MIC input.
- Working distance up to 15 meters in open space
- Remote Control distance upto 5m in open space
- Dimensions:320x310x685mm
- Includes one Wireless microphone, Remote Control and Power adaptor.

TROLLEY SPEAKER

SKU	Model	Box Qty
7677	VT-6000W	1 pc

LED LIGHT WITH ON/OFF SWITCH | 2-4 HOURS BATTERY TIME | WIRELESS - USB MICRO-SD - REMOTE CONTROL

SOUNDOR 8x2 Wireless Party Speaker

600W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 600W
- Output: 15Wx2
- Frequency: 60HZ---20KHZ
- 2x8Inch Speaker with Tweeter
- Power Supply: DC:5V
- Battery: 3.7V 2400mAh
- 260x240x605mm
- Includes USB cable,User manual,Remote control,One wired mic
- Function:BT/USB/TF/FM /AUX/three knob /Karaoke/
- Running LED light/Display/TWS/3knobs

V-TAC
Meaningful Innovation.

WIRELESS SPEAKERS

02 YEAR WARRANTY

TROLLEY SPEAKER

SKU	Model	Box Qty
6663	VT-6204-2	12

PARTY LIGHTS | 3-6 hrs 3-6 HOURS BATTERY TIME | WIRELESS CONNECTIVITY

SOUNDOR 5
Wireless Party Speaker

150W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x4 inch woofer.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:185.3x177x410.5mm
- Includes one USB cable.

TROLLEY SPEAKER

SKU	Model	Box Qty
6664	VT-6203-2	20

PARTY LIGHTS | 3-6 hrs 3-6 HOURS BATTERY TIME | WIRELESS CONNECTIVITY

SOUNDOR 5
Wireless Party Speaker

150W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x3 inch woofer with handle.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:153.7x143.7x341.5mm
- Includes one USB cable.

TROLLEY SPEAKER

SKU	Model	Box Qty
7676	VT-4000W	1 pc

LED LIGHT WITH ON/OFF SWITCH | 2-4 HOURS BATTERY TIME | WIRELESS - USB MICRO-SD - REMOTE CONTROL

SOUNDOR 6x2
Wireless Party Speaker

400W P.M.P.O

TWS TRUE WIRELESS STEREO

- P.M.P.O 400W
- 2x8Inch Speaker
- Output:10Wx2
- Frequency: 100HZ---20KHZ
- Power Supply: DC:5V
- Battery: 3.7V 2400mAh
- 230x210x485mm
- Includes USB cable,User manual,Remote control & One wired mic
- Function: BT/USB/TF/FM /AUX/Three knob/Karaoke/
- Running LED light/Display/TWS/3knobs

02 YEAR WARRANTY

WIRELESS SPEAKERS

V-TAC Meaningful Innovation.

TROLLEY SPEAKER

SKU	Model	Box Qty
7736	VT-6212	1 pc

RGB LED LIGHT WITH ON/OFF SWITCH | 2-4 HOURS BATTERY TIME | WIRELESS - USB MICRO-SD - REMOTE CONTROL

SOUNDOR 12
Wireless Party Speaker

500W P.M.P.O

- P.M.P.O 500W
- Rechargeable Trolley speaker - 12 inch with handle and wheels.
- Woofer:305mm with an output of 35W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 3.7V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:510x320x270mm
- Includes one wired microphone, remote control & power cord.

TROLLEY SPEAKER

SKU	Model	Box Qty
7737	VT-6312	1 pc

RGB LED LIGHT WITH ON/OFF SWITCH | 2-4 HOURS BATTERY TIME | WIRELESS - USB MICRO-SD - REMOTE CONTROL

SOUNDOR 12
Wireless Party Speaker

500W P.M.P.O

- P.M.P.O 500W
- Rechargeable Trolley speaker - 12 inch with handle and wheels.
- Woofer:305mm with an output of 35W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 3.7V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:510x320x295mm
- Includes one wired microphone, remote control & power cord.

TROLLEY SPEAKER

SKU	Model	Box Qty
7738	VT-6315	1 pc

RGB LED LIGHT WITH ON/OFF SWITCH | 2-4 HOURS BATTERY TIME | WIRELESS - USB MICRO-SD - REMOTE CONTROL

SOUNDOR 15
Wireless Party Speaker

600W P.M.P.O

- P.M.P.O 600W
- Rechargeable Trolley speaker - 15 inch with handle and wheels.
- Woofer:381mm with an output of 50W.
- RGB LED lights with On/Off switch.
- Input power AC:100-240V.
- Rechargeable battery 7.4V/2200mAh.
- Charging time 3-4 Hours.
- Working time 2-4 Hours.
- Types of control - Wireless, USB, Micro-SD & remote control.
- FM Radio function & Mic input.
- Working distance up to 15 meters in open space.
- Dimensions:600x370x340mm
- Includes one wired microphone, one wireless microphone, remote control & power cord.

V-TAC

Meaningful Innovation.

Power Banks

In the ever-evolving landscape of portable charging solutions, magnetic wireless power banks have emerged as a game-changer. These innovative devices combine the convenience of wireless charging with the reliability of a power bank, offering a seamless and efficient way to keep your devices charged on the go.

Solar power banks are equipped with solar panels that convert sunlight into electricity, which is stored in the built-in battery. This stored energy can then be used to charge your devices, offering a greener way to stay connected while on the go. These power banks are especially valuable in outdoor settings, where access to conventional power sources may be limited.

MagSafe power banks come in various capacities, including 10,000mAh and 5,000mAh, catering to different usage scenarios. They feature a magnetic array that aligns with the magnets in your iPhone, ensuring a secure attachment and optimal charging efficiency.

02 YEAR WARRANTY

POWER BANKS

V-TAC Meaningful Innovation.

NEW ULTRA THIN MAGSAFE POWER BANKS

SKU	Watts	Color	Box Qty
7849	20W	SPACE GREY	40

- Wirelesss Charging Power Bank with Magnetic Suction Charging
- 20W Power Delivery with lightning input
- Type C Input & Output with Digital Display & Magnetic Wireless Charger
- 10000mAh capacity with Lightning Input: 5V/2A
- Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- Type C Output: 5V/3A, 9V/2.22A, 12V/1.66A(20W Max)
- Wireless Output Upto 15W with 10000mAh Capacity
- Type C: Universal for most digital devices smartphones, pads, PSP, MP3/4 and others
- Compatible with wireless charging enabled devices
- Magnetic function compatible only with iPhone 12 and above

10000 mAh | wireless CHARGING | PD POWER DELIVERY

NEW ULTRA THIN MAGSAFE POWER BANKS

SKU	Watts	Color	Box Qty
7850	20W	SPACE GREY	50
7851	20W	PURPLE	50

- Wirelesss Charging Power Bank with Magnetic Suction Charging
- 20W Power Delivery with lightning input
- Type C Input & Output with Digital Display & Magnetic Wireless Charger
- 10000mAh capacity with Lightning Input: 5V/2A
- Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- Type C Output: 5V/3A, 9V/2.22A, 12V/1.66A(20W Max)
- Wireless Output Upto 15W with 5000mAh Capacity
- Type C: Universal for most digital devices smartphones, pads, PSP, MP3/4 and others
- Compatible with wireless charging enabled devices
- Magnetic function compatible only with iPhone 12 and above

5000 mAh | wireless CHARGING | PD POWER DELIVERY

V-TAC
Meaningful Innovation.

POWER BANKS

02 YEAR WARRANTY

NEW MAGNETIC WIRELESS POWER BANKS

SKU	Model	Watts	Color	Box Qty
23038	VT-3529-B	20W	BLACK	24
23039	VT-3529-W	20W	WHITE	24
23040	VT-3529-G	20W	GREY	24

- Magnetic Wireless Powerbank with Metal Ring
- Built-in LED battery indicator display
- 10000mAh high capacity battery
- 1 USB Output, 1 Type C Input/Output
- Type C Input: DC 5V/3A 9V/2A 12V/1.5A
- Type C Output: DC 5V/3A 9V/2A 12V/1.67A
- USB A Output: 4.5V/5A 5V/4.5A 5V/3A 9V/2A 12V/1.67A
- Wireless Output: 15W
- Easy charge for all smart phones ,tablets, etc.

10000 mAh

wireless CHARGING

NEW FAST CHARGER POWER BANKS

SKU	Model	Watts	Color	Box Qty
7831	VT-10000-B	22.5W	BLACK	40
7832	VT-10000-W	22.5W	WHITE	40

- Fast Charging Power Bank with 22.5W Power Delivery
- 2 USB Output, Type C Input & Output & Micro Input
- Micro Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Output: DC:5V/3A, 9V/2.22A, 12V/1.67A
- USB Output: 5V/3A, 9V/2A, 12V/1.5A
- 10000mAh Battery with elegant Black colour finish
- Universal for most digital devices smartphones, pads, PSP, MP3/4 and others

10000 mAh

PD POWER DELIVERY

02 YEAR WARRANTY

POWER BANKS

V-TAC Meaningful Innovation.

NEW FAST CHARGER POWER BANKS

SKU	Model	Watts	Color	Box Qty
7833	VT-10005-B	22.5W	BLACK	40
7834	VT-10005-W	22.5W	WHITE	40

- Fast Charging Power Bank with 22.5W Power Delivery
- 2 USB Output, Type C Input & Output & Micro Input
- Micro Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Input: DC:5V/3A, 9V/2A, 12V/1.5A
- Type C Output: DC:5V/3A, 9V/2.22A, 12V/1.67A
- USB Output: 5V/3A, 9V/2A, 12V/1.5A
- 10000mAh Battery with elegant White colour finish
- Universal for most digital devices smartphones, pads, PSP, MP3/4 and others

10000 mAh

PD POWER DELIVERY

NEW SLIM POWER BANKS

SKU	Model	Watts	Color	Box Qty
23035	VT-3527-S	10W	SILVER	50
23036	VT-3527-B	10W	BLACK	50
23037	VT-3527-G	10W	GREY	50

- Super-slim Powerbank
- Built-in LED battery indicator display
- 10000mAh high capacity battery
- 2 USB Output, 1 Type C Input
- Type C Input: 5V/2.0A
- USB Output: 5V/2.4A
- Easy charge for all smart phones ,tablets, etc.

10000 mAh

V-TAC
Meaningful Innovation.

POWER BANKS

02 YEAR WARRANTY

NEW SOLAR WIRELESS CHARGER POWER BANKS

SKU	Model	Watts	Color	Box Qty
7835	VT-11111	20W	BLACK	20

- Solar Wireless Charging Power Bank with 5W wireless charging
- 2 USB Output with Type C & Micro Input
- Li-pol 10000mAh Battery
- Input 1: DC:5V/2A(Type C), Input 2: DC:5V/2A(Micro-B), Input 3: 1W(Solar Board)
- Output 1: DC:5V/2A(USB), Output 2: 5W(Wireless)
- Compatible with iPhone, iPod, Tablet, most mobile phone, handheld video games and digital products

10000 mAh

wireless CHARGING

NEW SOLAR WIRELESS CHARGER POWER BANKS

SKU	Model	Watts	Color	Box Qty
7836	VT-33333	20W	BLACK	10

- Solar Wireless Charging Power Bank with 15W wireless charging & 20W Power delivery
- 2 USB Output, Type C Input & Output & Micro & Lightning Input
- 30000mAh Battery and LED Lights
- Input 1: DC 5V/2A 9V/2A(Type-C), Input 2: DC 5V/2A 9V/2A(Micro-B)
- Input 3: DC 5V/2A(Lightning), Input 4: 2W(Solar board)
- Output 1: DC 5V/3A 9V/2.22A 12V/1.67A(Type-C)
- Output 2: DC 5V/3A 9V/2.22A 12V/1.67A(USB), Output 3: 5W/7.5W/10W(Wireless)
- Compatible with iPhone, iPod, Tablet, most mobile phone, handheld video games and digital products

30000 mAh

wireless CHARGING

02 YEAR WARRANTY

LED RING LIGHT

V-TAC Meaningful Innovation.

NEW 10" LED RING LIGHT WITH 1 PHONE HOLDER

SKU	Model	Watts	Lumens	Box Qty
23048 - 3IN1	VT-45010	10W	550	20

- >90 CRi
- 125° Beam Angle
- 255x265x27mm
- DC:5V
- IP20

3-IN-1 COLOR CHANGING | DIMMABLE | CRI 90

NEW 18" LED RING LIGHT WITH 3 PHONE HOLDER

SKU	Model	Watts	Lumens	Box Qty
23047 - 3IN1	VT-45055	55W	6000	4

- >90 CRi
- 125° Beam Angle
- 540x440x70mm
- AC:220-240V, 50Hz
- IP20

3-IN-1 COLOR CHANGING | DIMMABLE | CRI 90

V-TAC

Meaningful Innovation.



Insect Killer & Robot Vacuum Cleaner

At V-TAC, we believe in utilizing existing technology and resources to continuously improve our way of living. This new category comprises our latest tech innovations for a safe, modern, and comfortable space.

Key Features

- Includes Insect Killer andthe Robot Vacuum Cleaner
- Made with high-quality materials for long-lasting performance
- Easy to install and operate
- Designed for residential & commercial use

02 YEAR WARRANTY

INSECT KILLER & ROBOT VACUUM CLEANER

V-TAC Meaningful Innovation.

ELECTRONIC INSECT KILLER

SKU	Model	Watts	Coverage Area	Size	Box Qty
11179	VT-3216	16W	50m2	280x354x93.5mm	6
11180	VT-3220	20W	80m2	280x397x93.5mm	6
11181	VT-3230	30W	100m2	280x532x93.5mm	6
11182	VT-3240	40W	150m2	280x655x93.5mm	4

- Lamp life time up to 8000-hour
- Slim design - ON/OFF switch
- Removable tray
- For Indoor Use Only
- Housing made of special treated, Aluminium, scratch-proof, corrosion-proof and easy to clean
- Power supply: AC:220—240V 50/60Hz

ROBOTIC VACUUM CLEANER

- Automatic Robot Vacuum Cleaner
- Keep it Clean: Sweep, Dust & Vacuum
- Smart, Self-Programmed Cleaning Path Navigation
- Dustbin Capacity 430ml
- Construction Material: ABS Housing
- Preset Multi-Clean Modes: Auto, Spot, Edge
- Cleaning area coverage upto 120Sq. Meters
- One Button Operation & Auto-Start Activation
- 'Bag-less' Waste Bin Integrated HEPA Filter
- Anti-Fall / Anti-Collision Sensors
- Built-in Rechargeable Battery 14.4V Li-ion, 2000mAh
- Power Supply 120-240V (12V Power Adaptor)
- Dual Spinning Side Brushes Captures Dirt & Lifts Debris
- Works on Hardwood, Tile, Marble & Hard Carpet Floors
- Noise level less than 65db
- Suction Power Brusless Motor 800PA

SKU	Model	Size	Box Qty
8659 BLACK 8660 WHITE+BLUE	VT-5522	315x315x76mm	4

SMART CLEAN
SMART, SELF-PROGRAMMED CLEANING PATH NAVIGATION

MULTI CLEANER
HARDWOOD, TILE, MARBLE & HARD CARPET FLOORS

V-TAC

Meaningful Innovation.

LED Smart Home and Lights

V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of Wi-Fi-supported LED lighting & home efficiency solutions that can be fully controlled via Amazon Alexa or Google Home.

WORKS WITH alexa

works with Ok Google

02 YEAR WARRANTY

LED SMART LIGHTS

V-TAC Meaningful Innovation.

LED SMART BULB-CANDLE

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr

works with alexa | works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2754-RGB+3IN1	VT-5114	5W	470	E14	37x100mm	200
212754-RGB+3IN1	VT-5114-N	4.8W	450	E14	36.5x110mm	50

LED SMART BULB-G45

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr

works with alexa | works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2755-RGB+3IN1	VT-5124	5W	470	E27	Ø45x81mm	200

LED SMART BULB-P45

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 180°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr

works with alexa | works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2756-RGB+3IN1	VT-5154	5W	470	E14	Ø45x81mm	200
212756 -RGB+3IN1	VT-5154-N	4.8W	450	E14	Ø45x81mm	50

LED SMART BULB-A60-B22

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr

works with alexa | works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2791-RGB+3IN1	VT-5110	10w	806	B22	Ø60x120mm	100

V-TAC
Meaningful Innovation.

LED SMART LIGHTS

02 YEAR WARRANTY

NEW LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2998 -RGB+WW+CW	VT-5109	8.5W	806	E27	110x60mm	50

LED SMART BULB-A60

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2751-RGB+3IN1	VT-5119	10W	806	E27	Ø60x120mm	100
2752-RGB+3IN1	VT-5113	11W	1055	E27	Ø60x120mm	100
212752 -RGB+3IN1	VT-5113-N	11W	1055	E27	Ø60x125mm	100

NEW LED SMART BULB-A65

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2999 -RGB+3IN1	VT-5142	14W	1400	E27	65x134mm	50
2753-RGB+3IN1	VT-5117	15W	1300	E27	Ø65x135mm	100

NEW LED SMART FILAMENT BULB-E27

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 300°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
3001-3IN1	VT-5137	7W	806	E27	60x105mm	50

02 YEAR WARRANTY

LED SMART LIGHTS

V-TAC Meaningful Innovation.

LED SMART SPOTLIGHT

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 110°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 30,000 hr

WORKS WITH alexa | works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
2750-3IN1	VT-5174	4.5W	300	GU10	50x57mm	200

NEW LED SMART SPOTLIGHT

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa | works with Ok Google

SKU	Model	Watts	Lumens	Base	Size(mm)	Box Qty
3000 -RGB+3IN1	VT-2215	4.8W	380	GU10	50x56.5mm	50
2757-RGB+3IN1	VT-5164	5.5W	400	GU10	50x57mm	200

NEW SMART LED DOME LIGHT

Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa | works with Ok Google

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
7694 -RGB+3IN1	VT-5184	24W	2400	310x55mm	5
7695 -RGB+3IN1	VT-5138	36W	3600	320x55mm	5

SMART LED DOME LIGHT

Voltage/Frequency: AC:175-265V,50/60Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4Ghz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa | works with Ok Google

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
1497-3IN1	VT-5141	40w	2800	Ø:467x70mm	5
1498-3IN1	VT-5161	60w	4200	Ø572.5x70mm	5

V-TAC
Meaningful Innovation.

LED SMART LIGHTS

02 YEAR WARRANTY

LED SMART PANEL

Voltage/Frequency: AC:220-240v,50Hz
CRI: >80
Beam Angle: 120°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
8080-3IN1	VT-5140	40w	4800	595x595mm	5

NEW LED SMART STRIPLIGHT KIT

LED Type: SMD
Watt/M: 36W
lm/M: 400
IP Rating: IP68

WORKS WITH alexa
works with Ok Google

IP68 RATING

SKU	Model	Box Qty
3005 -RGB	VT-5050 60 EU IP68	10

LED SMART STRIPLIGHT KIT

LED Type: SMD
Watt/M: 13W
Current/M: 1.08A
Beam Angle: 120°
IP Rating: IP65
Width: 10mm

WORKS WITH alexa
works with Ok Google

IP65 RATING

SKU	Model	Box Qty
2699-RGB+3IN1	VT-5050 90 BS	20
2910 -RGB+3IN1	VT-5050 90 EU	20

LED SMART STRIPLIGHT KIT-2IN1

LED Type: SMD
Watt/M: 4w
Current/M: 0.75A
Voltage: DC:12V,50/60Hz
lm/M: 230
lm/LED: NA
Beam Angle: 120°
IP Rating: IP65
Width: 10mm

WORKS WITH alexa
works with Ok Google

IP65 RATING

SKU	Model	Box Qty
2628 -RGB+3IN1	VT-5050 54 EU	20

02 YEAR WARRANTY

LED SMART LIGHTS

V-TAC Meaningful Innovation.

NEW LED SMART FLOODLIGHT

Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa | works with Ok Google

IP65 RATING

RGB+COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3006 -RGB+3IN1	VT-5181	10W	725	88x133x55mm	20
3025 -RGB+3IN1	VT-5182	20W	1500	157x56x101mm	20
3026 -RGB+3IN1	VT-5185	50W	3750	152x195x57mm	10

NEW LED SMART SENSOR FLOODLIGHT

Voltage/Frequency: AC:220-240V, 50Hz
CRI: >80
Beam Angle: 100°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa | works with Ok Google

IP65 RATING

PIR MOTION SENSOR

COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3027 -3IN1	VT-5191S	10W	725	113x133x60mm	20
3010 -3IN1	VT-5192S	20W	1500	128x157x60mm	20

NEW COB SMART GARDEN SPIKE LIGHT

Voltage/Frequency: AC:220-240V, 50/60Hz
CRI: >80
Beam Angle: 70°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa | works with Ok Google

IP65 RATING

RGB+COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3014 -RGB+3IN1	VT-5167	7W	520	232x140mm	20

NEW LED SMART GARDEN SPIKE LIGHT

Voltage/Frequency: AC:220-240V, 50/60Hz
CRI: >80
Beam Angle: 70°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa | works with Ok Google

IP65 RATING

RGB+COLOR CHANGE
DIMMABLE
CONTROL BRIGHTNESS LEVEL FROM 0% TO 100%

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
3015 -RGB+3IN1	VT-5168	7Wx3	520	232x140mm	10

V-TAC
Meaningful Innovation.

LED SMART LIGHTS

02 YEAR WARRANTY

NEW LED SMART AMBIANCE LAMP

Voltage/Frequency: DC:5V, 50/60Hz
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405851 -RGB+3IN1	VT-5152	2.2W	210	85x102mm	50

NEW LED SMART AMBIANCE LAMP

Voltage/Frequency: DC:5V, 50/60Hz
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405861 -RGB+3IN1	VT-5155	4W	550	198x200x110mm	20

NEW LED SMART AMBIANCE LAMP

Voltage/Frequency: DC:5V, 50/60Hz
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 25,000 hr

WORKS WITH alexa
works with Ok Google

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
405871 -RGB	VT-7208	8W	NA	100x188mm	20

03 YEAR WARRANTY

LED SMART MAGNETIC TRACK LIGHTS

V-TAC Meaningful Innovation.

NEW COB MAGNETIC TRACK LIGHT-FLEXIBLE TUBE

works with alexa | works with Ok Google

Voltage/Frequency: DC:48V
CRI: >80
Beam Angle: 200°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)
10275 -3IN1	VT-42112-S	11W	1270	1000mm
10276 -3IN1	VT-42024-S	23W	2810	2000mm

NEW LED SMART MAGNETIC TRACK LIGHT

works with alexa | works with Ok Google

Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 90°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6882-3IN1	VT-3612	12W	1200	292x22x43mm	50
6883-3IN1	VT-3620	20W	2100	580x22x43mm	20

NEW LED SMART MAGNETIC TRACK LIGHT

works with alexa | works with Ok Google

Voltage/Frequency: DC:48V
CRI: >90
Beam Angle: 30°
Wireless Frequency: 2.4GHz
Wireless Standard: IEEE 802.11 b/g/n
Life Span: 20,000 hr

CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6884-3IN1	VT-3614	14W	1300	292x22x43mm	50
6885-3IN1	VT-3621	20W	2000	580x22x43mm	20

V-TAC Meaningful Innovation.

LED SMART MAGNETIC TRACK LIGHTS

02 YEAR WARRANTY

NEW LED SMART MAGNETIC TRACK LIGHT

Voltage/Frequency:	DC:48V
CRI:	>90
Beam Angle:	27°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Life Span:	20,000 hr

CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6888-3IN1	VT-908D	8W	700	50x150x210mm	20

NEW LED SMART MAGNETIC TRACK LIGHT

Voltage/Frequency:	DC:48V
CRI:	>90
Beam Angle:	30°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Life Span:	20,000 hr

CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6886-3IN1	VT-3610	10W	900	162x22x137mm	20
6887-3IN1	VT-3618	18W	1500	300x22x137mm	20

NEW LED SMART MAGNETIC TRACK LIGHT

Voltage/Frequency:	DC:48V
CRI:	>90
Beam Angle:	30°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Life Span:	20,000 hr

CRI 90 | DC 48V | 03 YEAR WARRANTY

SKU	Model	Watts	Lumens	Size(mm)	Box Qty
6889-3IN1	VT-908D-P	8W	700	40x1460mm	20

02 YEAR WARRANTY

ACCESSORIES FOR MAGNETIC TRACK LIGHTS

V-TAC Meaningful Innovation.

NEW

Trimless Track Rail-1000mm

SKU	Box Qty
6890	10

NEW

Trimless Track Rail-2000mm

SKU	Box Qty
6891	10

NEW

End Cap-Trimless Track Rail

SKU	Box Qty
6892	500

NEW

Trimless L Shape Vertical Connector

SKU	Box Qty
6893	100

NEW

Trimless L Shape Side Connector

SKU	Box Qty
6894	100

NEW

Surface Track Rail-1000mm

SKU	Box Qty
6896	10

NEW

Surface Track Rail-2000mm

SKU	Box Qty
6897	10

NEW

End Cap-Surface Track Rail

SKU	Box Qty
6898	500

NEW

Surface L Shape Vertical Connector

SKU	Box Qty
6899	100

NEW

Surface L Shape Side Connector

SKU	Box Qty
6900	100

NEW

I Connector for Track Rail

SKU	Box Qty
6901	100

NEW

Soft Connector for Track Rail

SKU	Box Qty
6902	100

NEW

Driver-200W

SKU	Box Qty
6895	20

Watts: 200
Output Voltage: DC:48V
Input Power: AC:220-240V

V-TAC Meaningful Innovation.

SMART HOME

02 YEAR WARRANTY

IR REMOTE CONTROL

- Input: DC:5V/1A
- Wi-Fi Frequency: 2.4Ghz
- Infrared Frequency: 38Khz
- Inrared Range: ≤ 8meters

Easy To Set-Up: Just point your remote to this device, name function on the app, and start managing all IR controls in your home.

works with alexa | works with Ok Google

SKU	Model	Box Qty
8651	VT-5151	100

REAL-TIME CONTROL | MULTI-BRAND | SET TIMER | CLOUD PANEL | POWER SAVE | SMART SCENE

NEW IR REMOTE CONTROL

- Compatible with V-TAC LED Bulbs
- IR frequency 38KHz with 2.4G WiFi
- DC:5V/1A Input Voltage
- Type C USB and Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

works with alexa | works with Ok Google

SKU	Model	Box Qty
11412	11412	50

NEW SMART WIFI PIR SENSOR

- Wi-Fi enabled simple and intelligent PIR Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

works with alexa | works with Ok Google

SKU	Model	Box Qty
6781	VT-5176	50

NEW SMART WIFI DOOR SENSOR

- Wi-Fi enabled simple and intelligent Door Motion Sensor
- Works with V-TAC Smart Light app or Alexa and Google Home
- Standby Current 40uA, Wireless Type WIFI 2.4G
- Protocol: IEEE 802.11b/g/n
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer
- Reserved lamp for external expansion: Micro

works with alexa | works with Ok Google

SKU	Model	Box Qty
6782	VT-5177	50

02 YEAR WARRANTY

SMART HOME

V-TAC Meaningful Innovation.

NEW WI-FI EU SOCKET

- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

SKU	Model	Box Qty
7696	VT-5172	50

NEW WI-FI EU SOCKET

- Wi-Fi enabled EU sockets designed to meet EU standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3680W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

SKU	Model	Box Qty
7698	VT-5175	50

NEW WI-FI BS SOCKET

- Wi-Fi enabled BS sockets designed to meet BS standards
- Works with V-TAC Smart Light app or Alexa and Google Home
- Max Rated Power 3120W
- Wifi frequency 2.4GHz + Bluetooth
- Working humidity 85%RH
- Blue LED Indicator
- Supports Android 4.4 or newer & IOS 8.0 or newer

SKU	Model	Box Qty
7697	VT-5173	50

PLUG-WI-FI

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm

SKU	Model	Box Qty
8415-EU PLUG 8427-BS PLUG	VT-5001	50

V-TAC
Meaningful Innovation.

SMART HOME

02 YEAR WARRANTY

MINI PLUG-WI-FI

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	63x45x30mm

works with alexa | works with Ok Google

SKU	Model	Box Qty
8416-EU PLUG 8428-BS PLUG	VT-5002	100

E27 LAMP HOLDER-WI-FI

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	20w(LED Bulb)
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	D:67x02mm

works with alexa | works with Ok Google

SKU	Model	Box Qty
8421	VT-5007	50

WALL SOCKET-WI-FI(EU)

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	86x86x45mm

works with alexa | works with Ok Google

SKU	Model	Box Qty
8797- BLACK 8798- WHITE	VT-5134	60

WALL SOCKET-WI-FI(BS)

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4GHz
Max Watts:	2900w
Material:	PC
On/Off Cycle:	10,000 Times
IP RATING :	IP20
Dimension:	146x86x32mm

works with alexa | works with Ok Google

SKU	Model	Box Qty
8446	VT-5017	100

2 5V/2.1A USB PORT

02 YEAR WARRANTY

SMART HOME

V-TAC Meaningful Innovation.

TEMPERATURE HUMIDITY SCHEDULER

- Max. Current-16A
- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Size: 137x45x28mm

SKU	Model	Box Qty
8467	VT-5145	100

WATERPROOF TEMPERATURE PROBE

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP66 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Size: 70x70x1000mm

SKU	Model	Box Qty
8469	VT-5147	200

TEMPERATURE & HUMIDITY SENSOR

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)"
- Size: 61x26mm(50cm Wire Length)

SKU	Model	Box Qty
8468	VT-5146	200

WI-FI THERMOSTAT

- Power Supply: 95~240 VAC, 50/60Hz
- Fan Relay Amps Resistance: 5A; Inductive: 3A
- Valve Relay Amps Resistance: 3A; Inductive: 1A
- Sensor: NTC 3950, 10K
- Accuracy: +0.5°C
- Set Temp. Range: 5—35°C
- Display Temp. Range: 5~99°C
- Ambient Temp.: 0~45°C
- Ambient Humidity: 5~95%
- RH (Non Condensing)
- Storage Temp.: -5~ 45°C
- Power Consumption: <1.5W
- Timing Error: <1%
- Shell Material: PC + ABS(Fireproof)
- Wire Terminals: Wire 2 × 1.5mm2 or 1 × 2.5mm2
- Protection Class: IP20

SKU	Model	Box Qty
7908	VT-5888	1 pc

V-TAC
Meaningful Innovation.

SMART HOME

02 YEAR WARRANTY

SMART TOWER FAN

- Power(Watts): 55
- Input Voltage: AC:220—240V,50Hz
- Size(Inches): 46
- Material: ABS
- Speed: 3(Low-Med-High)
- Wind Mode: 3(Normal-Natural-Sleep)
- Timer: 1-15hrs(Max)
- Wireless Frequency: 2.4Ghz
- Remote Control Included

SKU	Model	Box Qty
7927	VT-5566-EU	1
7928	VT-5566-BS	1

RF433 GATEWAY

- Input Voltage: 90-250V
- Max Current:13A
- Wireless Standard Wi-Fi 2.4Ghz
- Material:PC
- Power supply: Micro USB 5V/1A
- RF:433MHz
- Control Mode:VTAC Smartphone App
- Size: 110x25mm

SKU	Model	Box Qty
8466	VT-5144	100

RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.

NEW AUTO DUST CLEANER COMPATIBLE WITH VT-5557 BLACK

- Auto dust collector compatible with Robot Vacuum
- Strong and sturdy ABS built
- 680W power with 20000pa suction power
- Dustbin capacity 2L
- Dust Collect Time <20 Seconds
- Brush Type: Rolling Brush
- Compatible with V-TAC's VT-5557 Robot Vacuum Cleaner's

SKU	Model	Box Qty
7751	7751	1

NEW AUTO DUST CLEANER COMPATIBLE WITH VT-5557 WHITE

- Auto dust collector compatible with Robot Vacuum
- Strong and sturdy ABS built
- 680W power with 20000pa suction power
- Dustbin capacity 2L
- Dust Collect Time <20 Seconds
- Brush Type: Rolling Brush
- Compatible with V-TAC's VT-5557 Robot Vacuum Cleaner's

SKU	Model	Box Qty
7752	7752	1

02 YEAR WARRANTY

LASER ROBOT VACUUM CLEANER

V-TAC Meaningful Innovation.

NEW LASER ROBOT VACUUM CLEANER

SKU	Model	Color	Box Qty
7749	VT-5557-B	Black	4
7750	VT-5557-W	White	4

WORKS WITH alexa

works with Ok Google

SMART CLEAN
SMART, SELF-PROGRAMMED
CLEANING PATH NAVIGATION

MULTI CLEANER
2-IN-1
MOPPING AND CLEANING

SMART CONNECT
WIRELESS WIFI APP
REMOTE CONTROL

- Automated Robot Vacuum Cleaner with 2in1 Mopping and Cleaning Function
- 360° Laser scanning provides insight into the whole house
- Self-programmed navigation - One button operation and auto-start
- Seamlessly connects to Wi-Fi networks for easy control via the V-TAC app
- Preset multi-clean modes: Auto, Single Room, Edge
- Noise Level: <65dB
- Bag-less' waste bin with integrated HEPA filter
- Anti-fall/anti-collision sensors - Built-in rechargeable battery
- Dual spinning side brushes capture dust and debris
- Works on hardwood, tile, marble & hard carpet floors
- Cleaning area coverage: Up to 120m2 - Dustbin capacity: 240 ml - Water Tank Capacity: 250ml
- Suction Power: Brusless Motor 2200 PA
- Can be controlled via V-TAC Smart Light app or Alexa and Google Home

SCANNING PROVIDES INSIGHT INTO THE WHOLE HOUSE
360°LASER

MOTOR SUCTION POWER
2000 PA

Moving towards Sustainability.

Download
Solar Energy
Catalog

Sofia Office

V-TAC Europe Ltd
41, bul. Rozhen
1271 Sofia
Bulgaria
www.v-tac.eu
office@v-tac.eu

UK Office

V-TAC House, Kelpatrick Road,
Slough, Berkshire, SL1 6BW, UK.
www.v-tac.co.uk
info@v-tac.co.uk

Hungary Office

Népfürdő utca 13. | H-1138
Budapest, Ungarn

Romania Office

Bulevardul Unirii, numărul 33
(vis-a-vis de Institutul Bancar Român),
București

Poland Office

V-TAC POLAND sp. z o.o.
Ul. Obornicka 330
60-689 Poznań

Middle East Office

Unit# 407/8/9 Jumeirah Bay Towers,
Plot# X3, JLT,P.O. Box 45244, Dubai

V-TAC West Europe

Ground Floor, 71 Lower Baggot
Street, Dublin 02, Ireland
D02 P593

V-TAC

Meaningful Innovation.

MOVING TOWARDS SUSTAINABILITY.